

thm_2Earithmetic_2ELT__MULT__LCANCEL (TMR5EehkfG1HMfxbFUgcLa9HF2e26y9TEzS)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \ P))$

Definition 4 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 5 We define `c_2Ebool_2E_2T` to be $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 6 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a}) \ P))$

Definition 7 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{1}$$

Let `c_2Earithmetic_2E_2B` : ι be given. Assume the following.

$$\text{c_2Earithmetic_2E_2B} \in ((\text{ty_2Enum_2Enum}^{\text{ty_2Enum_2Enum}})^{\text{ty_2Enum_2Enum}}) \tag{2}$$

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$\text{c_2Enum_2EZERO_REP} \in \text{omega} \tag{3}$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$\text{c_2Enum_2EABS_num} \in (\text{ty_2Enum_2Enum}^{\text{omega}}) \tag{4}$$

Definition 8 We define `c_2Enum_2E0` to be $(\text{ap } \text{c_2Enum_2EABS_num } \text{c_2Enum_2EZERO_REP})$.

Definition 9 We define `c_2Earithmetic_2EZERO` to be `c_2Enum_2E0`.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 11 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic$

Definition 12 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (7)$$

Definition 13 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2. V0t))$.

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 15 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 16 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum. (V0m = (ap\ c_2Enum_2ESUC\ V1n)))))) \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap\ (ap\ c_2Earithmetic_2E_2A\ c_2Enum_2E0)\ V0m) = c_2Enum_2E0) \wedge \\ & (((ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ & (((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2ENUMERAL \\ & (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))\ V0m) = V0m) \wedge \\ & (((ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ (ap\ c_2Earithmetic_2ENUMERAL \\ & (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))) = V0m) \wedge (\\ & ((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Enum_2ESUC\ V0m))\ V1n) = (ap \\ & (ap\ c_2Earithmetic_2E_2B\ (ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ V1n)) \\ & V1n)) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ (ap\ c_2Enum_2ESUC\ V1n)) = \\ & (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ (ap\ c_2Earithmetic_2E_2A \\ & V0m)\ V1n)))))))))) \quad (9) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1i \in ty_2Enum_2Enum. (\\
& \quad \forall V2n \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C (\\
& \quad ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V2n)) V0m)) (ap (\\
& \quad ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V2n)) V1i))) \Leftrightarrow (p (ap \\
& \quad (ap c_2Eprim_rec_2E_3C V0m) V1i))))))
\end{aligned} \tag{10}$$

Assume the following.

$$True \tag{11}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{12}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{15}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& \quad p V0t))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\neg(p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V0n) V0n))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) \\
& \quad (ap c_2Enum_2ESUC V0n))))
\end{aligned} \tag{19}$$

Theorem 1

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \quad \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C (\\ & ap (ap c_2Earithmetic_2E_2A V0m) V1n)) (ap (ap c_2Earithmetic_2E_2A \\ & V0m) V2p))) \Leftrightarrow ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0m)) \wedge \\ & \quad (p (ap (ap c_2Eprim_rec_2E_3C V1n) V2p)))))) \end{aligned}$$