

thm_2Earithmetic_2EMODEQ__PLUS__CONG (TMM9PeUAbhH3mjRNeDDCepydRaXUDfuhITT)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{5}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap\ P\ x)) \mathbf{then} (the\ (\lambda x. x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ A\ P))))$

Definition 5 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define $c_Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_Emin_2E_3D (2^{A_27a})))$

Definition 7 We define $c_Earithmetic_2EMODEQ$ to be $\lambda V0n \in ty_2Enum_2Enum. \lambda V1m1 \in ty_2Enum.$

Definition 8 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_Emin_2E_3D_3D_3E V0t1 V1t2) V2t))))$

Definition 11 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_Emin_2E_3D_3D_3E V0t1 V1t2) V2t))))$

Definition 12 We define $c_Ebool_2EBOUNDED$ to be $(\lambda V0v \in 2. c_Ebool_2ET)$.

Definition 13 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_21))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num V0m)$

Definition 15 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C \\ & \quad c_2Enum_2E0) V0n)) \Rightarrow (\forall V1j \in ty_2Enum_2Enum. (\forall V2k \in \\ & \quad ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2E_2B \\ & \quad (ap (ap c_2Earithmetic_2EMOD V1j) V0n)) (ap (ap c_2Earithmetic_2EMOD \\ & \quad V2k) V0n))) V0n) = (ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2E_2B \\ & \quad V1j) V2k)) V0n)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (\forall V1m1 \in ty_2Enum_2Enum. \\ & \quad (\forall V2m2 \in ty_2Enum_2Enum. ((p (ap (ap (ap c_2Earithmetic_2EMODEQ \\ & \quad V0n) V1m1) V2m2)) \Leftrightarrow (((V0n = c_2Enum_2E0) \wedge (V1m1 = V2m2)) \vee ((p (ap \\ & \quad (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n)) \wedge ((ap (ap c_2Earithmetic_2EMOD \\ & \quad V1m1) V0n) = (ap (ap c_2Earithmetic_2EMOD V2m2) V0n)))))) \end{aligned} \quad (10)$$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A.27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A.27a.(p (ap V1Q V4x))))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (23)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p V0P) \vee (p V1Q)) \Rightarrow (p V2R)) \Leftrightarrow (((p V0P) \Rightarrow (p V2R)) \wedge ((p V1Q) \Rightarrow (p V2R)))))) \quad (24)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p V0P) \Rightarrow (p V1Q) \wedge (p V2R)) \Leftrightarrow (((p V0P) \Rightarrow (p V1Q)) \wedge ((p V0P) \Rightarrow (p V2R)))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (27)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0f \in (2^{A_{27a}}).(\forall V1v \in A_{27a}.((\forall V2x \in A_{27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (28)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c_2Ebool_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p (ap (ap c_2Eprim_rec_2E_3C V0n) V0n)))) \quad (30)$$

Theorem 1

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (\forall V1x0 \in ty_2Enum_2Enum. \\ & (\forall V2x1 \in ty_2Enum_2Enum. (\forall V3y0 \in ty_2Enum_2Enum. \\ & (\forall V4y1 \in ty_2Enum_2Enum. ((p (ap (ap (ap (ap c_2Earithmetic_2EMODEQ \\ & V0n) V1x0) V2x1)) \Rightarrow ((p (ap (ap (ap c_2Earithmetic_2EMODEQ V0n) V3y0) \\ & V4y1)) \Rightarrow (p (ap (ap (ap c_2Earithmetic_2EMODEQ V0n) (ap (ap c_2Earithmetic_2E_2B \\ & V1x0) V3y0)) (ap (ap c_2Earithmetic_2E_2B V2x1) V4y1)))))))))) \end{aligned}$$