

thm\_2Earithmetic\_2ENRC\_ADD\_EQN  
(TMFsvKcqpMHmMu-  
Job15cXTm3kqEYZ7WCycR)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \tag{2}$$

Let  $c\_2Earithmetic\_2ENRC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Earithmetic\_2ENRC\ A.27a \in ((2^{A.27a})^{A.27a})^{ty\_2Enum\_2Enum} \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A.27a)\ V0P)))$

**Definition 4** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A.27a}))\ V0P)))$

**Definition 6** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1m \in ty\_2Enum\_2Enum. (\forall V2n \in ty\_2Enum\_2Enum. ( \\ & \quad \forall V3x \in A\_27a. (\forall V4y \in A\_27a. (\forall V5z \in A\_27a. ( ( \\ & \quad (p (ap (ap (ap (ap (ap (c\_2Earithmetic\_2ENRC A\_27a) V0R) V1m) V3x) V4y)) \wedge \\ & \quad (p (ap (ap (ap (ap (ap (c\_2Earithmetic\_2ENRC A\_27a) V0R) V2n) V4y) V5z))) \Rightarrow \\ & (p (ap (ap (ap (ap (ap (c\_2Earithmetic\_2ENRC A\_27a) V0R) (ap (ap c\_2Earithmetic\_2E\_2B \\ & \quad V1m) V2n)) V3x) V5z))))))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1m \in ty\_2Enum\_2Enum. (\forall V2n \in ty\_2Enum\_2Enum. ( \\ & \quad \forall V3x \in A\_27a. (\forall V4z \in A\_27a. ( (p (ap (ap (ap (ap (c\_2Earithmetic\_2ENRC \\ & \quad A\_27a) V0R) (ap (ap c\_2Earithmetic\_2E\_2B V1m) V2n)) V3x) V4z)) \Rightarrow \\ & (\exists V5y \in A\_27a. ( (p (ap (ap (ap (ap (c\_2Earithmetic\_2ENRC A\_27a) \\ & \quad V0R) V1m) V3x) V5y)) \wedge (p (ap (ap (ap (ap (c\_2Earithmetic\_2ENRC A\_27a) \\ & \quad V0R) V2n) V5y) V4z))))))))) \end{aligned} \quad (5)$$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ( ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ( ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ( (p V0t1) \Leftrightarrow (p V1t2) ) ) ) ) ) \quad (7)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. ( ((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge ( ((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge ( ((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ( ((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ( ( \\ & \quad (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)) ) ) ) ) \end{aligned} \quad (8)$$

Assume the following.

$$((\forall V0t \in 2. ( (\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge ( (\neg True) \Leftrightarrow False) \wedge ( (\neg False) \Leftrightarrow True) ) ) \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. ( ((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge ( ((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge ( ((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge ( ((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg ( \\ & \quad p V0t) ) ) ) ) \end{aligned} \quad (10)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. ( ((p V1B) \wedge (p V2C) \vee (p V0A)) \Leftrightarrow ( ((p V1B) \vee (p V0A)) \wedge ( (p V2C) \vee (p V0A) ) ) ) ) ) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (12)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (13)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (16)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))))) \quad (17)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (18)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (19)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (20)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (21)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (22)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (23)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & (\forall V1m \in ty.2Enum.2Enum. (\forall V2n \in ty.2Enum.2Enum. ( \\ & \forall V3x \in A.27a. (\forall V4z \in A.27a. ((p (ap (ap (ap (ap (c.2Earithmetic.2ENRC \\ & A.27a) V0R) (ap (ap c.2Earithmetic.2E.2B V1m) V2n)) V3x) V4z)) \Leftrightarrow \\ & (\exists V5y \in A.27a. ((p (ap (ap (ap (ap (c.2Earithmetic.2ENRC A.27a) \\ & V0R) V1m) V3x) V5y)) \wedge (p (ap (ap (ap (ap (c.2Earithmetic.2ENRC A.27a) \\ & V0R) V2n) V5y) V4z)))))))))) \end{aligned}$$