

thm_2Earithmetic_2EONE__LT__EXP
(TMEmB61agmCcD1zzSnMtWhjAUAuRQM3JCUB)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{5}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{6}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{7}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_Emin_2E_3D (2^{A-27a}))$

Definition 6 We define c_Eenum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_Eenum_2EABS_num$

Let $c_Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 7 We define $c_Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_Earithmetic_2E_2B$

Definition 8 We define $c_Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 9 We define c_Ebool_2EF to be $(ap (c_Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_21$

Definition 12 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21 2) (\lambda V2t \in$

Definition 13 We define $c_Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge p (ap P x))$

Definition 14 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c_Emin_2E_40$

Definition 15 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 16 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_Earithmetic_2EEXP \\ & V0m) c_Eenum_2E0) = (ap c_Earithmetic_2ENUMERAL (ap c_Earithmetic_2EBIT1 \\ & c_Earithmetic_2EZERO)))) \wedge (\forall V1m \in ty_2Enum_2Enum. (\forall V2n \in \\ & ty_2Enum_2Enum. ((ap (ap c_Earithmetic_2EEXP V1m) (ap c_Eenum_2ESUC \\ & V2n)) = (ap (ap c_Earithmetic_2E_2A V1m) (ap (ap c_Earithmetic_2EEXP \\ & V1m) V2n)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & ((ap c_Earithmetic_2ENUMERAL (ap c_Earithmetic_2EBIT1 c_Earithmetic_2EZERO)) = \\ & (ap c_Eenum_2ESUC c_Eenum_2E0)) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Enum_2Enum. (\forall V1y \in ty_2Enum_2Enum. (\\ & (p (ap (ap c_Eprim_rec_2E_3C c_Eenum_2E0) (ap (ap c_Earithmetic_2EEXP \\ & V0x) V1y))) \Leftrightarrow ((p (ap (ap c_Eprim_rec_2E_3C c_Eenum_2E0) V0x)) \vee \\ & (V1y = c_Eenum_2E0)))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Enum_2Enum. (\forall V1y \in ty_2Enum_2Enum. (\\
& (p (ap (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL (\\
& ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) (ap (ap c_2Earithmetic_2E_2A \\
& V0x) V1y))) \Leftrightarrow (((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0x)) \wedge \\
& (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL (\\
& ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V1y))) \vee (\\
& (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V1y)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) \\
& V0x)))))))))
\end{aligned} \tag{12}$$

Assume the following.

$$True \tag{13}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{14}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p V0t))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge \\
& (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p (ap V0P c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p (ap V0P V2n))))))
\end{aligned} \tag{21}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p (ap (ap c_2Eprim_rec_2E_3C V0n) V0n)))) \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\
& (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) V1n)) \Rightarrow (\\
& p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) \\
& (ap c_2Enum_2ESUC V0n))))
\end{aligned} \tag{24}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{25}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge ((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (39)$$

Theorem 1

$$(\forall V0x \in ty_2Enum_2Enum. (\forall V1y \in ty_2Enum_2Enum. (p (ap (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) (ap (ap c_2Earithmetic_2EEXP V0x) V1y))) \Leftrightarrow ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0x)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V1y))))))$$