

thm_2Earithmetic_2ESUB__EQ__EQ__0 (TMRe- QyBLAJx3q7ppxb8H4XsYfH8GDupXead)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (ap c_2Enum_2EREP_num (ap c_2Enum_2ESUC_REP V0m)))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_Emin_2E_40$

Definition 11 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define $c_Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_Enum_2EZERO_REP \in \omega \quad (6)$$

Definition 14 We define c_Enum_2E0 to be $(ap\ c_Enum_2EABS_num\ c_Enum_2EZERO_REP)$.

Definition 15 We define $c_Earithmetic_2EZERO$ to be c_Enum_2E0 .

Let $c_Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 16 We define $c_Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_Earithmetic$

Definition 17 We define $c_Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 18 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum. ((ap\ (ap\ c_Earithmetic_2E_2D \\ & c_Enum_2E0)\ V0m) = c_Enum_2E0)) \wedge (\forall V1m \in ty_2Enum_2Enum. \\ & (\forall V2n \in ty_2Enum_2Enum. ((ap\ (ap\ c_Earithmetic_2E_2D\ (\\ & ap\ c_Enum_2ESUC\ V1m))\ V2n) = (ap\ (ap\ (ap\ (c_Ebool_2ECOND\ ty_2Enum_2Enum) \\ & (ap\ (ap\ c_Eprim_rec_2E_3C\ V1m)\ V2n))\ c_Enum_2E0)\ (ap\ c_Enum_2ESUC \\ & (ap\ (ap\ c_Earithmetic_2E_2D\ V1m)\ V2n)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & ((ap\ c_Earithmetic_2ENUMERAL\ (ap\ c_Earithmetic_2EBIT1\ c_Earithmetic_2EZERO)) = \\ & (ap\ c_Enum_2ESUC\ c_Enum_2E0)) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap\ (ap\ c_Earithmetic_2E_2B\ c_Enum_2E0)\ V0m) = V0m) \wedge (((ap\ (\\ & ap\ c_Earithmetic_2E_2B\ V0m)\ c_Enum_2E0) = V0m) \wedge (((ap\ (ap\ c_Earithmetic_2E_2B \\ & (ap\ c_Enum_2ESUC\ V0m))\ V1n) = (ap\ c_Enum_2ESUC\ (ap\ (ap\ c_Earithmetic_2E_2B \\ & V0m)\ V1n))) \wedge ((ap\ (ap\ c_Earithmetic_2E_2B\ V0m)\ (ap\ c_Enum_2ESUC \\ & V1n)) = (ap\ c_Enum_2ESUC\ (ap\ (ap\ c_Earithmetic_2E_2B\ V0m)\ V1n)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V0m)) V1n))) \Rightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1n) V0m))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (((ap (ap c_2Earithmetic_2E_2D \\
& c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge ((ap (ap c_2Earithmetic_2E_2D \\
& V0m) c_2Enum_2E0) = V0m)))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Eprim_rec_2E_3C V1n) V0m))) \Rightarrow (\exists V2p \in ty_2Enum_2Enum. \\
& (V0m = (ap (ap c_2Earithmetic_2E_2B V1n) (ap (ap c_2Earithmetic_2E_2B \\
& V2p) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2EZERO))))))))))
\end{aligned} \tag{14}$$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{16}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\
& (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{19}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0t1 \in A.27a.(\forall V1t2 \in A.27a.(((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) V0t1) V1t2) = V1t2)))) \quad (24)$$

Assume the following.

$$(\forall V0n \in ty.2Enum.2Enum.(\neg((ap c.2Enum.2ESUC V0n) = c.2Enum.2E0))) \quad (25)$$

Assume the following.

$$(\forall V0P \in (2^{ty.2Enum.2Enum}).(((p (ap V0P c.2Enum.2E0)) \wedge (\forall V1n \in ty.2Enum.2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c.2Enum.2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty.2Enum.2Enum.(p (ap V0P V2n)))))) \quad (26)$$

Assume the following.

$$(\forall V0m \in ty.2Enum.2Enum.(\forall V1n \in ty.2Enum.2Enum.(((ap c.2Enum.2ESUC V0m) = (ap c.2Enum.2ESUC V1n)) \Leftrightarrow (V0m = V1n)))) \quad (27)$$

Theorem 1

$$(\forall V0m \in ty.2Enum.2Enum.(\forall V1n \in ty.2Enum.2Enum.(((ap (ap c.2Earithmetic.2E.2D V0m) V1n) = V0m) \Leftrightarrow ((V0m = c.2Enum.2E0) \vee (V1n = c.2Enum.2E0))))))$$