

thm_2Earithmetic_2EX__LT__EXP__X
(TMY8wcrYrmiJyxKsyJBaY1FAHnwxLnbNSxG)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{2}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \tag{4}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega)^{ty_2Enum_2Enum} \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega)^{\omega} \tag{6}$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1P \in 2.V1P))\ (\lambda V2P \in 2.V2P))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ (c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (7)$$

Definition 6 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B$

Definition 7 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 8 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B$

Definition 9 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 10 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2))$

Definition 13 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in 2^A.(\lambda V0P \in 2^A.27^a).(ap V0P (ap (c_2Emin_2E_40$

Definition 16 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$

Definition 17 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 18 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\ & V0m) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) \wedge (\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in \\ & ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V1m) (ap c_2Enum_2ESUC \\ & V2n)) = (ap (ap c_2Earithmetic_2E_2A V1m) (ap (ap c_2Earithmetic_2EEXP \\ & V1m) V2n)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & ((ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) = \\ & (ap c_2Enum_2ESUC c_2Enum_2E0)) \end{aligned} \quad (10)$$

Assume the following.

$$((ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)) = (ap\ c_2Enum_2ESUC\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) \quad (11)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. ((\neg(V0n = c_2Enum_2E0)) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ V0n)))) \quad (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1n)\ V2p))) \Rightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V2p)))))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)) \Rightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ c_2Enum_2ESUC\ V0m))\ V1n)))))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))) = V0m)) \quad (16)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1n)\ V2p))) \Rightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V2p)))))) \quad (17)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V0m)\ V1n)) \Rightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ (ap\ (ap\ c_2Earithmetic_2E_2A\ V1n)\ V2p)))\ (ap\ (ap\ c_2Earithmetic_2E_2A\ V1n)\ V2p)))))) \quad (18)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) V0n) = (ap (ap c_2Earithmetic_2E_2B V0n) V0n))) \quad (19)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B V0m) V2p)))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p)))))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) (ap (ap c_2Earithmetic_2E_2A V0m) V2p)))) \Leftrightarrow ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0m)) \wedge (p (ap (ap c_2Eprim_rec_2E_3C V1n) V2p)))))) \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg (p V0t)))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (28)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (32)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))) \quad (33)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (((p (ap V0P c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p (ap V0P V2n)))))) \quad (34)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Enum_2ESUC V0n)))) \quad (35)$$

Assume the following.

$$(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Enum_2ESUC c_2Enum_2E0))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (46)$$

Theorem 1

$$(\forall V0b \in ty_2Enum_2Enum. (\forall V1x \in ty_2Enum_2Enum. (p (ap (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0b)) \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C V1x) (ap (ap c_2Earithmetic_2EEXP V0b) V1x))))))$$