

# thm\_2Ebag\_2EASSOC\_\_BAG\_\_UNION

(TMGx34VLgcJPMYjqd7h2Jyv6p6YBiF5B3vd)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (2)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) V0P) V2P))$

**Definition 4** We define  $c\_2Ebag\_2EBAG\_UNION$  to be  $\lambda A\_27a : \iota. \lambda V0b \in (ty\_2Enum\_2Enum^{A\_27a}). \lambda V1c \in (ty\_2Enum\_2Enum^{A\_27a}).$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \quad \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\ & \quad (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p))))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \quad \forall V2p \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\ & \quad V2p) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \end{aligned} \quad (4)$$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \text{True})) \quad (7)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (8)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & \forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a.((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \end{aligned} \quad (9)$$

### Theorem 1

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0b1 \in (ty\_2Enum\_2Enum^{A\_27a}). \\ & (\forall V1b2 \in (ty\_2Enum\_2Enum^{A\_27a}).(\forall V2b3 \in (ty\_2Enum\_2Enum^{A\_27a}). \\ & ((ap\ (ap\ (c\_2EBAG\_UNION\ A\_27a)\ V0b1)\ (ap\ (ap\ (c\_2EBAG\_UNION\ A\_27a)\ V1b2)\ V2b3)) = (ap\ (ap\ (c\_2EBAG\_UNION\ A\_27a)\ (ap\ (c\_2EBAG\_UNION\ A\_27a)\ V0b1)\ V1b2))\ V2b3)))))) \end{aligned}$$