

thm_2Ebag_2EBAG__CARD__UNION
 (TMZ8X5e5Qp7HtjADuMKPnGWLMMWd8nTWkcb)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (2)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1x \in 2.V1x)) (V0P)))$

Definition 4 We define $c_2Ebag_2EBAG__UNION$ to be $\lambda A. \lambda a : \iota. \lambda V0b \in (ty_2Enum_2Enum^{A_27a}). \lambda V1c \in (ty_2Enum_2Enum^{A_27a}).$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (3)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (4)$$

Definition 5 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 8 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E$

Definition 9 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x.$

Definition 10 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t)).$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 15 We define $c_2Ebag_2EBAG_INSERT$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2E$

Definition 16 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 17 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A_27a : \iota.(ap (c_2Ecombin_2EK ty_2Enum_2Enum$

Definition 18 We define $c_2Ebag_2EFINITE_BAG$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A_27a}).(ap$

Let $c_2Ebag_2EBAG_CARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ebag_2EBAG_CARD A_27a \in (ty_2Enum_2Enum^{(ty_2Enum_2Enum^{A_27a})}) \quad (7)$$

Definition 19 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m)) \quad (8)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B V1n) V0m)))) \quad (9)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B V1n) V0m)))) \quad (10)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B V0m) \\
 & (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) = (ap (ap c_2Earithmetic_2E_2B \\
 & (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) V2p)))))) \\
 \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. (((ap (ap c_2Earithmetic_2E_2B V0m) \\
 & V2p) = (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \\
 \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
 & (\forall A_27a. nonempty A_27a \Rightarrow (\forall V0e \in A_27a. (\forall V1b1 \in \\
 & (ty_2Enum_2Enum^{A_27a}). (\forall V2b2 \in (ty_2Enum_2Enum^{A_27a}). \\
 & (((ap (ap (c_2Ebag_2EBAG_UNION A_27a) (ap (ap (c_2Ebag_2EBAG_INSERT \\
 & A_27a) V0e) V1b1)) V2b2) = (ap (ap (c_2Ebag_2EBAG_INSERT A_27a) \\
 & V0e) (ap (ap (c_2Ebag_2EBAG_UNION A_27a) V1b1) V2b2))) \wedge ((ap \\
 & (ap (c_2Ebag_2EBAG_UNION A_27a) V1b1) (ap (ap (c_2Ebag_2EBAG_INSERT \\
 & A_27a) V0e) V2b2)) = (ap (ap (c_2Ebag_2EBAG_INSERT A_27a) V0e) \\
 & (ap (ap (c_2Ebag_2EBAG_UNION A_27a) V1b1) V2b2))))))) \\
 \end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
 & \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow \forall A_27c. \\
 & nonempty A_27c \Rightarrow ((\forall V0b \in (ty_2Enum_2Enum^{A_27a}). ((ap (ap \\
 & (c_2Ebag_2EBAG_UNION A_27a) V0b) (c_2Ebag_2EEMPTY_BAG A_27a)) = \\
 & V0b)) \wedge ((\forall V1b \in (ty_2Enum_2Enum^{A_27b}). ((ap (ap (c_2Ebag_2EBAG_UNION \\
 & A_27b) (c_2Ebag_2EEMPTY_BAG A_27b)) V1b) = V1b)) \wedge (\forall V2b1 \in \\
 & (ty_2Enum_2Enum^{A_27c}). (\forall V3b2 \in (ty_2Enum_2Enum^{A_27c}). \\
 & (((ap (ap (c_2Ebag_2EBAG_UNION A_27c) V2b1) V3b2) = (c_2Ebag_2EEMPTY_BAG \\
 & A_27c)) \Leftrightarrow ((V2b1 = (c_2Ebag_2EEMPTY_BAG A_27c)) \wedge (V3b2 = (c_2Ebag_2EEMPTY_BAG \\
 & A_27c)))))))))) \\
 \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
 & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Enum_2Enum^{A_27a})}). \\
 & (((p (ap V0P (c_2Ebag_2EEMPTY_BAG A_27a))) \wedge (\forall V1b \in (ty_2Enum_2Enum^{A_27a}). \\
 & (((p (ap (c_2Ebag_2EFINITE_BAG A_27a) V1b)) \wedge (p (ap V0P V1b))) \Rightarrow \\
 & (\forall V2e \in A_27a. (p (ap V0P (ap (ap (c_2Ebag_2EBAG_INSERT A_27a) \\
 & V2e) V1b)))))) \Rightarrow (\forall V3b \in (ty_2Enum_2Enum^{A_27a}). ((p (ap \\
 & (c_2Ebag_2EFINITE_BAG A_27a) V3b)) \Rightarrow (p (ap V0P V3b))))))) \\
 \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0b1 \in (ty_2Enum_2Enum^{A_{27a}}). \\ & (\forall V1b2 \in (ty_2Enum_2Enum^{A_{27a}}).((p\ (ap\ (c_2Ebag_2EFINITE_BAG \\ A_{27a})\ (ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_{27a})\ V0b1)\ V1b2))) \Leftrightarrow ((p \\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_{27a})\ V0b1)) \wedge (p\ (ap\ (c_2Ebag_2EFINITE_BAG \\ A_{27a})\ V1b2))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c_2Ebag_2EBAG_CARD\ A_{27a}) \\ (c_2Ebag_2EEMPTY_BAG\ A_{27a})) = c_2Enum_2E0) \wedge (\forall V0b \in (\\ ty_2Enum_2Enum^{A_{27a}}).((p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_{27a}) \\ V0b)) \Rightarrow (\forall V1e \in A_{27a}.((ap\ (c_2Ebag_2EBAG_CARD\ A_{27a})\ (\\ ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_{27a})\ V1e)\ V0b)) = (ap\ (ap\ c_2Earithmetic_2E_2B \\ (ap\ (c_2Ebag_2EBAG_CARD\ A_{27a})\ V0b))\ (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))) \end{aligned} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A_{27a}.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.((& (True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.((& (True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((V0x = V0x) \Leftrightarrow \\ True)) \quad (22)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in \\ A_{27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.((& (True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ (p\ V0t))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_{27a}}). ((\forall V2x \in A_{27a}. ((p V0P) \Rightarrow (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \Rightarrow (\forall V3x \in A_{27a}. (p (ap V1Q V3x))))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))))) \quad (27)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0b1 \in (ty_2Enum_2Enum^{A_{27a}}). \\ & (\forall V1b2 \in (ty_2Enum_2Enum^{A_{27a}}). (((p (ap (c_2Ebag_2EFINITE_BAG \\ & A_{27a}) V0b1)) \wedge (p (ap (c_2Ebag_2EFINITE_BAG A_{27a}) V1b2))) \Rightarrow (\\ & (ap (c_2Ebag_2EBAG_CARD A_{27a}) (ap (ap (c_2Ebag_2EBAG_UNION \\ & A_{27a}) V0b1) V1b2)) = (ap (ap c_2Earithmetic_2E_2B (ap (c_2Ebag_2EBAG_CARD \\ & A_{27a}) V0b1)) (ap (c_2Ebag_2EBAG_CARD A_{27a}) V1b2))))))) \end{aligned}$$