

thm\_2Ebag\_2EBAG\_\_EVERY\_\_MERGE  
 (TMZQVGN-  
 MJC3bTxvq4B9qyoT6YnEU7FaWRBb)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num$

**Definition 9** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then** *(the*  $(\lambda x.x \in A \wedge p$   
*of type*  $\iota \Rightarrow \iota$ .

**Definition 10** We define `c_2Ebool_2E_3F` to be  $\lambda A_{.27a} : \iota.(\lambda V0P \in (2^{A_{.27a}}). (ap V0P (ap (c_2Emin_2E_40$

**Definition 11** We define `c_2Eprim_rec_2E_3C` to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define `c_2Ebool_2ECOND` to be  $\lambda A_{.27a} : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_{.27a}.(\lambda V2t2 \in A_{.27a}.$

**Definition 13** We define `c_2Ebag_2EBAG_MERGE` to be  $\lambda A_{.27a} : \iota.\lambda V0b1 \in (ty\_2Enum\_2Enum^{A_{.27a}}).\lambda V$

Let `c_2Enum_2EZERO_REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{5}$$

**Definition 14** We define `c_2Enum_2E0` to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 15** We define `c_2Earithmetic_2EZERO` to be `c_2Enum_2E0`.

Let `c_2Earithmetic_2E_2B` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 16** We define `c_2Earithmetic_2EBIT1` to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 17** We define `c_2Earithmetic_2ENUMERAL` to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 18** We define `c_2Earithmetic_2E_3E` to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 19** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t$

**Definition 20** We define `c_2Earithmetic_2E_3E_3D` to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 21** We define `c_2Ebag_2EBAG_INN` to be  $\lambda A_{.27a} : \iota.\lambda V0e \in A_{.27a}.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 22** We define `c_2Ebag_2EBAG_IN` to be  $\lambda A_{.27a} : \iota.\lambda V0e \in A_{.27a}.\lambda V1b \in (ty\_2Enum\_2Enum$

**Definition 23** We define `c_2Ebag_2EBAG EVERY` to be  $\lambda A_{.27a} : \iota.\lambda V0P \in (2^{A_{.27a}}).\lambda V1b \in (ty\_2Enum\_2Enum$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0e \in A_{.27a}.(\forall V1b1 \in \\ & (ty\_2Enum\_2Enum^{A_{.27a}}).(\forall V2b2 \in (ty\_2Enum\_2Enum^{A_{.27a}}). \\ & ((p (ap (ap (c_2Ebag_2EBAG\_IN A_{.27a}) V0e) (ap (ap (c_2Ebag_2EBAG\_MERGE \\ & A_{.27a}) V1b1) V2b2)))) \Leftrightarrow ((p (ap (ap (c_2Ebag_2EBAG\_IN A_{.27a}) V0e) \\ & V1b1)) \vee (p (ap (ap (c_2Ebag_2EBAG\_IN A_{.27a}) V0e) V2b2)))))) \end{aligned} \tag{7}$$

Assume the following.

$$True \tag{8}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\ & (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow \\ & ((\forall V3x \in A\_27a. (p\ (ap\ V0P\ V3x))) \wedge (\forall V4x \in A\_27a. (p\ ( \\ & \quad ap\ V1Q\ V4x))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2R \in 2. (((p\ V0P) \vee \\ & (p\ V1Q)) \Rightarrow (p\ V2R)) \Leftrightarrow (((p\ V0P) \Rightarrow (p\ V2R)) \wedge ((p\ V1Q) \Rightarrow (p\ V2R)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (14)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1b1 \in \\ & (ty\_2Enum\_2Enum^{A\_27a}). (\forall V2b2 \in (ty\_2Enum\_2Enum^{A\_27a}). \\ & ((p\ (ap\ (ap\ (c\_2Ebag\_2EBAG\_EVERY\ A\_27a)\ V0P)\ (ap\ (ap\ (c\_2Ebag\_2EBAG\_MERGE \\ & \quad A\_27a)\ V1b1)\ V2b2))) \Leftrightarrow ((p\ (ap\ (ap\ (c\_2Ebag\_2EBAG\_EVERY\ A\_27a) \\ & \quad V0P)\ V1b1)) \wedge (p\ (ap\ (ap\ (c\_2Ebag\_2EBAG\_EVERY\ A\_27a)\ V0P)\ V2b2)))))) \end{aligned}$$