

thm\_2Ebag\_2EBAG\_\_IMAGE\_\_FINITE\_\_I  
(TMaHfHehuRExDC1L2gj8u48GSFXeUbxiiqg)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.\lambda V1y \in A.V0x)$

**Definition 4** We define  $c\_2Ebag\_2EEMPTY\_BAG$  to be  $\lambda A.\lambda a : \iota.(ap\ (c\_2Ecombin\_2EK\ ty\_2Enum\_2Enum))$

**Definition 5** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 6** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))))$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Ecombin\_2EK\ ty\_2Enum\_2Enum))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (6)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B) V0n)$ .

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 11** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 12** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t)))$ .

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \Rightarrow p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.V2t2)))$ .

**Definition 16** We define  $c\_2Ebag\_2EBAG\_INSERT$  to be  $\lambda A\_27a : \iota.\lambda V0e \in A\_27a.\lambda V1b \in (ty\_2Enum\_2Enum^{A\_27a})$ .

**Definition 17** We define  $c\_2Ebag\_2EBAG\_FILTER$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1b \in (ty\_2Enum\_2Enum^{A\_27a})$ .

Let  $c\_2Ebag\_2EBAG\_CARD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ebag\_2EBAG\_CARD A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{A\_27a})}) \quad (7)$$

**Definition 18** We define  $c\_2Ebag\_2EFINITE\_BAG$  to be  $\lambda A\_27a : \iota.\lambda V0b \in (ty\_2Enum\_2Enum^{A\_27a}).(ap c\_2Ebag\_2EBAG\_CARD V0b)$ .

**Definition 19** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1x \in A\_27a.V1x))$ .

**Definition 20** We define  $c\_2Ebag\_2EBAG\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27a^{A\_27b}).\lambda V1b \in (ty\_2Enum\_2Enum^{A\_27b})$ .

**Definition 21** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21))$ .

**Definition 22** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$ .

**Definition 23** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$ .

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\ A\_27a.(\forall V2b \in (ty\_2Enum\_2Enum^{A\_27a}).(((ap (ap (c\_2Ebag\_2EBAG\_INSERT \\ A\_27a) V0x) V2b) = (ap (ap (c\_2Ebag\_2EBAG\_INSERT A\_27a) V1y) V2b))) \Leftrightarrow \\ (V0x = V1y)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Enum\_2Enum^{A\_27a})}). \\
& (((p\ (ap\ V0P\ (c\_2Ebag\_2EMPTY\_BAG\ A\_27a))) \wedge (\forall V1b \in (ty\_2Enum\_2Enum^{A\_27a}). \\
& (((p\ (ap\ (c\_2Ebag\_2EFINITE\_BAG\ A\_27a)\ V1b)) \wedge (p\ (ap\ V0P\ V1b)))) \Rightarrow \\
& (\forall V2e \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ (c\_2Ebag\_2EBAG\_INSERT\ A\_27a)\ \\
& V2e)\ V1b)))))) \Rightarrow (\forall V3b \in (ty\_2Enum\_2Enum^{A\_27a}).((p\ (ap \\
& (c\_2Ebag\_2EFINITE\_BAG\ A\_27a)\ V3b)) \Rightarrow (p\ (ap\ V0P\ V3b))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0f \in (A\_27b^{A\_27a}).((ap\ (ap\ (c\_2Ebag\_2EBAG\_IMAGE\ A\_27b \\
& A\_27a)\ V0f)\ (c\_2Ebag\_2EMPTY\_BAG\ A\_27a)) = (c\_2Ebag\_2EMPTY\_BAG \\
& A\_27b)))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0b \in (ty\_2Enum\_2Enum^{A\_27a}).(\forall V1f \in (A\_27b^{A\_27a}). \\
& (\forall V2e \in A\_27a.((p\ (ap\ (c\_2Ebag\_2EFINITE\_BAG\ A\_27a)\ V0b)) \Rightarrow \\
& ((ap\ (ap\ (c\_2Ebag\_2EBAG\_IMAGE\ A\_27b\ A\_27a)\ V1f)\ (ap\ (ap\ (c\_2Ebag\_2EBAG\_INSERT \\
& A\_27a)\ V2e)\ V0b)) = (ap\ (ap\ (c\_2Ebag\_2EBAG\_INSERT\ A\_27b)\ (ap\ V1f \\
& V2e))\ (ap\ (ap\ (c\_2Ebag\_2EBAG\_IMAGE\ A\_27b\ A\_27a)\ V1f)\ V0b))))))
\end{aligned} \tag{11}$$

Assume the following.

$$True \tag{12}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\
& (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{15}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p V0t))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((ap (c_{2Ecombin}_{2EI} A_{27a}) V0x) = V0x)) \tag{20}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0b \in (ty_{2Enum}_{2Enum}^{A_{27a}}). \\
& ((p (ap (c_{2Ebag}_{2EFINITE\_BAG} A_{27a}) V0b)) \Rightarrow ((ap (ap (c_{2Ebag}_{2EBAG\_IMAGE} \\
& A_{27a} A_{27a}) (c_{2Ecombin}_{2EI} A_{27a}) V0b) = V0b)))
\end{aligned}$$