

thm_2Ebag_2EBAG_IMAGE_FINITE_INSERT (TMMfGusMYeij8jjXawcxP85EEmzgE2uVs7N)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{2}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \tag{4}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Ecombin_2EK$ to be $\lambda A. \lambda a : \iota. \lambda A. \lambda b : \iota. (\lambda V0x \in A. \lambda V1y \in A. \lambda V0x)$

Definition 4 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A. \lambda a : \iota. (ap\ (c_2Ecombin_2EK\ ty_2Enum_2Enum))$

Definition 5 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega)^{ty_2Enum_2Enum} \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega)^{\omega} \tag{6}$$

Definition 6 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2. V0x))\ (\lambda V1x \in 2. V1x))$

Definition 7 We define `c_2Ebool_2E_21` to be $\lambda A_{.27a} : \iota. (\lambda V0P \in (2^{A_{.27a}}). (ap (ap (c_2Emin_2E_3D (2^{A_{.27a}}))$

Definition 8 We define `c_2Enum_2ESUC` to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num ($

Definition 9 We define `c_2Earithmic_2EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmic_2E$

Definition 10 We define `c_2Earithmic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum. V0x.$

Definition 11 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2. V0t)).$

Definition 12 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow q Q)$
of type ι .

Definition 13 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D_3D_3E V0t1 V1t2) V2t)))))$

Definition 14 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge P x))$
of type $\iota \Rightarrow \iota$.

Definition 15 We define `c_2Ebool_2ECOND` to be $\lambda A_{.27a} : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_{.27a}. (\lambda V2t2 \in A_{.27a}. (ap (c_2Emin_2E_3D_3D_3E V0t1 V1t1) V2t2))))$

Definition 16 We define `c_2Ebag_2EBAG_INSERT` to be $\lambda A_{.27a} : \iota. \lambda V0e \in A_{.27a}. \lambda V1b \in (ty_2Enum_2Enum^{A_{.27a}}). (ap (c_2Emin_2E_3D_3D_3E V0e V1b))$

Definition 17 We define `c_2Ebag_2EBAG_FILTER` to be $\lambda A_{.27a} : \iota. \lambda V0P \in (2^{A_{.27a}}). \lambda V1b \in (ty_2Enum_2Enum^{A_{.27a}}). (ap (c_2Emin_2E_3D_3D_3E V0P V1b))$

Let `c_2Ebag_2EBAG_CARD` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow c_2Ebag_2EBAG_CARD A_{.27a} \in (ty_2Enum_2Enum^{(ty_2Enum_2Enum^{A_{.27a}})}) \quad (7)$$

Definition 18 We define `c_2Ebag_2EFINITE_BAG` to be $\lambda A_{.27a} : \iota. \lambda V0b \in (ty_2Enum_2Enum^{A_{.27a}}). (ap (c_2Emin_2E_3D_3D_3E V0b V0b))$

Definition 19 We define `c_2Ebool_2ELET` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. (\lambda V0f \in (A_{.27b}^{A_{.27a}}). (\lambda V1x \in A_{.27b}. (ap (c_2Emin_2E_3D_3D_3E V0f V1x))))$

Definition 20 We define `c_2Ebag_2EBAG_IMAGE` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. \lambda V0f \in (A_{.27a}^{A_{.27b}}). \lambda V1b \in (ty_2Enum_2Enum^{A_{.27b}}). (ap (c_2Emin_2E_3D_3D_3E V0f V1b))$

Definition 21 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D_3D_3E V0t1 V1t2) V2t))))$

Definition 22 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap (c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2) V0t))$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \quad \forall V2p \in ty_2Enum_2Enum. (((ap (ap c_2Earithmic_2E_2B V0m) V2p) = (ap (ap c_2Earithmic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. nonempty A_{.27a} \Rightarrow ((p (ap (c_2Ebag_2EFINITE_BAG A_{.27a}) (c_2Ebag_2EEMPTY_BAG A_{.27a}))) \wedge (\forall V0e \in A_{.27a}. (\\ & \quad \forall V1b \in (ty_2Enum_2Enum^{A_{.27a}}). ((p (ap (c_2Ebag_2EFINITE_BAG A_{.27a}) (ap (ap (c_2Ebag_2EBAG_INSERT A_{.27a}) V0e) V1b)))) \Leftrightarrow (p (ap (c_2Ebag_2EFINITE_BAG A_{.27a}) V1b)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (((ap\ (c.2Ebag_2EBAG_CARD\ A.27a) \\ & (c.2Ebag_2EMPTY_BAG\ A.27a)) = c.2Enum_2E0) \wedge (\forall V0b \in (\\ & ty_2Enum_2Enum^{A.27a}).((p\ (ap\ (c.2Ebag_2EFINITE_BAG\ A.27a) \\ & V0b)) \Rightarrow (\forall V1e \in A.27a.((ap\ (c.2Ebag_2EBAG_CARD\ A.27a) (\\ & ap\ (ap\ (c.2Ebag_2EBAG_INSERT\ A.27a)\ V1e)\ V0b)) = (ap\ (ap\ c.2Earithmetic.2E_2B \\ & (ap\ (c.2Ebag_2EBAG_CARD\ A.27a)\ V0b))\ (ap\ c.2Earithmetic.2ENUMERAL \\ & (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO)))))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0P \in (2^{A.27a}).(\forall V1e \in \\ & A.27a.(\forall V2b \in (ty_2Enum_2Enum^{A.27a}).((ap\ (ap\ (c.2Ebag_2EBAG_FILTER \\ & A.27a)\ V0P)\ (ap\ (ap\ (c.2Ebag_2EBAG_INSERT\ A.27a)\ V1e)\ V2b)) = (\\ & ap\ (ap\ (ap\ (c.2Ebool_2ECOND\ (ty_2Enum_2Enum^{A.27a}))\ (ap\ V0P\ V1e)) \\ & (ap\ (ap\ (c.2Ebag_2EBAG_INSERT\ A.27a)\ V1e)\ (ap\ (ap\ (c.2Ebag_2EBAG_FILTER \\ & A.27a)\ V0P)\ V2b))))\ (ap\ (ap\ (c.2Ebag_2EBAG_FILTER\ A.27a)\ V0P)\ V2b)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0P \in (2^{A.27a}).(\forall V1b \in \\ & (ty_2Enum_2Enum^{A.27a}).((p\ (ap\ (c.2Ebag_2EFINITE_BAG\ A.27a) \\ & V1b)) \Rightarrow (p\ (ap\ (c.2Ebag_2EFINITE_BAG\ A.27a)\ (ap\ (ap\ (c.2Ebag_2EBAG_FILTER \\ & A.27a)\ V0P)\ V1b)))))) \end{aligned} \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.((ap\ (ap\ (c.2Ebool_2ELET \\ A.27a\ A.27b)\ V0f)\ V1x) = (ap\ V0f\ V1x)))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \Rightarrow \dots)) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. (\forall V5y_27 \in A_27a. (((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27)\ V5y_27)))))))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))) \quad (26)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\\ & \quad \forall V0b \in (ty_2Enum_2Enum^{A_{27a}}).(\forall V1f \in (A_{27b}^{A_{27a}}). \\ & \quad (\forall V2e \in A_{27a}.((p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_{27a})\ V0b)) \Rightarrow \\ & \quad ((ap\ (ap\ (c_2Ebag_2EBAG_IMAGE\ A_{27b}\ A_{27a})\ V1f)\ (ap\ (ap\ (c_2Ebag_2EBAG_INSERT \\ & \quad A_{27a})\ V2e)\ V0b)) = (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_{27b})\ (ap\ V1f \\ & \quad V2e))\ (ap\ (ap\ (c_2Ebag_2EBAG_IMAGE\ A_{27b}\ A_{27a})\ V1f)\ V0b)))))) \end{aligned}$$