

thm_2Ebag_2EBIG__BAG__UNION__INSERT
(TMasJ6P2RmYwpe7SSHgbnSPFa9WCMkFQ9ME)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (2)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebag_2EBAG_UNION$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A_27a}).\lambda V1c$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (3)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (4)$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET\ A_27a\ A_27b \in (((A_27b^{A_27a})^{(2^{A_27a})})^{((A_27b^{A_27a})^{A_27a})}) \quad (5)$$

Definition 6 We define $c_2Epred_set_2ESUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Enum_2Enum^{A_27a})$

Definition 7 We define $c_2Ebag_2EBIG_BAG_UNION$ to be $\lambda A_27a : \iota.\lambda V0sob \in (2^{(ty_2Enum_2Enum^{A_27a})})$,

Definition 8 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p \Rightarrow Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21\ 2))$

Definition 11 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 12 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t))))$

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 15 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod\ A_27a\ A_27b) V0x\ V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (8)$$

Definition 16 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Epair_2EABS_prod\ A_27a\ A_27a) V0x\ V1s))$

Definition 17 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Epair_2EABS_prod\ A_27a\ A_27a) V0s\ V1t))$

Definition 18 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (c_2Epair_2EABS_prod\ A_27a\ A_27a) V0s\ V1x))$

Definition 19 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21\ 2) V0s))$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.(((ap (ap c_2Earithmetic_2E_2B V0m) V2p) = (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \quad (9)$$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = \\ & V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\ & ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_27a}). \\ & (((ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE\ A_27a)\ V0f)\ (c_2Epred_set_2EMPTY \\ & A_27a)) = c_2Enum_2E0) \wedge (\forall V1e \in A_27a. (\forall V2s \in (2^{A_27a}). \\ & ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V2s)) \Rightarrow ((ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE \\ & A_27a)\ V0f)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1e)\ V2s)) = \\ & (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ V0f\ V1e))\ (ap\ (ap\ (c_2Epred_set_2ESUM_IMAGE \\ & A_27a)\ V0f)\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V2s)\ V1e))))))))) \end{aligned} \quad (19)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0sob \in (2^{(ty_2Enum_2Enum^{A-27a})}). \\ & (\forall V1b \in (ty_2Enum_2Enum^{A-27a}). ((p\ (ap\ (c_2Epred_set_2EFINITE \\ & (ty_2Enum_2Enum^{A-27a})\ V0sob)) \Rightarrow ((ap\ (c_2Ebag_2EBIG_BAG_UNION \\ & A.27a)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ (ty_2Enum_2Enum^{A-27a}) \\ & V1b)\ V0sob)) = (ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A.27a)\ V1b)\ (ap\ (c_2Ebag_2EBIG_BAG_UNION \\ & A.27a)\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ (ty_2Enum_2Enum^{A-27a}) \\ & V0sob)\ V1b)))))))) \end{aligned}$$