

thm_2Ebag_2EBIG__BAG__UNION__ITSET__BAG__UNION (TMaoYRxRZdse7pthVP4DUjA7LtF4hfCrZXp)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.a.(\lambda V1y \in A.b.V0x))$

Definition 4 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A.\lambda a : \iota.(ap\ (c_2Ecombin_2EK\ ty_2Enum_2Enum))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{4}$$

Definition 5 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a})))$

Definition 7 We define $c_2Ebag_2EBAG_UNION$ to be $\lambda A.\lambda a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A-27a}).\lambda V1c$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a.nonempty\ A.\lambda b.nonempty\ A.\lambda b \Rightarrow c_2Epred_set_2EITSET\ A.\lambda a.\lambda b \in (((A.\lambda b^{A-27b})^{(2^{A-27a})})^{((A.\lambda b^{A-27b})^{A-27a})}) \tag{5}$$

Definition 8 We define $c_2Epred_set_2ESUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Enum_2Enum^{A_27a})$.

Definition 9 We define $c_2Ebag_2EBIG_BAG_UNION$ to be $\lambda A_27a : \iota.\lambda V0sob \in (2^{(ty_2Enum_2Enum^{A_27a})})$.

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$.

Definition 11 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 12 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 13 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$.

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t)))$.

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (8)$$

Definition 17 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t)))$.

Definition 18 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$.

Definition 19 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t)))$.

Definition 20 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap\ (ap\ c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t)))$.

Definition 21 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t)))$.

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b1 \in (ty_2Enum_2Enum^{A_27a}). \\ & (\forall V1b2 \in (ty_2Enum_2Enum^{A_27a}). ((ap (ap (c_2Ebag_2EBAG_UNION \\ & A_27a) V0b1) V1b2) = (ap (ap (c_2Ebag_2EBAG_UNION A_27a) V1b2) \\ & V0b1)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b1 \in (ty_2Enum_2Enum^{A_27a}). \\ & (\forall V1b2 \in (ty_2Enum_2Enum^{A_27a}). (\forall V2b3 \in (ty_2Enum_2Enum^{A_27a}). \\ & ((ap (ap (c_2Ebag_2EBAG_UNION A_27a) V0b1) (ap (ap (c_2Ebag_2EBAG_UNION \\ & A_27a) V1b2) V2b3)) = (ap (ap (c_2Ebag_2EBAG_UNION A_27a) (ap (\\ & ap (c_2Ebag_2EBAG_UNION A_27a) V0b1) V1b2)) V2b3)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((ap (c_2Ebag_2EBIG_BAG_UNION \\ & A_27a) (c_2Epred_set_2EEMPTY (ty_2Enum_2Enum^{A_27a}))) = (c_2Ebag_2EEMPTY_BAG \\ & A_27a)) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0sob \in (2^{(ty_2Enum_2Enum^{A_27a})}). \\ & (\forall V1b \in (ty_2Enum_2Enum^{A_27a}). ((p (ap (c_2Epred_set_2EFINITE \\ & (ty_2Enum_2Enum^{A_27a}) V0sob)) \Rightarrow ((ap (c_2Ebag_2EBIG_BAG_UNION \\ & A_27a) (ap (ap (c_2Epred_set_2EINSERT (ty_2Enum_2Enum^{A_27a}) \\ & V1b) V0sob)) = (ap (ap (c_2Ebag_2EBAG_UNION A_27a) V1b) (ap (c_2Ebag_2EBIG_BAG_UNION \\ & A_27a) (ap (ap (c_2Epred_set_2EDELETE (ty_2Enum_2Enum^{A_27a}) \\ & V0sob) V1b)))))))))) \end{aligned} \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow \neg (p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (20)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1s \in (2^{A_27a}). ((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V1s))) \Leftrightarrow ((ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V1s)\ V0x) = V1s)))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(2^{A_27a})}). ((p\ (ap\ V0P\ (c_2Epred_set_2EEMPTY\ A_27a))) \wedge (\forall V1s \in (2^{A_27a}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s))) \Rightarrow (\forall V2e \in A_27a. ((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2e)\ V1s))) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V2e)\ V1s)))))) \Rightarrow (\forall V3s \in (2^{A_27a}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V3s)) \Rightarrow (p\ (ap\ V0P\ V3s)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1b \in A_27b. ((ap\ (ap\ (ap\ (c_2Epred_set_2EITSET\ A_27a\ A_27b)\ V0f)\ (c_2Epred_set_2EEMPTY\ A_27a))\ V1b) = V1b))) \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in ((A_27b^{A_27b})^{A_27a}). (\forall V1e \in A_27a. (\forall V2s \in \\
& \quad (2^{A_27a}). (\forall V3b \in A_27b. ((\forall V4x \in A_27a. (\forall V5y \in \\
& \quad A_27a. (\forall V6z \in A_27b. ((ap\ (ap\ V0f\ V4x)\ (ap\ (ap\ V0f\ V5y)\ V6z)) = \\
& (ap\ (ap\ V0f\ V5y)\ (ap\ (ap\ V0f\ V4x)\ V6z)))))) \wedge (p\ (ap\ (c_2Epred_set_2EFINITE \\
& \quad A_27a)\ V2s))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Epred_set_2EITSET\ A_27a\ A_27b) \\
& \quad V0f)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1e)\ V2s))\ V3b) = (ap \\
& \quad (ap\ V0f\ V1e)\ (ap\ (ap\ (ap\ (c_2Epred_set_2EITSET\ A_27a\ A_27b)\ V0f) \\
& \quad (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V2s)\ V1e))\ V3b)))))) \\
& \hspace{15em} (25)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (27)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge (\\
& \quad \neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p\ V0p) \Rightarrow (p\ V1q))) \Rightarrow (p\ V0p))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (37)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0sob \in (2^{(ty_2Enum_2Enum^{A_{27a}})}), \\ & ((p (ap (c_2Epred_set_2EFINITE (ty_2Enum_2Enum^{A_{27a}}) V0sob)) \Rightarrow \\ & ((ap (c_2Ebag_2EBIG_BAG_UNION A_{27a}) V0sob) = (ap (ap (ap (c_2Epred_set_2EITSET \\ & (ty_2Enum_2Enum^{A_{27a}}) (ty_2Enum_2Enum^{A_{27a}}) (c_2Ebag_2EBAG_UNION \\ & A_{27a})) V0sob) (c_2Ebag_2EEMPTY_BAG A_{27a})))))) \end{aligned}$$