

thm\_2Ebag\_2EEL\_\_BAG\_\_INSERT\_\_squeeze  
(TMc1MuMDzE2gavjYyU7MvN6TaHS4DTKCJZX)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o(x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.\lambda V1y \in A.V0x)$

**Definition 4** We define  $c\_2Ebag\_2EEMPTY\_BAG$  to be  $\lambda A.\lambda a : \iota.(ap\ (c\_2Ecombin\_2EK\ ty\_2Enum\_2Enum))$

**Definition 5** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 6** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))))$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Ecombin\_2EK\ c\_2Enum\_2E0))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (6)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B))$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 11** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 12** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.V2t)))$

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.V2t2)))$

**Definition 16** We define  $c\_2Ebag\_2EBAG\_INSERT$  to be  $\lambda A\_27a : \iota.\lambda V0e \in A\_27a.\lambda V1b \in (ty\_2Enum\_2Enum^{A\_27a})$

**Definition 17** We define  $c\_2Ebag\_2EEL\_BAG$  to be  $\lambda A\_27a : \iota.\lambda V0e \in A\_27a.(ap (ap (c\_2Ebag\_2EBAG\_INSERT A\_27a) V0e))$

**Definition 18** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) V0P)))$

**Definition 19** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.V2t)))$

**Definition 20** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_5C\_2F))$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1b \in \\ & (ty\_2Enum\_2Enum^{A\_27a}).(\neg((ap (ap (c\_2Ebag\_2EBAG\_INSERT A\_27a) \\ & V0x) V1b) = (c\_2Ebag\_2EEMPTY\_BAG A\_27a)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0a \in A\_27a.(\forall V1M \in \\ & (ty\_2Enum\_2Enum^{A\_27a}).(\forall V2b \in A\_27a.(\forall V3N \in (ty\_2Enum\_2Enum^{A\_27a}). \\ & (((ap (ap (c\_2Ebag\_2EBAG\_INSERT A\_27a) V0a) V1M) = (ap (ap (c\_2Ebag\_2EBAG\_INSERT \\ & A\_27a) V2b) V3N)) \Leftrightarrow (((V1M = V3N) \wedge (V0a = V2b)) \vee (\exists V4k \in (ty\_2Enum\_2Enum^{A\_27a}). \\ & ((V1M = (ap (ap (c\_2Ebag\_2EBAG\_INSERT A\_27a) V2b) V4k)) \wedge (V3N = \\ & (ap (ap (c\_2Ebag\_2EBAG\_INSERT A\_27a) V0a) V4k)))))))))) \end{aligned} \quad (8)$$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (19)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \Rightarrow (20)$$

**Theorem 1**

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1b \in (ty\_2Enum\_2Enum^{A_{27a}}).(\forall V2y \in A_{27a}.(((ap (c\_2Ebag\_2EEL\_BAG A_{27a}) V0x) = (ap (ap (c\_2Ebag\_2EBAG\_INSERT A_{27a}) V2y) V1b)) \Rightarrow ((V0x = V2y) \wedge (V1b = (c\_2Ebag\_2EMPTY\_BAG A_{27a})))))))$$