

thm_2Ebag_2EFINITE__BAG__DIFF (TM- RVNqq3KdbysTNLXDUAqXE67gjQ9hbGKu)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2D) (V0n))$.

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V0t2)))$.

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_40) (V0t2)))))$.

Definition 14 We define $c_2Ebag_2EBAG_INSERT$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum^A_27a)$.

Definition 15 We define $c_2Ebag_2EBAG_DELETE$ to be $\lambda A_27a : \iota.\lambda V0b0 \in (ty_2Enum_2Enum^A_27a)$.

Definition 16 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40) (V0P))))$.

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap (c_2Emin_2E_3D_3D_3E) V0t) c_2Ebool_2E_2F))$.

Definition 18 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 19 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V0t2)))$.

Definition 21 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 22 We define $c_2Ebag_2EBAG_INN$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1n \in ty_2Enum_2Enum$.

Definition 23 We define $c_2Ebag_2ESUB_BAG$ to be $\lambda A_27a : \iota.\lambda V0b1 \in (ty_2Enum_2Enum^A_27a)$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 24 We define $c_2Ebag_2EBAG_DIFF$ to be $\lambda A_27a : \iota.\lambda V0b1 \in (ty_2Enum_2Enum^A_27a)$.

Definition 25 We define $c_2Ebag_2EBAG_IN$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum^A_27a)$.

Definition 26 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$.

Definition 27 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A_27a : \iota.(ap (c_2Ecombin_2EK) ty_2Enum_2Enum)$.

Definition 28 We define $c_2Ebag_2EFINITE_BAG$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^A_27a)$.

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty_2Enum_2Enum^{A.27a}). \\
& (\forall V1e \in A.27a.((p\ (ap\ (ap\ (c.2Ebag_2EBAG_IN\ A.27a)\ V1e) \\
& V0b)) \Rightarrow (\exists V2b.27 \in (ty_2Enum_2Enum^{A.27a}).(p\ (ap\ (ap\ (ap\ (\\
& c.2Ebag_2EBAG_DELETE\ A.27a)\ V0b)\ V1e)\ V2b.27))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow ((\forall V0b \in (\\
& ty_2Enum_2Enum^{A.27a}).((ap\ (ap\ (c.2Ebag_2EBAG_DIFF\ A.27a)\ V0b) \\
& V0b) = (c.2Ebag_2EEMPTY_BAG\ A.27a))) \wedge ((\forall V1b \in (ty_2Enum_2Enum^{A.27b}). \\
& ((ap\ (ap\ (c.2Ebag_2EBAG_DIFF\ A.27b)\ V1b)\ (c.2Ebag_2EEMPTY_BAG \\
& A.27b)) = V1b)) \wedge ((\forall V2b \in (ty_2Enum_2Enum^{A.27c}).((ap\ (ap \\
& (c.2Ebag_2EBAG_DIFF\ A.27c)\ (c.2Ebag_2EEMPTY_BAG\ A.27c))\ V2b) = \\
& (c.2Ebag_2EEMPTY_BAG\ A.27c))) \wedge ((\forall V3b1 \in (ty_2Enum_2Enum^{A.27d}). \\
& (\forall V4b2 \in (ty_2Enum_2Enum^{A.27d}).((p\ (ap\ (ap\ (c.2Ebag_2ESUB_BAG \\
& A.27d)\ V3b1)\ V4b2)) \Rightarrow ((ap\ (ap\ (c.2Ebag_2EBAG_DIFF\ A.27d)\ V3b1) \\
& V4b2) = (c.2Ebag_2EEMPTY_BAG\ A.27d)))))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1b1 \in \\
& (ty_2Enum_2Enum^{A.27a}).(\forall V2b2 \in (ty_2Enum_2Enum^{A.27a}). \\
& ((ap\ (ap\ (c.2Ebag_2EBAG_DIFF\ A.27a)\ (ap\ (ap\ (c.2Ebag_2EBAG_INSERT \\
& A.27a)\ V0x)\ V1b1))\ (ap\ (ap\ (c.2Ebag_2EBAG_INSERT\ A.27a)\ V0x)\ V2b2)) = \\
& (ap\ (ap\ (c.2Ebag_2EBAG_DIFF\ A.27a)\ V1b1)\ V2b2))))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1b1 \in \\
& (ty_2Enum_2Enum^{A.27a}).(\forall V2b2 \in (ty_2Enum_2Enum^{A.27a}). \\
& ((\neg(p\ (ap\ (ap\ (c.2Ebag_2EBAG_IN\ A.27a)\ V0x)\ V1b1))) \Rightarrow ((ap\ (ap\ (\\
& c.2Ebag_2EBAG_DIFF\ A.27a)\ (ap\ (ap\ (c.2Ebag_2EBAG_INSERT\ A.27a) \\
& V0x)\ V2b2))\ V1b1) = (ap\ (ap\ (c.2Ebag_2EBAG_INSERT\ A.27a)\ V0x)\ (\\
& ap\ (ap\ (c.2Ebag_2EBAG_DIFF\ A.27a)\ V2b2)\ V1b1))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Enum_2Enum^{A.27a})}). \\
& (((p\ (ap\ V0P\ (c.2Ebag_2EEMPTY_BAG\ A.27a))) \wedge (\forall V1b \in (ty_2Enum_2Enum^{A.27a}). \\
& (((p\ (ap\ (c.2Ebag_2EFINITE_BAG\ A.27a)\ V1b)) \wedge (p\ (ap\ V0P\ V1b))) \Rightarrow \\
& (\forall V2e \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (c.2Ebag_2EBAG_INSERT\ A.27a) \\
& V2e)\ V1b)))))) \Rightarrow (\forall V3b \in (ty_2Enum_2Enum^{A.27a}).((p\ (ap \\
& (c.2Ebag_2EFINITE_BAG\ A.27a)\ V3b)) \Rightarrow (p\ (ap\ V0P\ V3b))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((p\ (ap\ (c_2Ebag_2EFINITE_BAG \\ & A_{27a})\ (c_2Ebag_2EMPTY_BAG\ A_{27a}))) \wedge (\forall V0e \in A_{27a}.(\\ & \forall V1b \in (ty_2Enum_2Enum^{A_{27a}}).((p\ (ap\ (c_2Ebag_2EFINITE_BAG \\ & A_{27a})\ (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_{27a})\ V0e)\ V1b))) \Leftrightarrow (p\ (ap\ \\ & (c_2Ebag_2EFINITE_BAG\ A_{27a})\ V1b)))))) \end{aligned} \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (17)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_{27a}.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ p\ V0t)))))) \end{aligned} \quad (21)$$

Theorem 1

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0b1 \in (ty_2Enum_2Enum^{A_{27a}}). \\ & ((p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_{27a})\ V0b1)) \Rightarrow (\forall V1b2 \in (\\ & ty_2Enum_2Enum^{A_{27a}}). (p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_{27a})\ (\\ & ap\ (ap\ (c_2Ebag_2EBAG_DIFF\ A_{27a})\ V0b1)\ V1b2)))))) \end{aligned}$$