

thm_2Ebag_2EFINITE_2BAG_2DIFF_2dual
 (TMEyqPAxefsEhFqPLp1VVvwPFfJ9cwh3PoZ)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be ($ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP$).

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 4 We define c_2Ebool_2ET to be ($ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$).

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x)))$.

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ m)$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT1\ n)\ V)$

Definition 8 We define `c_2Earthmetic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 9 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t\in 2.V0t))$.

Definition 10 We define $c_{\text{2Emin_2E_3D_3D_3E}}$ to be $\lambda P \in 2.\lambda Q \in 2.\text{inj_o} (p \Rightarrow p \ Q)$ of type ι .

Definition 11 We define $c_{\text{CBool_2E_2F_5C}}$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_{\text{CBool_2E_21}})2))(\lambda V2t \in$

Definition 12 We define $c_{\text{Emin}} \cdot 40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \text{ } x)) \text{ then } (\lambda x. x \in A \wedge_P$ of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_{_2Ebool_2ECOND}$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a).(\lambda V2t2 \in A.27a).($

Definition 14 We define $c_EBag_EBAG_INSERT$ to be $\lambda A_27a : \iota. \lambda V0e \in A_27a. \lambda V1b \in (ty_2Enum_2E$

Definition 15 We define $c_{\text{EBAG_EBAG_DELETE}}$ to be $\lambda A._27a : \iota.\lambda V.0b_0 \in (\text{ty_EBAG_EBAG}^A)^{\rightarrow \iota}$. λ

Definition 16 We define $c_2Ebool_2E_3F$ to be $\lambda A._27a : \iota.(\lambda V0P \in (2^{A-2^{\prime}a}).(ap\ V0P\ (ap\ (c_2Emin_2E\ 40$

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 18 We define $c_2\text{Eprim_rec_E_3C}$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 19 We define $c_2Earthmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 21 We define $c_2Earthmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 22 We define $c_EBAG_EBAG_INN$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1n \in ty_2Enum_2Enum$

Definition 23 We define $c_2EBag_2ESUB_BAG$ to be $\lambda A_{27a} : \iota.\lambda V0b1 \in (ty_2Enum_2Enum^A_{27a}).\lambda V1b$

Let $c_2E\text{arithmetc_}2E_2D : \iota$ be given. Assume the following.

$c_2Earthmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum} ty_2Enum_2Enum)^{ty_2Enum_2Enum})$

Definition 24. We define $\mathcal{C}2\text{FbaG-2EFAC-DIFF}$ to be $\lambda A. \exists Z \forall a : A. \forall b : B. \exists u : \text{tut-2EFram}. \exists \text{Fram}^{A-27a}. \lambda V1$

Definition 35. We define $\mathcal{C}_\text{2Fbog-2FBAC-IN}$ to be $\lambda A. \exists \vec{z} g : t \in \mathcal{W} g \in A. \exists \vec{z} g. \mathcal{W} 1 b \in (tw\text{-}2F\text{-}\mathbf{enum}, 2F\text{-}\mathbf{enum})$

Definition 26. We define a 2Ecombin-2EK to be $\lambda A. \exists \overline{z} \in c : \lambda A. \exists \overline{z} \in c : (\forall V0x \in A. \exists \overline{z} \in c. (\forall V1y \in A. \exists \overline{z} \in c. V0x = y))$

Definition 27. We define $c \in \text{2Ebag-2EFEMPTY-BAG}$ to be $\lambda A. 2\exists c : t. (c \in \text{2Ecombin-2EK} \wedge c \in \text{2Efuzz-2Emax})$

Definition 28. We define a 2Ebag-2EFINITE-PAC to be a 4-27a.v1.V0b \in (tw-2Eframe-2EFramed A_{-27a}) (an

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0b \in (ty_{.2}Enum_{.2}Enum^{A_{.27a}}). \\ & (\forall V1e \in A_{.27a}.((p (ap (ap (c_{.2}Ebag_{.2}EBAG_{.IN}\ A_{.27a}) V1e) \\ & V0b)) \Rightarrow (\exists V2b_{.27} \in (ty_{.2}Enum_{.2}Enum^{A_{.27a}}).(p (ap (ap (ap (\\ & c_{.2}Ebag_{.2}EBAG_{.DELETE}\ A_{.27a}) V0b) V1e) V2b_{.27}))))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}. \\ & nonempty\ A_{.27c} \Rightarrow \forall A_{.27d}.nonempty\ A_{.27d} \Rightarrow ((\forall V0b \in (\\ & ty_{.2}Enum_{.2}Enum^{A_{.27a}}).((ap (ap (c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27a}) V0b) \\ & = (c_{.2}Ebag_{.2}EEMPTY_{.BAG}\ A_{.27a})) \wedge ((\forall V1b \in (ty_{.2}Enum_{.2}Enum^{A_{.27b}}). \\ & ((ap (ap (c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27b}) V1b) (c_{.2}Ebag_{.2}EEMPTY_{.BAG} \\ & A_{.27b})) = V1b))) \wedge ((\forall V2b \in (ty_{.2}Enum_{.2}Enum^{A_{.27c}}).((ap (ap \\ & (c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27c}) (c_{.2}Ebag_{.2}EEMPTY_{.BAG}\ A_{.27c})) V2b) = \\ & (c_{.2}Ebag_{.2}EEMPTY_{.BAG}\ A_{.27c})) \wedge (\forall V3b1 \in (ty_{.2}Enum_{.2}Enum^{A_{.27d}}). \\ & (\forall V4b2 \in (ty_{.2}Enum_{.2}Enum^{A_{.27d}}).((p (ap (ap (c_{.2}Ebag_{.2}ESUB_{.BAG} \\ & A_{.27d}) V3b1) V4b2)) \Rightarrow ((ap (ap (c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27d}) V3b1) \\ & V4b2) = (c_{.2}Ebag_{.2}EEMPTY_{.BAG}\ A_{.27d}))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0x \in A_{.27a}.(\forall V1b1 \in \\ & (ty_{.2}Enum_{.2}Enum^{A_{.27a}}).(\forall V2b2 \in (ty_{.2}Enum_{.2}Enum^{A_{.27a}}). \\ & ((ap (ap (c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27a}) (ap (ap (c_{.2}Ebag_{.2}EBAG_{.INSERT} \\ & A_{.27a}) V0x) V1b1)) (ap (ap (c_{.2}Ebag_{.2}EBAG_{.INSERT}\ A_{.27a}) V0x) V2b2)) = \\ & (ap (ap (c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27a}) V1b1) V2b2))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0x \in A_{.27a}.(\forall V1b1 \in \\ & (ty_{.2}Enum_{.2}Enum^{A_{.27a}}).(\forall V2b2 \in (ty_{.2}Enum_{.2}Enum^{A_{.27a}}). \\ & ((\neg(p (ap (ap (c_{.2}Ebag_{.2}EBAG_{.IN}\ A_{.27a}) V0x) V1b1))) \Rightarrow ((ap (ap (\\ & c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27a}) V1b1) (ap (ap (c_{.2}Ebag_{.2}EBAG_{.INSERT} \\ & A_{.27a}) V0x) V2b2)) = (ap (ap (c_{.2}Ebag_{.2}EBAG_{.DIFF}\ A_{.27a}) V1b1) V2b2))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow & (\forall V0P \in (2^{(ty_{.2}Enum_{.2}Enum^{A_{.27a}})}). \\ & (((p (ap V0P (c_{.2}Ebag_{.2}EEMPTY_{.BAG}\ A_{.27a}))) \wedge (\forall V1b \in (ty_{.2}Enum_{.2}Enum^{A_{.27a}}). \\ & (((p (ap (c_{.2}Ebag_{.2}EFINITE_{.BAG}\ A_{.27a}) V1b)) \wedge (p (ap V0P V1b))) \Rightarrow \\ & (\forall V2e \in A_{.27a}.(p (ap V0P (ap (ap (c_{.2}Ebag_{.2}EBAG_{.INSERT}\ A_{.27a}) \\ & V2e) V1b))))))) \Rightarrow (\forall V3b \in (ty_{.2}Enum_{.2}Enum^{A_{.27a}}).((p (ap \\ & (c_{.2}Ebag_{.2}EFINITE_{.BAG}\ A_{.27a}) V3b)) \Rightarrow (p (ap V0P V3b))))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. nonempty\ A_{27a} \Rightarrow & ((p\ (ap\ (c_2EBAG_2EFINITE_BAG \\ A_{27a})\ (c_2EBAG_2EMPTY_BAG\ A_{27a}))) \wedge (\forall V0e \in A_{27a}.(\\ \forall V1b \in (ty_2Enum_2Enum^{A_{27a}}).((p\ (ap\ (c_2EBAG_2EFINITE_BAG \\ A_{27a})\ (ap\ (ap\ (c_2EBAG_2EBAG_INSERT\ A_{27a})\ V0e)\ V1b))) \Leftrightarrow (p\ (ap \\ (c_2EBAG_2EFINITE_BAG\ A_{27a})\ V1b))))))) \end{aligned} \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (16)$$

Assume the following.

$$\forall A_{27a}. nonempty\ A_{27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A_{27a}.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (19)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t))))))) \end{aligned} \quad (21)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (p V1B))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B)))))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (41)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0b1 \in (\text{ty_2Enum_2Enum}^{A_27a}). \\ & ((p (ap (\text{c_2Ebag_2EFINITE_BAG } A_27a) V0b1)) \Rightarrow (\forall V1b2 \in (\\ & \text{ty_2Enum_2Enum}^{A_27a}).((p (ap (\text{c_2Ebag_2EFINITE_BAG } A_27a) \\ & (ap (ap (\text{c_2Ebag_2EBAG_DIFF } A_27a) V1b2) V0b1))) \Rightarrow (p (ap (\text{c_2Ebag_2EFINITE_BAG } \\ & A_27a) V1b2))))))) \end{aligned}$$