

thm_2Ebag_2EFINITE__BIG__BAG__UNION (TMJZPtA2dWaBRHCjtt2ZyE61voAfWrgaFPY)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Enum_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2E$

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V0t2)))$

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A.p)$ of type $\iota \Rightarrow \iota$).

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2E_21 2) (\lambda V2t2 \in 2.V0t2))))$

Definition 14 We define $c_2Ebag_2EBAG_INSERT$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum^A_27a)$

Definition 15 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 16 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A_27a : \iota.(ap (c_2Ecombin_2EK ty_2Enum_2Enum^A_27a))$

Definition 17 We define $c_2Ebag_2EFINITE_BAG$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A_27a}).(ap (c_2Ecombin_2EK ty_2Enum_2Enum^{A_27a}))$

Definition 18 We define $c_2Ebag_2EBAG_UNION$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A_27a}).\lambda V1c \in (ty_2Enum_2Enum^{A_27a}).(ap (c_2Ebag_2EBAG_INSERT A_27a V1c V0b))$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EITSET \\ A_27a A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (7)$$

Definition 19 We define $c_2Epred_set_2ESUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Enum_2Enum^{A_27a})$

Definition 20 We define $c_2Ebag_2EBIG_BAG_UNION$ to be $\lambda A_27a : \iota.\lambda V0sob \in (2^{(ty_2Enum_2Enum^{A_27a})})$

Definition 21 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V0t2)))$

Definition 22 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 23 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod \\ A0 A1) \end{aligned} \quad (8)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (9)$$

Definition 24 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}})$$
(10)

Definition 25 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Ebool_2E_7E$

Definition 26 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 27 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 28 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (ap$

Definition 29 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 (2$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow ((p (ap (c_2Ebag_2EFINITE_BAG A_27a) (c_2Ebag_2EEMPTY_BAG A_27a))) \wedge (\forall V0e \in A_27a. (\forall V1b \in (ty_2Enum_2Enum^{A_27a}). ((p (ap (c_2Ebag_2EFINITE_BAG A_27a) (ap (ap (c_2Ebag_2EBAG_INSERT A_27a) V0e) V1b)))) \Leftrightarrow (p (ap (c_2Ebag_2EFINITE_BAG A_27a) V1b))))))$$
(11)

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0b1 \in (ty_2Enum_2Enum^{A_27a}). (\forall V1b2 \in (ty_2Enum_2Enum^{A_27a}). ((p (ap (c_2Ebag_2EFINITE_BAG A_27a) (ap (ap (c_2Ebag_2EBAG_UNION A_27a) V0b1) V1b2)))) \Leftrightarrow ((p (ap (c_2Ebag_2EFINITE_BAG A_27a) V0b1)) \wedge (p (ap (c_2Ebag_2EFINITE_BAG A_27a) V1b2))))))$$
(12)

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow ((ap (c_2Ebag_2EBIG_BAG_UNION A_27a) (c_2Epred_set_2EEMPTY (ty_2Enum_2Enum^{A_27a}))) = (c_2Ebag_2EEMPTY_BAG A_27a))$$
(13)

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0sob \in (2^{(ty_2Enum_2Enum^{A_27a})}). (\forall V1b \in (ty_2Enum_2Enum^{A_27a}). ((p (ap (c_2Epred_set_2EFINITE (ty_2Enum_2Enum^{A_27a}) V0sob)) \Rightarrow ((ap (c_2Ebag_2EBIG_BAG_UNION A_27a) (ap (ap (c_2Epred_set_2EINSERT (ty_2Enum_2Enum^{A_27a}) V1b) V0sob)) = (ap (ap (c_2Ebag_2EBAG_UNION A_27a) V1b) (ap (c_2Ebag_2EBIG_BAG_UNION A_27a) (ap (ap (c_2Epred_set_2EDELETE (ty_2Enum_2Enum^{A_27a}) V0sob) V1b))))))))))$$
(14)

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \Rightarrow (25)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\neg (p (ap (ap (c_2Ebool_2EIN A_{27a}) V0x) (c_2Epred_set_2EEMPTY A_{27a})))))) \quad (26)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\forall V1y \in A_{27a}. (\forall V2s \in (2^{A_{27a}}). ((p (ap (ap (c_2Ebool_2EIN A_{27a}) V0x) (ap (ap (c_2Epred_set_2EINSERT A_{27a}) V1y) V2s))) \Leftrightarrow ((V0x = V1y) \vee (p (ap (ap (c_2Ebool_2EIN A_{27a}) V0x) V2s)))))) \Rightarrow (27)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\forall V1s \in (2^{A_{27a}}). ((\neg (p (ap (ap (c_2Ebool_2EIN A_{27a}) V0x) V1s))) \Leftrightarrow ((ap (c_2Epred_set_2EDELETE A_{27a}) V1s) V0x) = V1s)))) \Rightarrow (28)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in (2^{(2^{A_{27a}})}). ((p (ap V0P (c_2Epred_set_2EEMPTY A_{27a}))) \wedge (\forall V1s \in (2^{A_{27a}}). (((p (ap (c_2Epred_set_2EFINITE A_{27a}) V1s)) \wedge (p (ap V0P V1s))) \Rightarrow (\forall V2e \in A_{27a}. ((\neg (p (ap (ap (c_2Ebool_2EIN A_{27a}) V2e) V1s))) \Rightarrow (p (ap V0P (ap (ap (c_2Epred_set_2EINSERT A_{27a}) V2e) V1s)))))) \Rightarrow (\forall V3s \in (2^{A_{27a}}). ((p (ap (c_2Epred_set_2EFINITE A_{27a}) V3s)) \Rightarrow (p (ap V0P V3s)))))) \Rightarrow (29)$$

Theorem 1

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0sob \in (2^{(ty_2Enum_2Enum^{A_{27a}})}). ((p (ap (c_2Epred_set_2EFINITE (ty_2Enum_2Enum^{A_{27a}}) V0sob))) \wedge (\forall V1b \in (ty_2Enum_2Enum^{A_{27a}}). ((p (ap (ap (c_2Ebool_2EIN (ty_2Enum_2Enum^{A_{27a}}) V1b) V0sob))) \Rightarrow (p (ap (c_2Ebag_2EFINITE_BAG A_{27a}) V1b)))) \Rightarrow (p (ap (c_2Ebag_2EFINITE_BAG A_{27a}) (ap (c_2Ebag_2EBIG_BAG_UNION A_{27a}) V0sob)))))) \Rightarrow (29)$$