

thm_2Ebag_2ESTRONG__FINITE__BAG__INDUCT (TMctcQXcETA374S9R94RphLq4ufF8gc6Ueh)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1P \in 2.V1P))\ (\lambda V2P \in 2.V2P))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Earithmic_2EZERO\ c_2Enum_2E0\ c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$.

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V0t)))$.

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) then (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.V0t)))$.

Definition 14 We define $c_2Ebag_2EBAG_INSERT$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum^{A_27a})$.

Definition 15 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$.

Definition 16 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A_27a : \iota.(ap (c_2Ecombin_2EK ty_2Enum_2Enum^{A_27a}))$.

Definition 17 We define $c_2Ebag_2EFINITE_BAG$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A_27a}).(ap (c_2Ecombin_2EK ty_2Enum_2Enum^{A_27a} V0b))$.

Definition 18 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2))$.

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (p (ap (c_2Ebag_2EFINITE_BAG A_27a) (c_2Ebag_2EEMPTY_BAG A_27a))) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0b \in (ty_2Enum_2Enum^{A_27a}). \\ & ((p (ap (c_2Ebag_2EFINITE_BAG A_27a) V0b)) \Rightarrow (\forall V1e \in A_27a. \\ & (p (ap (c_2Ebag_2EFINITE_BAG A_27a) (ap (ap (c_2Ebag_2EBAG_INSERT A_27a) V1e) V0b)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Enum_2Enum^{A_27a})}). \\ & (((p (ap V0P (c_2Ebag_2EEMPTY_BAG A_27a))) \wedge (\forall V1b \in (ty_2Enum_2Enum^{A_27a}). \\ & ((p (ap V0P V1b)) \Rightarrow (\forall V2e \in A_27a.(p (ap V0P (ap (ap (c_2Ebag_2EBAG_INSERT A_27a) V2e) V1b)))))) \Rightarrow (\forall V3b \in (ty_2Enum_2Enum^{A_27a}). \\ & ((p (ap (c_2Ebag_2EFINITE_BAG A_27a) V3b)) \Rightarrow (p (ap V0P V3b)))))) \end{aligned} \quad (9)$$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in \\ A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p \ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p \ V0t1) \Rightarrow \\ & ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in \\ & 2. (((p \ V0x) \Leftrightarrow (p \ V1x.27)) \wedge ((p \ V1x.27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y.27)))) \Rightarrow \\ & (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x.27) \Rightarrow (p \ V3y.27)))))) \end{aligned} \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Enum.2Enum^{A.27a})}). \\ & (((p \ (ap \ V0P \ (c.2Ebag.2EMPTY_BAG \ A.27a))) \wedge (\forall V1b \in (ty.2Enum.2Enum^{A.27a}). \\ & (((p \ (ap \ (c.2Ebag.2EFINITE_BAG \ A.27a) \ V1b)) \wedge (p \ (ap \ V0P \ V1b))) \Rightarrow \\ & (\forall V2e \in A.27a. (p \ (ap \ V0P \ (ap \ (ap \ (c.2Ebag.2EBAG_INSERT \ A.27a) \\ & \ V2e) \ V1b)))))) \Rightarrow (\forall V3b \in (ty.2Enum.2Enum^{A.27a}). ((p \ (ap \\ & (c.2Ebag.2EFINITE_BAG \ A.27a) \ V3b)) \Rightarrow (p \ (ap \ V0P \ V3b)))))) \end{aligned}$$