

thm_2Ebag_2Emlt__NOT__REFL
(TMGSH9qXcCvqpiqTpZERzUyYdcTZi91p7xS)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x)))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

- Definition 7** We define `c_2Earithmic_2EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1 V0n))$.
- Definition 8** We define `c_2Earithmic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.
- Definition 9** We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.
- Definition 10** We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .
- Definition 11** We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$.
- Definition 12** We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t)))$.
- Definition 13** We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) then (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.
- Definition 14** We define `c_2Ebool_2E_3F` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 V0P))))$.
- Definition 15** We define `c_2Eprim_rec_2E_3C` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0m$.
- Definition 16** We define `c_2Earithmic_2E_3E` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0m$.
- Definition 17** We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t)))$.
- Definition 18** We define `c_2Earithmic_2E_3E_3D` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0m$.
- Definition 19** We define `c_2Ebag_2EBAG_INN` to be $\lambda A.27a : \iota.\lambda V0e \in A.27a.\lambda V1n \in ty_2Enum_2Enum.V0e$.
- Definition 20** We define `c_2Ebag_2EBAG_IN` to be $\lambda A.27a : \iota.\lambda V0e \in A.27a.\lambda V1b \in (ty_2Enum_2Enum^{A-27a}).V0e$.
- Definition 21** We define `c_2Ecombin_2EK` to be $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0x \in A.27a.(\lambda V1y \in A.27b.V0x))$.
- Definition 22** We define `c_2Ebag_2EEMPTY_BAG` to be $\lambda A.27a : \iota.(ap (c_2Ecombin_2EK ty_2Enum_2Enum.V0e))$.
- Definition 23** We define `c_2Ebool_2ECOND` to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.V2t2)))$.
- Definition 24** We define `c_2Ebag_2EBAG_INSERT` to be $\lambda A.27a : \iota.\lambda V0e \in A.27a.\lambda V1b \in (ty_2Enum_2Enum^{A-27a}).V0e$.
- Definition 25** We define `c_2Ebag_2EBAG_UNION` to be $\lambda A.27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A-27a}).\lambda V1b1 \in (ty_2Enum_2Enum^{A-27a}).V0b$.
- Definition 26** We define `c_2Ebag_2EFINITE_BAG` to be $\lambda A.27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A-27a}).(ap (c_2Ebag_2EBAG_INSERT V0b))$.
- Definition 27** We define `c_2Ebag_2Emlt1` to be $\lambda A.27a : \iota.\lambda V0r \in ((2^{A-27a})^{A-27a}).\lambda V1b1 \in (ty_2Enum_2Enum^{A-27a}).V0r$.
- Definition 28** We define `c_2Erelation_2ETC` to be $\lambda A.27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1a \in A.27a.\lambda V2b \in A.27a.V0R$.
- Definition 29** We define `c_2Erelation_2EWF` to be $\lambda A.27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap (c_2Ebool_2E_21 V0R))$.

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & ((p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ V0R)) \Rightarrow (p\ (ap\ (c_2Erelation_2EWF \\ & (ty_2Enum_2Enum^{A_27a})\ (ap\ (c_2Ebag_2Emlt1\ A_27a)\ V0R)))))) \end{aligned} \quad (7)$$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & p\ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & (\forall V1x \in A_27a.(\forall V2y \in A_27a.((p\ (ap\ (c_2Erelation_2EWF \\ & A_27a)\ V0R)) \Rightarrow ((p\ (ap\ (ap\ V0R\ V1x)\ V2y)) \Rightarrow (\neg(V1x = V2y)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & ((p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ (ap\ (c_2Erelation_2ETC\ A_27a) \\ & V0R))) \Leftrightarrow (p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ V0R)))) \end{aligned} \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (19)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (20)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (21)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (22)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (23)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (24)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (25)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (26)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0R \in ((2^{A_{27a}})^{A_{27a}}). \\ & (\forall V1a \in (ty_2Enum_2Enum^{A_{27a}}). ((p (ap (c_2Erelation_2EWF \\ A_{27a}) V0R)) \Rightarrow (\neg (p (ap (ap (ap (c_2Erelation_2ETC (ty_2Enum_2Enum^{A_{27a}}) \\ (ap (c_2Ebag_2Emlt1 A_{27a}) V0R)) V1a) V1a))))))) \end{aligned}$$