

thm_2Ebag_2Emlt__UNION__LCANCEL__I (TMRPDKicUq794Cu9ZAurU7z1PJfKP62kvhj)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebag_2EBAG_UNION$ to be $\lambda A.\lambda a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A-27a}).\lambda V1c$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

- Definition 7** We define `c_2Enum_2ESUC` to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($
- Definition 8** We define `c_2Arithmetic_2EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Arithmetic_2E$
- Definition 9** We define `c_2Arithmetic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x.$
- Definition 10** We define `c_2Ebool_2EF` to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t)).$
- Definition 11** We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$
of type ι .
- Definition 12** We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V0t2))$
- Definition 13** We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x))$
of type $\iota \Rightarrow \iota$.
- Definition 14** We define `c_2Ebool_2ECOND` to be $\lambda A.\lambda a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.\lambda a.\lambda V2t2 \in A.\lambda a.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t2 \in 2.V0t2))$
- Definition 15** We define `c_2Ebag_2EBAG_INSERT` to be $\lambda A.\lambda a : \iota.\lambda V0e \in A.\lambda a.\lambda V1b \in (ty_2Enum_2Enum\ A).$
- Definition 16** We define `c_2Ecombin_2EK` to be $\lambda A.\lambda a : \iota.\lambda A.\lambda a.\lambda b : \iota.(\lambda V0x \in A.\lambda a.\lambda V1y \in A.\lambda a.\lambda V2b.V0x)$
- Definition 17** We define `c_2Ebag_2EEMPTY_BAG` to be $\lambda A.\lambda a : \iota.(ap\ (c_2Ecombin_2EK\ ty_2Enum_2Enum\ A))$
- Definition 18** We define `c_2Ebag_2EFINITE_BAG` to be $\lambda A.\lambda a : \iota.\lambda V0b \in (ty_2Enum_2Enum\ A^{27a}).(ap\ (c_2Ecombin_2EK\ ty_2Enum_2Enum\ A^{27a}))$
- Definition 19** We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2))$
- Definition 20** We define `c_2Ebool_2E_3F` to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ V0P))$
- Definition 21** We define `c_2Eprim_rec_2E_3C` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum\ A.$
- Definition 22** We define `c_2Arithmetic_2E_3E` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum\ A.$
- Definition 23** We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V0t2))$
- Definition 24** We define `c_2Arithmetic_2E_3E_3D` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum\ A.$
- Definition 25** We define `c_2Ebag_2EBAG_INN` to be $\lambda A.\lambda a : \iota.\lambda V0e \in A.\lambda a.\lambda V1n \in ty_2Enum_2Enum\ A.$
- Definition 26** We define `c_2Ebag_2EBAG_IN` to be $\lambda A.\lambda a : \iota.\lambda V0e \in A.\lambda a.\lambda V1b \in (ty_2Enum_2Enum\ A^{27a}).$
- Definition 27** We define `c_2Ebag_2Emlt1` to be $\lambda A.\lambda a : \iota.\lambda V0r \in ((2^{A-27a})^{A-27a}).\lambda V1b1 \in (ty_2Enum_2Enum\ A^{27a}).$
- Definition 28** We define `c_2ERelation_2ETC` to be $\lambda A.\lambda a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda V1a \in A.\lambda V2b \in A.$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b1 \in (ty_2Enum_2Enum^{A_27a}). \\
& (\forall V1b2 \in (ty_2Enum_2Enum^{A_27a}). ((ap\ (ap\ (c_2Ebag_2EBAG_UNION \\
& A_27a)\ V0b1)\ V1b2) = (ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V1b2) \\
& \quad V0b1))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V1a \in (ty_2Enum_2Enum^{A_27a}). (\forall V2b \in (ty_2Enum_2Enum^{A_27a}). \\
& (\forall V3c \in (ty_2Enum_2Enum^{A_27a}). (((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ETC \\
& (ty_2Enum_2Enum^{A_27a}))\ (ap\ (c_2Ebag_2Emlt1\ A_27a)\ V0R))\ V1a) \\
& \quad V2b)) \wedge (p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_27a)\ V3c))) \Rightarrow (p\ (ap\ (ap\ (\\
& ap\ (c_2Erelation_2ETC\ (ty_2Enum_2Enum^{A_27a}))\ (ap\ (c_2Ebag_2Emlt1 \\
& A_27a)\ V0R))\ (ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V1a)\ V3c))\ (ap \\
& \quad (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V2b)\ V3c)))))))))
\end{aligned} \tag{8}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V1a \in (ty_2Enum_2Enum^{A_27a}). (\forall V2b \in (ty_2Enum_2Enum^{A_27a}). \\
& (\forall V3c \in (ty_2Enum_2Enum^{A_27a}). (((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ETC \\
& (ty_2Enum_2Enum^{A_27a}))\ (ap\ (c_2Ebag_2Emlt1\ A_27a)\ V0R))\ V1a) \\
& \quad V2b)) \wedge (p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_27a)\ V3c))) \Rightarrow (p\ (ap\ (ap\ (\\
& ap\ (c_2Erelation_2ETC\ (ty_2Enum_2Enum^{A_27a}))\ (ap\ (c_2Ebag_2Emlt1 \\
& A_27a)\ V0R))\ (ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V3c)\ V1a))\ (ap \\
& \quad (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V3c)\ V2b)))))))))
\end{aligned}$$