

thm_2EbfT_2EBFT__REACH__1 (TMUdGHZzY- jeQpH8mjDJfcEAXQyfZjCT4Ui7)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $c_2EbfT_2EBFT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2EbfT_2EBFT\ A_27a\ A_27b \in (((((A_27a^{A_27a})^{(ty_2Elist_2Elist\ A_27b)})^{(ty_2Elist_2Elist\ A_27b)})^{(A_27a^{A_27a})^{A_27b}}))^{(ty_2Elist_2Elist\ A_27b)}) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ V0P))$

Definition 4 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (4)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (5)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (6)$$

Definition 9 We define $c_2EdirGraph_2EParents$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0G \in ((ty_2Elist_2Elist\ A_27a\ A_27b)$

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 11 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V2t)\ V1t2)\ V0t1)))$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2Epred_set_2EINSERT\ A_27a\ V1s)\ V0x)$

Definition 13 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 14 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ V0s)$

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ (ap\ P\ x)) \text{ of type } \iota \Rightarrow \iota).$

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (c_2Ebool_2ECOND\ A_27a\ V1t1\ V2t2)\ V0t)))$

Definition 17 We define $c_2Ecombin_2EC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}). (ap\ (c_2Ecombin_2EC\ A_27a\ A_27b\ A_27c\ V0f)\ V0f))$

Definition 18 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c^{A_27a}). (ap\ (c_2Ecombin_2Eo\ A_27a\ A_27b\ A_27c\ V0f\ V1g)\ V0f)$

Definition 19 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Definition 20 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}). (ap\ (c_2Ecombin_2ES\ A_27a\ A_27b\ A_27c\ V0f)\ V0f))$

Definition 21 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a})\ A_27a)\ V0f)\ V0f)$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in \\ ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \end{aligned} \quad (7)$$

Definition 22 We define $c_2Erelation_2ERTC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2a \in A_27a. (ap\ (c_2Erelation_2ERTC\ A_27a\ V0R\ V1a\ V2a)\ V0R)$

Definition 23 We define $c_2EdirGraph_2EREACH$ to be $\lambda A_27a : \iota. \lambda V0G \in ((ty_2Elist_2Elist\ A_27a\ A_27a)^{A_27a}). \lambda V1a \in A_27a. \lambda V2a \in A_27a. (ap\ (c_2EdirGraph_2EREACH\ A_27a\ V0G\ V1a\ V2a)\ V0G)$

Definition 24 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 25 We define $c_2EdirGraph_2EREACH_LIST$ to be $\lambda A_27a : \iota. \lambda V0G \in ((ty_2Elist_2Elist\ A_27a$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (8)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0G \in ((ty_2Elist_2Elist\ A_27a)^{A_27a}). (\forall V1f \in (\\ & \quad (A_27b^{A_27b})^{A_27a}). (\forall V2seen \in (ty_2Elist_2Elist\ A_27a). \\ & \quad (\forall V3acc \in A_27b. (\forall V4h \in A_27a. (\forall V5t \in (ty_2Elist_2Elist \\ & \quad A_27a). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ (ap\ (c_2EdirGraph_2EParents \\ & \quad A_27a\ A_27a\ V0G))) \Rightarrow (((ap\ (ap\ (ap\ (ap\ (ap\ (c_2Ebft_2EBFT\ A_27b\ A_27a) \\ & \quad V0G)\ V1f)\ V2seen)\ (c_2Elist_2ENIL\ A_27a))\ V3acc) = V3acc) \wedge ((ap \\ & \quad (ap\ (ap\ (ap\ (ap\ (c_2Ebft_2EBFT\ A_27b\ A_27a)\ V0G)\ V1f)\ V2seen)\ (ap \\ & \quad (ap\ (c_2Elist_2ECONS\ A_27a)\ V4h)\ V5t))\ V3acc) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\ & \quad A_27b)\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V4h)\ (ap\ (c_2Elist_2ELIST_TO_SET \\ & \quad A_27a)\ V2seen))))\ (ap\ (ap\ (ap\ (ap\ (ap\ (c_2Ebft_2EBFT\ A_27b\ A_27a) \\ & \quad V0G)\ V1f)\ V2seen)\ V5t)\ V3acc))\ (ap\ (ap\ (ap\ (ap\ (ap\ (c_2Ebft_2EBFT \\ & \quad A_27b\ A_27a)\ V0G)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V4h)\ V2seen)) \\ & \quad (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V5t)\ (ap\ V0G\ V4h)))\ (ap\ (ap\ V1f \\ & \quad V4h)\ V3acc)))))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
\forall V0P \in & (((((2^{A_27b})^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)})^{((A_27b^{A_27b})^{A_27a})})^{(ty_2Elist_2Elist\ A_27a)^A} \\
& ((\forall V1G \in ((ty_2Elist_2Elist\ A_27a)^{A_27a}).(\forall V2f \in \\
& ((A_27b^{A_27b})^{A_27a}).(\forall V3seen \in (ty_2Elist_2Elist\ A_27a). \\
& (\forall V4h \in A_27a.(\forall V5t \in (ty_2Elist_2Elist\ A_27a).(\\
& \forall V6acc \in A_27b.((p\ (ap\ (ap\ (ap\ (ap\ V0P\ V1G)\ V2f)\ V3seen) \\
& (c_2Elist_2ENIL\ A_27a))\ V6acc)) \wedge (((p\ (ap\ (c_2Epred_set_2EFINITE \\
& A_27a)\ (ap\ (c_2EdirGraph_2EParents\ A_27a\ A_27a)\ V1G))) \wedge (\neg(p\ (\\
& ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V4h)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& A_27a)\ V3seen)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ (ap\ (ap\ V0P\ V1G)\ V2f)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& A_27a)\ V4h)\ V3seen))\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V5t)\ (ap \\
& V1G\ V4h)))\ (ap\ (ap\ V2f\ V4h)\ V6acc)))) \wedge (((p\ (ap\ (c_2Epred_set_2EFINITE \\
& A_27a)\ (ap\ (c_2EdirGraph_2EParents\ A_27a\ A_27a)\ V1G))) \wedge (p\ (ap \\
& (ap\ (c_2Ebool_2EIN\ A_27a)\ V4h)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& A_27a)\ V3seen)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ (ap\ (ap\ V0P\ V1G)\ V2f)\ V3seen)\ V5t) \\
& V6acc)))) \Rightarrow (p\ (ap\ (ap\ (ap\ (ap\ (ap\ V0P\ V1G)\ V2f)\ V3seen)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& A_27a)\ V4h)\ V5t))\ V6acc)))))) \Rightarrow (\forall V7v \in ((ty_2Elist_2Elist \\
& A_27a)^{A_27a}).(\forall V8v1 \in ((A_27b^{A_27b})^{A_27a}).(\forall V9v2 \in \\
& (ty_2Elist_2Elist\ A_27a).(\forall V10v3 \in (ty_2Elist_2Elist \\
& A_27a).(\forall V11v4 \in A_27b.(p\ (ap\ (ap\ (ap\ (ap\ (ap\ V0P\ V7v)\ V8v1) \\
& V9v2)\ V10v3)\ V11v4))))))))))
\end{aligned} \tag{11}$$

Assume the following.

$$True \tag{12}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{13}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \tag{14}$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \tag{15}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \tag{16}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\
& (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))) \quad (21)
\end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p V0t)))))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\
& A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\
& V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\
& V0t1) V1t2) = V1t2)))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in \\ & (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow \\ & ((\forall V3x \in A_27a. (p\ (ap\ V0P\ V3x))) \wedge (\forall V4x \in A_27a. (p\ (\\ & \quad \quad \quad ap\ V1Q\ V4x)))))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in \\ & 2. (((\forall V2x \in A_27a. (p\ (ap\ V0P\ V2x))) \wedge (p\ V1Q)) \Leftrightarrow (\forall V3x \in \\ & \quad \quad \quad A_27a. ((p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ & 2^{A_27a}). (((p\ V0P) \wedge (\forall V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in \\ & \quad \quad \quad A_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (\\ & 2^{A_27a}). (((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in \\ & \quad \quad \quad A_27a. (p\ (ap\ V1P\ V3x))) \vee (p\ V0Q)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge \\ & (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & \quad \quad \quad (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ & \quad \quad \quad V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ & \quad \quad \quad V5y_27)))))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. ((\text{ap } (c_2Ecombin_2EI A_{.27a}) V0x) = V0x)) \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow & (\\ \forall V0h \in A_{.27b}. (\forall V1t \in (ty_2Elist_2Elist A_{.27b}). & (\\ (\text{ap } (c_2Elist_2ELIST_TO_SET A_{.27a}) (c_2Elist_2ENIL A_{.27a})) = & \\ (c_2Epred_set_2EEMPTY A_{.27a})) \wedge ((\text{ap } (c_2Elist_2ELIST_TO_SET & \\ A_{.27b}) (\text{ap } (\text{ap } (c_2Elist_2ECONS A_{.27b}) V0h) V1t)) = (\text{ap } (\text{ap } (c_2Epred_set_2EINSERT & \\ A_{.27b}) V0h) (\text{ap } (c_2Elist_2ELIST_TO_SET A_{.27b}) V1t)))))) & \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0e \in A_{.27a}. (\forall V1l1 \in & \\ (ty_2Elist_2Elist A_{.27a}). (\forall V2l2 \in (ty_2Elist_2Elist A_{.27a}). & \\ ((p (\text{ap } (\text{ap } (c_2Ebool_2EIN A_{.27a}) V0e) (\text{ap } (c_2Elist_2ELIST_TO_SET & \\ A_{.27a}) (\text{ap } (\text{ap } (c_2Elist_2EAPPEND A_{.27a}) V1l1) V2l2)))) \Leftrightarrow ((p (\text{ap } & \\ (\text{ap } (c_2Ebool_2EIN A_{.27a}) V0e) (\text{ap } (c_2Elist_2ELIST_TO_SET & \\ A_{.27a}) V1l1))) \vee (p (\text{ap } (\text{ap } (c_2Ebool_2EIN A_{.27a}) V0e) (\text{ap } (c_2Elist_2ELIST_TO_SET & \\ A_{.27a}) V2l2)))))) & \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow ((\forall V0x \in A_{.27a}. ((p (\text{ap } (\text{ap } & \\ (c_2Ebool_2EIN A_{.27a}) V0x) (\text{ap } (c_2Elist_2ELIST_TO_SET A_{.27a}) & \\ (c_2Elist_2ENIL A_{.27a})))) \Leftrightarrow \text{False})) \wedge (\forall V1x \in A_{.27a}. (\forall V2h \in & \\ A_{.27a}. (\forall V3t \in (ty_2Elist_2Elist A_{.27a}). ((p (\text{ap } (\text{ap } (c_2Ebool_2EIN & \\ A_{.27a}) V1x) (\text{ap } (c_2Elist_2ELIST_TO_SET A_{.27a}) (\text{ap } (\text{ap } (c_2Elist_2ECONS & \\ A_{.27a}) V2h) V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p (\text{ap } (\text{ap } (c_2Ebool_2EIN A_{.27a}) & \\ V1x) (\text{ap } (c_2Elist_2ELIST_TO_SET A_{.27a}) V3t)))))) & \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1y \in & \\ A_{.27a}. (\forall V2s \in (2^{A_{.27a}}). ((p (\text{ap } (\text{ap } (\text{ap } (c_2Epred_set_2EINSERT & \\ A_{.27a}) V1y) V2s) V0x)) \Leftrightarrow ((V0x = V1y) \vee (p (\text{ap } (\text{ap } (c_2Ebool_2EIN A_{.27a}) & \\ V0x) V2s)))))) & \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0R \in ((2^{A_{.27a}})^{A_{.27a}}). & \\ ((\forall V1x \in A_{.27a}. (p (\text{ap } (\text{ap } (\text{ap } (c_2Erelation_2ERTC A_{.27a}) & \\ V0R) V1x) V1x))) \wedge (\forall V2x \in A_{.27a}. (\forall V3y \in A_{.27a}. (\forall V4z \in & \\ A_{.27a}. ((p (\text{ap } (\text{ap } V0R) V2x) V3y)) \wedge (p (\text{ap } (\text{ap } (\text{ap } (c_2Erelation_2ERTC & \\ A_{.27a}) V0R) V3y) V4z)))) \Rightarrow (p (\text{ap } (\text{ap } (\text{ap } (c_2Erelation_2ERTC A_{.27a}) & \\ V0R) V2x) V4z)))))) & \end{aligned} \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (52)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0G \in ((\text{ty_2Elist_2Elist} \\ & A_{27a})^{A_{27a}}). (\forall V1f \in ((\text{ty_2Elist_2Elist } A_{27a})^{(\text{ty_2Elist_2Elist } A_{27a})^{A_{27a}}}). \\ & (\forall V2seen \in (\text{ty_2Elist_2Elist } A_{27a}). (\forall V3fringe \in \\ & (\text{ty_2Elist_2Elist } A_{27a}). (\forall V4acc \in (\text{ty_2Elist_2Elist} \\ & A_{27a}). (((p (\text{ap } (\text{c_2Epred_set_2EFINITE } A_{27a}) (\text{ap } (\text{c_2EdirGraph_2EParents} \\ & A_{27a} A_{27a}) V0G))) \wedge (V1f = (\text{c_2Elist_2ECONS } A_{27a}))) \Rightarrow (\forall V5x \in \\ & A_{27a}. ((p (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } A_{27a}) V5x) (\text{ap } (\text{c_2Elist_2ELIST_TO_SET} \\ & A_{27a}) (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebft_2EBFT } (\text{ty_2Elist_2Elist } A_{27a}) \\ & A_{27a}) V0G) V1f) V2seen) V3fringe) V4acc)))) \Rightarrow ((p (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN} \\ & A_{27a}) V5x) (\text{ap } (\text{ap } (\text{c_2EdirGraph_2EREACH_LIST } A_{27a}) V0G) V3fringe)))) \vee \\ & (p (\text{ap } (\text{ap } (\text{c_2Ebool_2EIN } A_{27a}) V5x) (\text{ap } (\text{c_2Elist_2ELIST_TO_SET} \\ & A_{27a}) V4acc)))))))))))))) \end{aligned}$$