

thm_2Ebinary__ieee_2Efloat__compare__case__def
(TMdQBfY9GUjQDenAXPCZEdu9Sm8kEFkmKdp)

October 26, 2020

Let $ty_2Ebinary_ieee_2Efloat_compare : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Efloat_compare \quad (1)$$

Let $c_2Ebinary_ieee_2EUN : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EUN \in ty_2Ebinary_ieee_2Efloat_compare \quad (2)$$

Let $c_2Ebinary_ieee_2EGT : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EGT \in ty_2Ebinary_ieee_2Efloat_compare \quad (3)$$

Let $c_2Ebinary_ieee_2EEQ : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EEQ \in ty_2Ebinary_ieee_2Efloat_compare \quad (4)$$

Let $c_2Ebinary_ieee_2ELT : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ELT \in ty_2Ebinary_ieee_2Efloat_compare \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (6)$$

Let $c_2Ebinary_ieee_2Efloat_compare2num : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Efloat_compare2num \in (ty_2Enum_2Enum^{ty_2Ebinary_ieee_2Efloat_compare}) \quad (7)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF) \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((c_2Earithmic_2EZERO = (ap\ c_2Earithmic_2EBIT1\ V0n)) \Leftrightarrow False) \wedge \\
& (((ap\ c_2Earithmic_2EBIT1\ V0n) = c_2Earithmic_2EZERO) \Leftrightarrow \\
& False) \wedge (((c_2Earithmic_2EZERO = (ap\ c_2Earithmic_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmic_2EBIT2\ V0n) = c_2Earithmic_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap\ c_2Earithmic_2EBIT1\ V0n) = (ap\ c_2Earithmic_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmic_2EBIT2\ V0n) = (ap\ c_2Earithmic_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmic_2EBIT1\ V0n) = (ap\ c_2Earithmic_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c_2Earithmic_2EBIT2\ V0n) = (ap\ c_2Earithmic_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m))))))))) \\
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Earithmic_2EZERO)\ (ap\ c_2Earithmic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Earithmic_2EZERO) \\
& (ap\ c_2Earithmic_2EBIT2\ V0n))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& V0n)\ c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmic_2EBIT1\ V0n))\ (ap\ c_2Earithmic_2EBIT1\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmic_2EBIT2\ V0n))\ (ap\ c_2Earithmic_2EBIT2\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmic_2EBIT1\ V0n))\ (ap\ c_2Earithmic_2EBIT2\ V1m))) \Leftrightarrow \\
& (\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1m)\ V0n)))) \wedge (((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& (ap\ c_2Earithmic_2EBIT2\ V0n))\ (ap\ c_2Earithmic_2EBIT1\ V1m))) \Leftrightarrow \\
& (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))))))))) \\
\end{aligned} \tag{24}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a. nonempty\ A_27a \Rightarrow ((\forall V0v0 \in A_27a. (\forall V1v1 \in \\
& A_27a. (\forall V2v2 \in A_27a. (\forall V3v3 \in A_27a. ((ap\ (ap\ (ap\ (\\
& ap\ (ap\ (c_2Ebinary_ieee_2Efloat_compare_CASE\ A_27a)\ c_2Ebinary_ieee_2ELT) \\
& V0v0)\ V1v1)\ V2v2)\ V3v3) = V0v0)))))) \wedge ((\forall V4v0 \in A_27a. (\forall V5v1 \in \\
& A_27a. (\forall V6v2 \in A_27a. (\forall V7v3 \in A_27a. ((ap\ (ap\ (ap\ (\\
& ap\ (ap\ (c_2Ebinary_ieee_2Efloat_compare_CASE\ A_27a)\ c_2Ebinary_ieee_2EEQ) \\
& V4v0)\ V5v1)\ V6v2)\ V7v3) = V5v1)))))) \wedge ((\forall V8v0 \in A_27a. (\forall V9v1 \in \\
& A_27a. (\forall V10v2 \in A_27a. (\forall V11v3 \in A_27a. ((ap\ (ap\ (ap\ (\\
& ap\ (ap\ (c_2Ebinary_ieee_2Efloat_compare_CASE\ A_27a)\ c_2Ebinary_ieee_2EGT) \\
& V8v0)\ V9v1)\ V10v2)\ V11v3) = V10v2)))))) \wedge ((\forall V12v0 \in A_27a. (\\
& \forall V13v1 \in A_27a. (\forall V14v2 \in A_27a. (\forall V15v3 \in A_27a. \\
& ((ap\ (ap\ (ap\ (ap\ (ap\ (c_2Ebinary_ieee_2Efloat_compare_CASE \\
& A_27a)\ c_2Ebinary_ieee_2EUN)\ V12v0)\ V13v1)\ V14v2)\ V15v3) = V15v3))))))))) \\
\end{aligned}$$