

# thm\_2Ebinary\_ieee\_2Efloat\_mul\_finite\_plus\_infinity (TMM1GiR9Q4zQZj3ipdbutxT8owrZeWurRNr)

October 26, 2020

Let  $ty\_2Efc\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efc\_2Ecart\ A0\ A1) \quad (1)$$

Let  $ty\_2Ebinary\_ieee\_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_ieee\_2Efloat\ A0\ A1) \quad (2)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand\ A\_27t\ A\_27w \in ((ty\_2Efc\_2Ecart\ 2\ A\_27t)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (3)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\ A\_27t\ A\_27w \in ((ty\_2Efc\_2Ecart\ 2\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (4)$$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2EARB\ A\_27a \in A\_27a \quad (5)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Significand\_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27u.nonempty\ A\_27u \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Significand\_fupd\ A\_27t\ A\_27u\ A\_27w \in (((ty\_2Ebinary\_ieee\_2Efloat\ A\_27u\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)}) \quad (6)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Exponent\_fupd : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow \forall A\_27x. \\ & \quad nonempty\ A\_27x \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Exponent\_fupd\ A\_27t\ A\_27w\ A\_27x \in \\ & \quad ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27x)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})^{((ty\_2Efloat\ A\_27t\ A\_27x)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})} \end{aligned} \quad (7)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (8)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Sign\_fupd : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign\_fupd\ A\_27t\ A\_27w \in \\ & \quad ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})^{((ty\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})} \end{aligned} \quad (9)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (10)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (11)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (12)$$

Let  $ty\_2Ebinary\_ieee\_2Eflags : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinary\_ieee\_2Eflags \quad (13)$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$ .

**Definition 3** We define  $c\_2Ebool\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$ .

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$ .

Let  $c\_2Ebinary\_ieee\_2Eflags\_Underflow\_AfterRounding\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Underflow\_AfterRounding\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags)^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)} \quad (14)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_Underflow\_BeforeRounding\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Underflow\_BeforeRounding\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (15)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_Precision\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Precision\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (16)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_Overflow\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_Overflow\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (17)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_InvalidOp\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_InvalidOp\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (18)$$

Let  $c\_2Ebinary\_ieee\_2Eflags\_DivideByZero\_fupd : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Eflags\_DivideByZero\_fupd \in ((ty\_2Ebinary\_ieee\_2Eflags^{ty\_2Ebinary\_ieee\_2Eflags})^{(2^2)}) \quad (19)$$

**Definition 6** We define  $c\_2Ebinary\_ieee\_2Eclear\_flags$  to be  $(ap (ap c\_2Ebinary\_ieee\_2Eflags\_DivideByZero\_fupd))$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (20)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (21)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (22)$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 8** We define  $c\_2Earithmic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (23)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (24)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (25)$$

**Definition 10** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 11** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (26)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (27)$$

Let  $c\_2Efcp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Efcp\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (28)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (29)$$

Let  $ty\_2Efcp\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efcp\_2Efinite\_image\ A0) \quad (30)$$

**Definition 12** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E$

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2$

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A)\ \lambda x$  of type  $\iota \Rightarrow \iota$ .

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 17** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 18** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 19** We define  $c\_2Efcp\_2Efinite\_index$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum$

Let  $c\_2Efc\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efc\_2Edest\_cart \\ & A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Efc\_2Efinite\_image\ A\_27b)})^{(ty\_2Efc\_2Ecart\ A\_27a\ A\_27b)}) \end{aligned} \quad (31)$$

**Definition 20** We define  $c\_2Efc\_2Efc\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efc\_2Ecart\ A\_27a\ A\_27b).$

**Definition 21** We define  $c\_2Ewords\_2Eword\_msb$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).(ap\ (ap\ (ap\ (c\_2Ebooc\_2Ebooc\_2Ebooc\ w)\ (c\_2Ebooc\_2Ebooc\ w))\ (c\_2Ebooc\_2Ebooc\ w))\ (c\_2Ebooc\_2Ebooc\ w))$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (32)$$

**Definition 22** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Earithmetic\_2EBIT2\ n)\ (c\_2Earithmetic\_2EBIT2\ n))\ (c\_2Earithmetic\_2EBIT2\ n))\ (c\_2Earithmetic\_2EBIT2\ n))$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (33)$$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal}) \quad (34)$$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (35)$$

**Definition 23** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(c\_2Ebooc\_2Ebooc\ t1\ t2)\ (c\_2Ebooc\_2Ebooc\ t1\ t2))\ (c\_2Ebooc\_2Ebooc\ t1\ t2))\ (c\_2Ebooc\_2Ebooc\ t1\ t2))$

**Definition 24** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebooc\_2Ebooc\ b)\ (c\_2Ebooc\_2Ebooc\ b))\ (c\_2Ebooc\_2Ebooc\ b))\ (c\_2Ebooc\_2Ebooc\ b))$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum}) \quad (36)$$

**Definition 25** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efc\_2Ecart\ 2\ A\_27a).(ap\ (ap\ (ap\ (c\_2Ebooc\_2Ebooc\ w)\ (c\_2Ebooc\_2Ebooc\ w))\ (c\_2Ebooc\_2Ebooc\ w))\ (c\_2Ebooc\_2Ebooc\ w))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (37)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ & A0\ A1) \end{aligned} \quad (38)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (39)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E40 (t$

Let  $c\_2Erealax\_2Etreal\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_inv \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (40)$$

Let  $c\_2Erealax\_2Etreal\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (41)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})) \quad (42)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty$

**Definition 28** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal\_ABS$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (43)$$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 30** We define  $c\_2Ereal\_2E2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.($

Let  $c\_2Erealax\_2Etreal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_add \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (44)$$

**Definition 31** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

Let  $c\_2Ewords\_2EINT\_MAX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ewords\_2EINT\_MAX A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself A\_27a)}) \quad (45)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_Sign : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty A\_27t \Rightarrow \forall A\_27w.nonempty A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_Sign A\_27t A\_27w \in ((ty\_2EfcP\_2Ecart 2 ty\_2Eone\_2Eone)^{(ty\_2Ebinary\_ieee\_2Efloat A\_27t A\_27w)}) \quad (46)$$

Let  $c\_2Erealax\_2Etreal\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (47)$$

**Definition 32** We define `c_2Erealax_2Ereal_neg` to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

Let `c_2Earithmetic_2EDIV` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (48)$$

**Definition 33** We define `c_2Ebit_2EDIV_2EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let `c_2Earithmetic_2EMOD` :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (49)$$

**Definition 34** We define `c_2Ebit_2EMOD_2EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 35** We define `c_2Ebit_2EBITS` to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 36** We define `c_2Ebit_2EBIT` to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 37** We define `c_2Efcg_2EFCG` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 38** We define `c_2Ewords_2En2w` to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (c\_2Efcg\_2EFCG$

**Definition 39** We define `c_2Ebinary_ieee_2Efloat_to_real` to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebina$

Let `ty_2Ebinaary_ieee_2Efloat_value` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinaary\_ieee\_2Efloat\_value \quad (50)$$

Let `c_2Ebinaary_ieee_2EFloat` :  $\iota$  be given. Assume the following.

$$c\_2Ebinaary\_ieee\_2EFloat \in (ty\_2Ebinaary\_ieee\_2Efloat\_value^{ty\_2Erealax\_2Ereal}) \quad (51)$$

Let `c_2Ebinaary_ieee_2ENaN` :  $\iota$  be given. Assume the following.

$$c\_2Ebinaary\_ieee\_2ENaN \in ty\_2Ebinaary\_ieee\_2Efloat\_value \quad (52)$$

Let `c_2Ebinaary_ieee_2EInfinity` :  $\iota$  be given. Assume the following.

$$c\_2Ebinaary\_ieee\_2EInfinity \in ty\_2Ebinaary\_ieee\_2Efloat\_value \quad (53)$$

Let `c_2Ewords_2EUINT_MAX` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EUINT\_MAX\ A\_27a \in ( \quad (54)$$

$$ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)})$$

**Definition 40** We define `c_2Ewords_2Eword_T` to be  $\lambda A\_27a : \iota.(ap\ (c\_2Ewords\_2En2w\ A\_27a)\ (ap\ (c\_2Ew$

**Definition 41** We define `c_2Ebinaary_ieee_2Efloat_value` to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebina$

Let  $c\_2Ebinary\_ieee\_2Efloat\_value\_CASE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_value\_CASE\ A\_27a \in (((A\_27a^{A\_27a})^{A\_27a})^{(A\_27a^{ty\_2Erealax\_2Ereal})})_{ty\_2Ebinary\_ieee\_2Efloat\_value}\ (55)$$

**Definition 42** We define  $c\_2Ebinary\_ieee\_2Efloat\_is\_nan$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinary\_ieee\_2Efloat\_value\_CASE\ A\_27t\ A\_27w)$

**Definition 43** We define  $c\_2Ebinary\_ieee\_2Efloat\_is\_signalling$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinary\_ieee\_2Efloat\_value\_CASE\ A\_27t\ A\_27w)$

Let  $c\_2Elist\_2EEXISTS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEXISTS\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})})\ (56)$$

**Definition 44** We define  $c\_2Ebinary\_ieee\_2Echeck\_for\_signalling$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0l \in (ty\_2Ebinary\_ieee\_2Efloat\_value\_CASE\ A\_27a\ A\_27b)$

Let  $ty\_2Ebinary\_ieee\_2Efp\_op : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Ebinary\_ieee\_2Efp\_op\ A0\ A1)\ (57)$$

Let  $ty\_2Ebinary\_ieee\_2ERounding : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ebinary\_ieee\_2ERounding\ (58)$$

Let  $c\_2Ebinary\_ieee\_2EFP\_Mul : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_value\_CASE\ A\_27t\ A\_27w \in (((ty\_2Ebinary\_ieee\_2Efp\_op\ A\_27t\ A\_27w)^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})^{(ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)})\ (59)$$

**Definition 45** We define  $c\_2Ebinary\_ieee\_2Einvalidop\_flags$  to be  $(ap\ (ap\ c\_2Ebinary\_ieee\_2Eflags\_Inv\ ty\_2Efloat\_value\_CASE\ A\_27t\ A\_27w))$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})\ (60)$$

**Definition 46** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 47** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 48** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECONV\ ty\_2Efloat\_value\_CASE\ A\_27t\ A\_27w))))$

Let  $c\_2Ebinary\_ieee\_2Elargest : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Elargest\ A\_27t\ A\_27w \in (ty\_2Erealax\_2Ereal^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))})\ (61)$$



**Definition 49** We define  $c\_2Ebinary\_ieee\_2Efloat\_is\_finite$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinary\_ieee\_2Efloat\_is\_finite\ A\_27t\ A\_27w)$ . Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (62)$$

**Definition 50** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2E2C\ x\ y))$ . Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (63)$$

**Definition 51** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

**Definition 52** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$ .

**Definition 53** We define  $c\_2Ebinary\_ieee\_2Eis\_closest$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (2^{(ty\_2Ebinary\_ieee\_2Efloat\_is\_finite\ A\_27a\ A\_27b)})$ .

**Definition 54** We define  $c\_2Ebinary\_ieee\_2Eclosest\_such$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0p \in (2^{(ty\_2Ebinary\_ieee\_2Efloat\_is\_finite\ A\_27a\ A\_27b)})$ .

**Definition 55** We define  $c\_2Ebinary\_ieee\_2Eclosest$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(ap\ (c\_2Ebinary\_ieee\_2Eclosest\_such\ A\_27a\ A\_27b))$ .

Let  $c\_2Ebinary\_ieee\_2Efloat\_top : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_top \\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \end{aligned} \quad (64)$$

**Definition 56** We define  $c\_2Ereal\_2Ereal\_gt$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

Let  $c\_2Ebinary\_ieee\_2Efloat\_bottom : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_bottom \\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \end{aligned} \quad (65)$$

**Definition 57** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b)^{A\_27a}).(\lambda V1x \in A\_27a)$ .

Let  $c\_2Ebinary\_ieee\_2Efloat\_minus\_infinity : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_minus\_infinity \\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \end{aligned} \quad (66)$$

**Definition 58** We define  $c\_2Ereal\_2Ereal\_ge$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

Let  $c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (67)$$

Let  $c\_2Ebinary\_ieee\_2Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Ethreshold\ A\_27t\ A\_27w \in (ty\_2Erealax\_2Ereal^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (68)$$

**Definition 59** We define  $c\_2Ewords\_2Eword\_lsb$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Efcpcart\ 2\ A\_27a).(ap$

Let  $c\_2Ebinary\_ieee\_2Erounding2num : \iota$  be given. Assume the following.

$$c\_2Ebinary\_ieee\_2Erounding2num \in (ty\_2Enum\_2Enum^{ty\_2Ebinary\_ieee\_2Erounding}) \quad (69)$$

**Definition 60** We define  $c\_2Ebinary\_ieee\_2Erounding\_CASE$  to be  $\lambda A\_27a : \iota.\lambda V0x \in ty\_2Ebinary\_ieee\_2E$

**Definition 61** We define  $c\_2Ebinary\_ieee\_2Eround$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0mode \in ty\_2Ebinary\_iee$

Let  $c\_2Ebinary\_ieee\_2Efloat\_plus\_zero : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_plus\_zero\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (70)$$

Let  $c\_2Ebinary\_ieee\_2Efloat\_minus\_zero : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2Ebinary\_ieee\_2Efloat\_minus\_zero\ A\_27t\ A\_27w \in ((ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w))}) \quad (71)$$

**Definition 62** We define  $c\_2Ebinary\_ieee\_2Efloat\_is\_zero$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebinar$

**Definition 63** We define  $c\_2Ebinary\_ieee\_2Efloat\_round$  to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0mode \in ty\_2Ebin$

Let  $c\_2Ewords\_2EINT\_MIN : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2EINT\_MIN\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (72)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (73)$$

Let  $c\_2Ewords\_2Edimword : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewords\_2Edimword\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (74)$$

**Definition 64** We define `c_2Ewords_2Eword_2comp` to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).$

**Definition 65** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 66** We define `c_2Ewords_2Eenzcv` to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).\lambda V1b \in ($

Let `c_2Epair_2ESND` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (75)$$

Let `c_2Epair_2EFST` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (76)$$

**Definition 67** We define `c_2Epair_2EUNCURRY` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27$

**Definition 68** We define `c_2Ewords_2Eword_2ls` to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2EfcP\_2Ecart\ 2\ A\_27a).\lambda V1b$

**Definition 69** We define `c_2EBinary_2ieee_2Efloat_2is_2infinite` to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0x \in (ty\_2Ebin$

**Definition 70** We define `c_2EBinary_2ieee_2Efloat_2round_2with_2flags` to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0mode$

**Definition 71** We define `c_2EBinary_2ieee_2Efloat_2some_2qnan` to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0fp\_op \in (ty$

**Definition 72** We define `c_2Epair_2Epair_2CASE` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0p \in (ty\_2Epair$

**Definition 73** We define `c_2EBinary_2ieee_2Efloat_2mul` to be  $\lambda A\_27t : \iota.\lambda A\_27w : \iota.\lambda V0mode \in ty\_2Ebin$

Let `c_2EBinary_2ieee_2Efloat_2minus_2min` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2EBinary\_2ieee\_2Efloat\_2minus\_2min \\ A\_27t\ A\_27w \in ((ty\_2EBinary\_2ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w)}) \end{aligned} \quad (77)$$

Let `c_2EBinary_2ieee_2Efloat_2plus_2min` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow c\_2EBinary\_2ieee\_2Efloat\_2plus\_2min \\ A\_27t\ A\_27w \in ((ty\_2EBinary\_2ieee\_2Efloat\ A\_27t\ A\_27w)^{(ty\_2Ebool\_2Eitself\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w)}) \end{aligned} \quad (78)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27t}.nonempty\ A_{.27t} \Rightarrow \forall A_{.27u}.nonempty\ A_{.27u} \Rightarrow \forall A_{.27w}. \\
& \quad nonempty\ A_{.27w} \Rightarrow \forall A_{.27x}.nonempty\ A_{.27x} \Rightarrow ((\forall V0f0 \in \\
& \quad ((ty\_2EfcP\_2Ecart\ 2\ A_{.27x})^{(ty\_2EfcP\_2Ecart\ 2\ A_{.27w})}).(\forall V1f \in \\
& \quad (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Sign \\
& \quad A_{.27t}\ A_{.27x})\ (ap\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Exponent\_fupd \\
& \quad A_{.27t}\ A_{.27w}\ A_{.27x})\ V0f0)\ V1f)) = (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Sign \\
& \quad A_{.27t}\ A_{.27w})\ V1f)))) \wedge ((\forall V2f0 \in ((ty\_2EfcP\_2Ecart\ 2\ A_{.27u})^{(ty\_2EfcP\_2Ecart\ 2\ A_{.27t})}). \\
& \quad (\forall V3f \in (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ ( \\
& \quad c\_2EbinaRy\_ieee\_2Efloat\_Sign\ A_{.27u}\ A_{.27w})\ (ap\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Significand\_fupd \\
& \quad A_{.27t}\ A_{.27u}\ A_{.27w})\ V2f0)\ V3f)) = (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Sign \\
& \quad A_{.27t}\ A_{.27w})\ V3f)))) \wedge ((\forall V4f0 \in ((ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)^{(ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)}. \\
& \quad (\forall V5f \in (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ ( \\
& \quad c\_2EbinaRy\_ieee\_2Efloat\_Exponent\ A_{.27t}\ A_{.27w})\ (ap\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Sign\_fupd \\
& \quad A_{.27t}\ A_{.27w})\ V4f0)\ V5f)) = (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Exponent \\
& \quad A_{.27t}\ A_{.27w})\ V5f)))) \wedge ((\forall V6f0 \in ((ty\_2EfcP\_2Ecart\ 2\ A_{.27u})^{(ty\_2EfcP\_2Ecart\ 2\ A_{.27t})}). \\
& \quad (\forall V7f \in (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ ( \\
& \quad c\_2EbinaRy\_ieee\_2Efloat\_Exponent\ A_{.27u}\ A_{.27w})\ (ap\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Significand\_fupd \\
& \quad A_{.27t}\ A_{.27u}\ A_{.27w})\ V6f0)\ V7f)) = (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Exponent \\
& \quad A_{.27t}\ A_{.27w})\ V7f)))) \wedge ((\forall V8f0 \in ((ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)^{(ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)}. \\
& \quad (\forall V9f \in (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ ( \\
& \quad c\_2EbinaRy\_ieee\_2Efloat\_Significand\ A_{.27t}\ A_{.27w})\ (ap\ (ap\ ( \\
& \quad c\_2EbinaRy\_ieee\_2Efloat\_Sign\_fupd\ A_{.27t}\ A_{.27w})\ V8f0)\ V9f)) = \\
& \quad (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Significand\ A_{.27t}\ A_{.27w})\ V9f)))) \wedge \\
& \quad ((\forall V10f0 \in ((ty\_2EfcP\_2Ecart\ 2\ A_{.27x})^{(ty\_2EfcP\_2Ecart\ 2\ A_{.27w})}). \\
& \quad (\forall V11f \in (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ \\
& \quad (c\_2EbinaRy\_ieee\_2Efloat\_Significand\ A_{.27t}\ A_{.27x})\ (ap\ (ap\ \\
& \quad (c\_2EbinaRy\_ieee\_2Efloat\_Exponent\_fupd\ A_{.27t}\ A_{.27w}\ A_{.27x}) \\
& \quad V10f0)\ V11f)) = (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Significand\ A_{.27t} \\
& \quad A_{.27w})\ V11f)))) \wedge ((\forall V12f0 \in ((ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)^{(ty\_2EfcP\_2Ecart\ 2\ ty\_2Eone\_2Eone)}. \\
& \quad (\forall V13f \in (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ \\
& \quad (c\_2EbinaRy\_ieee\_2Efloat\_Sign\ A_{.27t}\ A_{.27w})\ (ap\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Sign\_fupd \\
& \quad A_{.27t}\ A_{.27w})\ V12f0)\ V13f)) = (ap\ V12f0\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Sign \\
& \quad A_{.27t}\ A_{.27w})\ V13f)))) \wedge ((\forall V14f0 \in ((ty\_2EfcP\_2Ecart\ 2 \\
& \quad A_{.27x})^{(ty\_2EfcP\_2Ecart\ 2\ A_{.27w})}).(\forall V15f \in (ty\_2EbinaRy\_ieee\_2Efloat \\
& \quad A_{.27t}\ A_{.27w}).((ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Exponent\ A_{.27t} \\
& \quad A_{.27x})\ (ap\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Exponent\_fupd\ A_{.27t} \\
& \quad A_{.27w}\ A_{.27x})\ V14f0)\ V15f)) = (ap\ V14f0\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Exponent \\
& \quad A_{.27t}\ A_{.27w})\ V15f)))) \wedge ((\forall V16f0 \in ((ty\_2EfcP\_2Ecart\ 2\ A_{.27u})^{(ty\_2EfcP\_2Ecart\ 2\ A_{.27t})}). \\
& \quad (\forall V17f \in (ty\_2EbinaRy\_ieee\_2Efloat\ A_{.27t}\ A_{.27w}).((ap\ \\
& \quad (c\_2EbinaRy\_ieee\_2Efloat\_Significand\ A_{.27u}\ A_{.27w})\ (ap\ (ap\ \\
& \quad (c\_2EbinaRy\_ieee\_2Efloat\_Significand\_fupd\ A_{.27t}\ A_{.27u}\ A_{.27w}) \\
& \quad V16f0)\ V17f)) = (ap\ V16f0\ (ap\ (c\_2EbinaRy\_ieee\_2Efloat\_Significand \\
& \quad A_{.27t}\ A_{.27w})\ V17f)))))))))))))
\end{aligned}$$

(79)

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0a \in \text{ty\_2Erealax\_2Ereal}. \\
& \quad (\forall V1f \in (A\_27a^{\text{ty\_2Erealax\_2Ereal}}).(\forall V2v \in A\_27a. \\
& \quad (\forall V3v1 \in A\_27a.((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Ebinary\_ieee\_2Efloat\_value\_CASE} \\
& \quad A\_27a) (\text{ap } \text{c\_2Ebinary\_ieee\_2Efloat } V0a)) V1f) V2v) V3v1) = (\text{ap} \\
& \quad V1f V0a)))))) \wedge ((\forall V4f \in (A\_27a^{\text{ty\_2Erealax\_2Ereal}}).(\forall V5v \in \\
& A\_27a.(\forall V6v1 \in A\_27a.((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Ebinary\_ieee\_2Efloat\_value\_CASE} \\
& \quad A\_27a) \text{c\_2Ebinary\_ieee\_2EInfinity}) V4f) V5v) V6v1) = V5v)))) \wedge \\
& \quad (\forall V7f \in (A\_27a^{\text{ty\_2Erealax\_2Ereal}}).(\forall V8v \in A\_27a. \\
& \quad (\forall V9v1 \in A\_27a.((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Ebinary\_ieee\_2Efloat\_value\_CASE} \\
& \quad A\_27a) \text{c\_2Ebinary\_ieee\_2ENaN}) V7f) V8v) V9v1) = V9v1)))))) \\
& \hspace{10em} (80)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27t.\text{nonempty } A\_27t \Rightarrow \forall A\_27w.\text{nonempty } A\_27w \Rightarrow ( \\
& \quad (\text{ap } (\text{c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity } A\_27t A\_27w) \\
& \quad (\text{c\_2Ebool\_2Ethe\_value } (\text{ty\_2Epair\_2Eprod } A\_27t A\_27w))) = (\text{ap} \\
& \quad (\text{ap } (\text{c\_2Ebinary\_ieee\_2Efloat\_Sign\_fupd } A\_27t A\_27w) (\text{ap } ( \\
& \quad \text{c\_2Ecombin\_2EK } (\text{ty\_2Efc\_2Ecart } 2 \text{ ty\_2Eone\_2Eone}) (\text{ty\_2Efc\_2Ecart} \\
& \quad 2 \text{ ty\_2Eone\_2Eone})) (\text{ap } (\text{c\_2Ewords\_2En2w } \text{ty\_2Eone\_2Eone}) \text{c\_2Enum\_2E0}))) \\
& \quad (\text{ap } (\text{ap } (\text{c\_2Ebinary\_ieee\_2Efloat\_Exponent\_fupd } A\_27t A\_27w \\
& \quad A\_27w) (\text{ap } (\text{c\_2Ecombin\_2EK } (\text{ty\_2Efc\_2Ecart } 2 A\_27w) (\text{ty\_2Efc\_2Ecart} \\
& \quad 2 A\_27w)) (\text{c\_2Ewords\_2Eword\_T } A\_27w))) (\text{ap } (\text{ap } (\text{c\_2Ebinary\_ieee\_2Efloat\_Significand\_fupd} \\
& \quad A\_27t A\_27t A\_27w) (\text{ap } (\text{c\_2Ecombin\_2EK } (\text{ty\_2Efc\_2Ecart } 2 A\_27t) \\
& \quad (\text{ty\_2Efc\_2Ecart } 2 A\_27t)) (\text{ap } (\text{c\_2Ewords\_2En2w } A\_27t) \text{c\_2Enum\_2E0}))) \\
& \quad (\text{c\_2Ebool\_2EARB } (\text{ty\_2Ebinary\_ieee\_2Efloat } A\_27t A\_27w)))))) \\
& \hspace{10em} (81)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27t. \\
& nonempty\ A.27t \Rightarrow \forall A.27w.nonempty\ A.27w \Rightarrow (((ap\ (c.2Ebinary\_ieee.2Efloat\_value \\
& \quad A.27t\ A.27w)\ (ap\ (c.2Ebinary\_ieee.2Efloat\_plus\_infinity \\
& \quad A.27t\ A.27w)\ (c.2Ebool.2Ethe\_value\ (ty.2Epair.2Eprod\ A.27t \\
& \quad A.27w)))) = c.2Ebinary\_ieee.2EInfinity) \wedge (((ap\ (c.2Ebinary\_ieee.2Efloat\_value \\
& \quad A.27t\ A.27w)\ (ap\ (c.2Ebinary\_ieee.2Efloat\_minus\_infinity \\
& \quad A.27t\ A.27w)\ (c.2Ebool.2Ethe\_value\ (ty.2Epair.2Eprod\ A.27t \\
& \quad A.27w)))) = c.2Ebinary\_ieee.2EInfinity) \wedge ((\forall V0fp\_op \in \\
& \quad (ty.2Ebinary\_ieee.2Efp\_op\ A.27a\ A.27b).((ap\ (c.2Ebinary\_ieee.2Efloat\_value \\
& \quad A.27a\ A.27b)\ (ap\ (c.2Ebinary\_ieee.2Efloat\_some\_qnan\ A.27a \\
& \quad A.27b)\ V0fp\_op)) = c.2Ebinary\_ieee.2ENaN) \wedge (((ap\ (c.2Ebinary\_ieee.2Efloat\_value \\
& \quad A.27t\ A.27w)\ (ap\ (c.2Ebinary\_ieee.2Efloat\_plus\_zero\ A.27t \\
& \quad A.27w)\ (c.2Ebool.2Ethe\_value\ (ty.2Epair.2Eprod\ A.27t\ A.27w)))) = \\
& \quad (ap\ c.2Ebinary\_ieee.2EFloat\ (ap\ c.2Ereal.2Ereal\_of\_num\ c.2Enum.2E0))) \wedge \\
& \quad (((ap\ (c.2Ebinary\_ieee.2Efloat\_value\ A.27t\ A.27w)\ (ap\ (c.2Ebinary\_ieee.2Efloat\_minus\_zero \\
& \quad A.27t\ A.27w)\ (c.2Ebool.2Ethe\_value\ (ty.2Epair.2Eprod\ A.27t \\
& \quad A.27w)))) = (ap\ c.2Ebinary\_ieee.2EFloat\ (ap\ c.2Ereal.2Ereal\_of\_num \\
& \quad c.2Enum.2E0))) \wedge (((ap\ (c.2Ebinary\_ieee.2Efloat\_value\ A.27t \\
& \quad A.27w)\ (ap\ (c.2Ebinary\_ieee.2Efloat\_plus\_min\ A.27t\ A.27w) \\
& \quad (c.2Ebool.2Ethe\_value\ (ty.2Epair.2Eprod\ A.27t\ A.27w)))) = ( \\
& \quad ap\ c.2Ebinary\_ieee.2EFloat\ (ap\ (ap\ c.2Ereal.2E.2F\ (ap\ c.2Ereal.2Ereal\_of\_num \\
& \quad (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO)))) \\
& \quad (ap\ (ap\ c.2Ereal.2Epow\ (ap\ c.2Ereal.2Ereal\_of\_num\ (ap\ c.2Earithmetic.2ENUMERAL \\
& \quad (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO))))\ (ap\ (ap \\
& \quad c.2Earithmetic.2E.2B\ (ap\ (c.2Ewords.2EINT\_MAX\ A.27w)\ (c.2Ebool.2Ethe\_value \\
& \quad A.27w)))\ (ap\ (c.2Efc.2Edimindex\ A.27t)\ (c.2Ebool.2Ethe\_value \\
& \quad A.27t)))))) \wedge (((ap\ (c.2Ebinary\_ieee.2Efloat\_value\ A.27t\ A.27w) \\
& \quad (ap\ (c.2Ebinary\_ieee.2Efloat\_minus\_min\ A.27t\ A.27w)\ (c.2Ebool.2Ethe\_value \\
& \quad (ty.2Epair.2Eprod\ A.27t\ A.27w)))) = (ap\ c.2Ebinary\_ieee.2EFloat \\
& \quad (ap\ (ap\ c.2Ereal.2E.2F\ (ap\ c.2Ereal.2Ereal\_neg\ (ap\ c.2Ereal.2Ereal\_of\_num \\
& \quad (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO)))) \\
& \quad (ap\ (ap\ c.2Ereal.2Epow\ (ap\ c.2Ereal.2Ereal\_of\_num\ (ap\ c.2Earithmetic.2ENUMERAL \\
& \quad (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO))))\ (ap\ (ap \\
& \quad c.2Earithmetic.2E.2B\ (ap\ (c.2Ewords.2EINT\_MAX\ A.27w)\ (c.2Ebool.2Ethe\_value \\
& \quad A.27w)))\ (ap\ (c.2Efc.2Edimindex\ A.27t)\ (c.2Ebool.2Ethe\_value \\
& \quad A.27t)))))))))
\end{aligned} \tag{82}$$

Assume the following.

$$True \tag{83}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{84}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (85)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (86)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (87)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (88)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (89)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (90)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (91)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (92)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. (((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\ & V0t1) V1t2) = V1t2)))) \end{aligned} \quad (93)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (94)$$

Assume the following.

$$2.((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (95)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in A_{.27a}.((ap (ap (ap (c_{.2Ebool\_2ECOND} A_{.27a}) c_{.2Ebool\_2ET} V0t1) V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap (ap (c_{.2Ebool\_2ECOND} A_{.27a}) c_{.2Ebool\_2EF} V2t1) V3t2) = V3t2)))))) \quad (96)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.((ap (ap (c_{.2Ecombin\_2EK} A_{.27a} A_{.27b}) V0x) V1y) = V0x))) \quad (97)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in A_{.27b}.(((ap (ap (c_{.2Epair\_2E\_2C} A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap (c_{.2Epair\_2E\_2C} A_{.27a} A_{.27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (98)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \forall A_{.27c}.nonempty A_{.27c} \Rightarrow (\forall V0x \in A_{.27b}.(\forall V1y \in A_{.27c}.(\forall V2f \in (A_{.27a}^{A_{.27c}})^{A_{.27b}}).((ap (ap (c_{.2Epair\_2Epair\_CASE} A_{.27a} A_{.27b} A_{.27c}) (ap (ap (c_{.2Epair\_2E\_2C} A_{.27b} A_{.27c}) V0x) V1y)) V2f) = (ap (ap V2f V0x) V1y)))))) \quad (99)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0m \in ty_{.2Enum\_2Enum}.(\forall V1n \in ty_{.2Enum\_2Enum}.(((ap (c_{.2Ewords\_2En2w} A_{.27a}) V0m) = (ap (c_{.2Ewords\_2En2w} A_{.27a}) V1n)) \Leftrightarrow ((ap (ap c_{.2Earithmetic\_2EMOD} V0m) (ap (c_{.2Ewords\_2Edimword} A_{.27a}) (c_{.2Ebool\_2Ethe\_value} A_{.27a}))) = (ap (ap c_{.2Earithmetic\_2EMOD} V1n) (ap (c_{.2Ewords\_2Edimword} A_{.27a}) (c_{.2Ebool\_2Ethe\_value} A_{.27a})))))) \quad (100)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((ap (c_{.2Ewords\_2Eword\_2comp} A_{.27a}) (ap (c_{.2Ewords\_2En2w} A_{.27a}) (ap c_{.2Earithmetic\_2ENUMERAL} (ap c_{.2Earithmetic\_2EBIT1} c_{.2Earithmetic\_2EZERO})))) = (c_{.2Ewords\_2Eword\_T} A_{.27a})) \quad (101)$$



**Theorem 1**

$$\begin{aligned}
& \forall A\_27t.nonempty\ A\_27t \Rightarrow \forall A\_27w.nonempty\ A\_27w \Rightarrow ( \\
& \quad \forall V0mode \in ty\_2Ebinary\_ieee\_2Erounding. (\forall V1x \in \\
& \quad (ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w). (\forall V2r \in ty\_2Erealax\_2Ereal. \\
& \quad \quad ((ap\ (c\_2Ebinary\_ieee\_2Efloat\_value\ A\_27t\ A\_27w)\ V1x) = (ap \\
& \quad \quad c\_2Ebinary\_ieee\_2Efloat\ V2r)) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebinary\_ieee\_2Efloat\_mul \\
& \quad \quad A\_27t\ A\_27w)\ V0mode)\ V1x)\ (ap\ (c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity \\
& \quad \quad A\_27t\ A\_27w)\ (c\_2Ebool\_2Ethe\_value\ (ty\_2Epair\_2Eprod\ A\_27t \\
& \quad \quad A\_27w)))) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Epair\_2Eprod\ ty\_2Ebinary\_ieee\_2Eflags \\
& \quad \quad (ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w)))\ (ap\ (ap\ (c\_2Emin\_2E\_3D \\
& \quad \quad ty\_2Erealax\_2Ereal)\ V2r)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \\
& \quad \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Ebinary\_ieee\_2Eflags\ (ty\_2Ebinary\_ieee\_2Efloat \\
& \quad \quad A\_27t\ A\_27w))\ c\_2Ebinary\_ieee\_2Einvalidop\_flags)\ (ap\ (c\_2Ebinary\_ieee\_2Efloat\_some\_qnan \\
& \quad \quad A\_27t\ A\_27w)\ (ap\ (ap\ (ap\ (c\_2Ebinary\_ieee\_2EFP\_Mul\ A\_27t\ A\_27w)\ \\
& \quad \quad V0mode)\ V1x)\ (ap\ (c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity \\
& \quad \quad A\_27t\ A\_27w)\ (c\_2Ebool\_2Ethe\_value\ (ty\_2Epair\_2Eprod\ A\_27t \\
& \quad \quad A\_27w))))))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Ebinary\_ieee\_2Eflags \\
& \quad \quad (ty\_2Ebinary\_ieee\_2Efloat\ A\_27t\ A\_27w))\ c\_2Ebinary\_ieee\_2Eclear\_flags) \\
& \quad \quad (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Ebinary\_ieee\_2Efloat\ A\_27t \\
& \quad \quad A\_27w))\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (ty\_2Efc\_2Ecart\ 2\ ty\_2Eone\_2Eone)) \\
& \quad \quad (ap\ (c\_2Ebinary\_ieee\_2Efloat\_Sign\ A\_27t\ A\_27w)\ V1x))\ (ap\ (c\_2Ewords\_2En2w \\
& \quad \quad ty\_2Eone\_2Eone)\ c\_2Enum\_2E0)))\ (ap\ (c\_2Ebinary\_ieee\_2Efloat\_plus\_infinity \\
& \quad \quad A\_27t\ A\_27w)\ (c\_2Ebool\_2Ethe\_value\ (ty\_2Epair\_2Eprod\ A\_27t \\
& \quad \quad A\_27w))))\ (ap\ (c\_2Ebinary\_ieee\_2Efloat\_minus\_infinity\ A\_27t \\
& \quad \quad A\_27w)\ (c\_2Ebool\_2Ethe\_value\ (ty\_2Epair\_2Eprod\ A\_27t\ A\_27w)))))))))
\end{aligned}$$