

thm_2Ebinary_ieee_2Efloat_sub_finite_minus_infinity (TMKir24wNbgSeX33DYkvXaoU18DABtWZ7cE)

October 26, 2020

Let $ty_2Ebinary_ieee_2Eflags : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Eflags \quad (1)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A._27a.nonempty\ A._27a \Rightarrow c_2Ebool_2EARB\ A._27a \in A._27a \quad (2)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A._27a : \iota.(\lambda V0P \in (2^{A._27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A._27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

Definition 4 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Ecombin_2EK$ to be $\lambda A._27a : \iota.\lambda A._27b : \iota.(\lambda V0x \in A._27a.(\lambda V1y \in A._27b.V0x))$

Let $c_2Ebinary_ieee_2Eflags_Underflow_AfterRounding_fupd : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Underflow_AfterRounding_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (3)$$

Let $c_2Ebinary_ieee_2Eflags_Underflow_BeforeRounding_fupd : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Underflow_BeforeRounding_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (4)$$

Let $c_2Ebinary_ieee_2Eflags_Precision_fupd : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Precision_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (5)$$

Let $c_2Ebinary_ieee_2Eflags_Overflow_fupd : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_Overflow_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (6)$$

Let $c_2Ebinary_ieee_2Eflags_InvalidOp_fupd : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_InvalidOp_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (7)$$

Let $c_2Ebinary_ieee_2Eflags_DivideByZero_fupd : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Eflags_DivideByZero_fupd \in ((ty_2Ebinary_ieee_2Eflags^{ty_2Ebinary_ieee_2Eflags})^{(2^2)}) \quad (8)$$

Definition 6 We define $c_2Ebinary_ieee_2Eclear_flags$ to be $(ap (ap c_2Ebinary_ieee_2Eflags_DivideByZero_fupd))$

Definition 7 We define $c_2Ebinary_ieee_2Einvalidop_flags$ to be $(ap (ap c_2Ebinary_ieee_2Eflags_InvalidOp_fupd))$

Let $ty_2Ebinary_ieee_2Efp_op : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Ebinary_ieee_2Efp_op A0 A1) \quad (9)$$

Let $ty_2Ebinary_ieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Ebinary_ieee_2Efloat A0 A1) \quad (10)$$

Let $ty_2Ebinary_ieee_2Errounding : \iota$ be given. Assume the following.

$$nonempty ty_2Ebinary_ieee_2Errounding \quad (11)$$

Let $c_2Ebinary_ieee_2EFP_Sub : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty A_27t \Rightarrow \forall A_27w.nonempty A_27w \Rightarrow c_2Ebinary_ieee_2EFP_Sub A_27t A_27w \in (((ty_2Ebinary_ieee_2Efp_op A_27t A_27w)^{(ty_2Ebinary_ieee_2Efloat A_27t A_27w)})^{(ty_2Errounding)}) \quad (12)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (13)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (14)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})_{A.27a}) \quad (15)$$

Let $ty_2EfcP_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2EfcP_2Ecart\ A0\ A1) \quad (16)$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27t.nonempty\ A.27t \Rightarrow \forall A.27w.nonempty\ A.27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand\ A.27t\ A.27w \in ((ty_2EfcP_2Ecart\ 2\ A.27t)^{(ty_2Ebinary_ieee_2Efloat\ A.27t\ A.27w)}) \quad (17)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (18)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (19)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (20)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (21)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (22)$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (23)$$

Definition 11 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E2B\ n))\ c_2Enum_2E0)$

Definition 12 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 23 We define `c_2Earithmetic_2EBIT2` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2))$. Let `c_2Ereal_2Ereal_of_num` : ι be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (31)$$

Let `c_2Ereal_2Epow` : ι be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (32)$$

Let `c_2Earithmetic_2EEXP` : ι be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (33)$$

Definition 24 We define `c_2Ebool_2ECOND` to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.))$

Definition 25 We define `c_2Ebit_2ESBIT` to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Eboobit_2ESBIT))))$

Let `c_2Esum_num_2ESUM` : ι be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum)^{ty_2Enum_2Enum}})^{ty_2Enum_2Enum}) \quad (34)$$

Definition 26 We define `c_2Ewords_2Ew2n` to be $\lambda A.27a : \iota.\lambda V0w \in (ty_2Efcpcart_2A.27a).(ap (ap (ap (c_2Ewords_2Ew2n))))$

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (35)$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (36)$$

Let `c_2Erealax_2Ereal_REP_CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (37)$$

Definition 27 We define `c_2Erealax_2Ereal_REP` to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E.40))$

Let `c_2Erealax_2Etrealm_inv` : ι be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (38)$$

Let `c_2Erealax_2Etrealm_eq` : ι be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (39)$$

Let `c_2Erealax_2Ereal_ABS_CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (40)$$

Definition 28 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 29 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (41)$$

Definition 30 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 31 We define c_2Ereal_2E2F to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (42)$$

Definition 32 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Let $c_2Ewords_2EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)})(ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (43)$$

Let $c_2Ebinary_2Eieee_2Efloat_2EExponent : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_2Eieee_2Efloat_2EExponent\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27w)^{(ty_2Ebinary_2Eieee_2Efloat\ A_27t\ A_27w)}) \quad (44)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (45)$$

Let $c_2Ebinary_2Eieee_2Efloat_2ESign : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_2Eieee_2Efloat_2ESign\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ ty_2Eone_2Eone)^{(ty_2Ebinary_2Eieee_2Efloat\ A_27t\ A_27w)}) \quad (46)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (47)$$

Definition 33 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_mul)$

Let $c_Earithmetic_EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EDIV \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (48)$$

Definition 34 We define $c_Ebit_EDIV_EXP$ to be $\lambda V0x \in ty_Enum_Enum. \lambda V1n \in ty_Enum_Enum$

Let $c_Earithmetic_EMOD : \iota$ be given. Assume the following.

$$c_Earithmetic_EMOD \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (49)$$

Definition 35 We define $c_Ebit_EMOD_EXP$ to be $\lambda V0x \in ty_Enum_Enum. \lambda V1n \in ty_Enum_Enum$

Definition 36 We define c_Ebit_EBITS to be $\lambda V0h \in ty_Enum_Enum. \lambda V1l \in ty_Enum_Enum. \lambda V$

Definition 37 We define c_Ebit_EBIT to be $\lambda V0b \in ty_Enum_Enum. \lambda V1n \in ty_Enum_Enum. (ap$

Definition 38 We define c_Efc_EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_Enum_Enum}). (ap$

Definition 39 We define c_Ewords_En2w to be $\lambda A_27a : \iota. \lambda V0n \in ty_Enum_Enum. (ap (c_Efc_EFCP$

Definition 40 We define $c_Ebinary_ieee_Efloat_to_real$ to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0x \in (ty_Ebinary$

Let $ty_Ebinary_ieee_Efloat_value : \iota$ be given. Assume the following.

$$nonempty\ ty_Ebinary_ieee_Efloat_value \quad (50)$$

Let $c_Ebinary_ieee_EFloat : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_EFloat \in (ty_Ebinary_ieee_Efloat_value^{ty_Erealx_Ereal}) \quad (51)$$

Let $c_Ebinary_ieee_ENaN : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_ENaN \in ty_Ebinary_ieee_Efloat_value \quad (52)$$

Let $c_Ebinary_ieee_EInfinity : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_EInfinity \in ty_Ebinary_ieee_Efloat_value \quad (53)$$

Let $c_Ewords_EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_Ewords_EUINT_MAX\ A_27a \in (\quad (54)$$

Definition 41 We define $c_Ewords_Eword_T$ to be $\lambda A_27a : \iota. (ap (c_Ewords_En2w\ A_27a) (ap (c_Ew$

Definition 42 We define $c_Ebinary_ieee_Efloat_value$ to be $\lambda A_27t : \iota. \lambda A_27w : \iota. \lambda V0x \in (ty_Ebinary$

Let $c_2Ebinary_ieee_2Efloat_value_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebinary_ieee_2Efloat_value_CASE \\ & A_27a \in (((A_27a^{A_27a})^{A_27a})^{(A_27a^{ty_2Erealax_2Ereal})})^{ty_2Ebinary_ieee_2Efloat_value} \end{aligned} \quad (55)$$

Definition 43 We define $c_2Ebinary_ieee_2Efloat_is_nan$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_ieee_2Efloat_value_CASE)$

Definition 44 We define $c_2Ebinary_ieee_2Efloat_is_signalling$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_ieee_2Efloat_value_CASE)$

Let $c_2Elist_2EEXISTS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EEXISTS\ A_27a \in ((2^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27a})}) \quad (56)$$

Definition 45 We define $c_2Ebinary_ieee_2Echeck_for_signalling$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0l \in (ty_2Ebinary_ieee_2Efloat_value_CASE)$

Definition 46 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ebinary_ieee_2EroundTowardNegative : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EroundTowardNegative \in ty_2Ebinary_ieee_2Erounding \quad (57)$$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (58)$$

Definition 47 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 48 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 49 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECONV))))$

Let $c_2Ebinary_ieee_2Elargest : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Elargest \\ & A_27t\ A_27w \in (ty_2Erealax_2Ereal^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (59)$$

Definition 50 We define $c_2Ebinary_ieee_2Efloat_is_finite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_ieee_2Efloat_value_CASE)$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (60)$$

Definition 51 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Ebool_2ECONV))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (61)$$

Definition 52 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 53 We define $c_2Ebinary_ieee_2Eis_closest$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0s \in (2^{(ty_2Ebinary_ieee_2Efloat_top\ A_27a\ A_27b)})$

Definition 54 We define $c_2Ebinary_ieee_2Eclosest_such$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (2^{(ty_2Ebinary_ieee_2Efloat_top\ A_27a\ A_27b)})$

Definition 55 We define $c_2Ebinary_ieee_2Eclosest$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (ap\ (c_2Ebinary_ieee_2Eclosest_such\ A_27a\ A_27b))$

Let $c_2Ebinary_ieee_2Efloat_top : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_top \\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (62)$$

Definition 56 We define $c_2Ereal_2Ereal_gt$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ebinary_ieee_2Efloat_bottom : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_bottom \\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (63)$$

Definition 57 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0f \in (A_27b^{A_27a}). (\lambda V1x \in A_27a$

Let $c_2Ebinary_ieee_2Efloat_minus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_minus_infinity \\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (64)$$

Definition 58 We define $c_2Ereal_2Ereal_ge$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ebinary_ieee_2Efloat_plus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_plus_infinity \\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (65)$$

Let $c_2Ebinary_ieee_2Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Ethreshold \\ A_27t\ A_27w \in (ty_2Erealax_2Ereal^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \end{aligned} \quad (66)$$

Definition 59 We define $c_Ewords_Eword_lsb$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).(ap$
 Let $c_2Ebinary_ieee_2Erounding2num : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Erounding2num \in (ty_2Enum_2Enum^{ty_2Ebinary_ieee_2Erounding}) \quad (67)$$

Definition 60 We define $c_2Ebinary_ieee_2Erounding_CASE$ to be $\lambda A_27a : \iota.\lambda V0x \in ty_2Ebinary_ieee_2E$

Definition 61 We define $c_2Ebinary_ieee_2ERound$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_2Ebinary_ie$

Let $c_2Ebinary_ieee_2Efloat_plus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_plus_zero\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w)})) \quad (68)$$

Let $c_2Ebinary_ieee_2Efloat_minus_zero : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_minus_zero\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w)})) \quad (69)$$

Definition 62 We define $c_2Ebinary_ieee_2Efloat_is_zero$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinar$

Definition 63 We define $c_2Ebinary_ieee_2Efloat_round$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_2Ebin$

Let $c_2Ewords_2EINT_MIN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EINT_MIN\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (70)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (71)$$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (72)$$

Definition 64 We define $c_2Ewords_2Eword_2comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a).$

Definition 65 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 66 We define $c_2Ewords_2Enzcv$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Efc_2Ecart\ 2\ A_27a).\lambda V1b \in ($

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (73)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (74)$$

Definition 67 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$

Definition 68 We define $c_2Ewords_2Eword_ls$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2EfcP_2Ecart\ 2\ A_27a).\lambda V1b$

Definition 69 We define $c_2Ebinary_ieee_2Efloat_is_infinite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebina$

Definition 70 We define $c_2Ebinary_ieee_2Efloat_round_with_flags$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode$

Definition 71 We define $c_2Ebinary_ieee_2Efloat_some_qnan$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0fp_op \in (ty$

Definition 72 We define $c_2Ewords_2Eword_1comp$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a).$

Let c_2Ebina _{ry}_{ieee}_{2Efloat}_{Sign}_{fupd} : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebina$$
{ry}{ieee}_{2Efloat}_{Sign}_{fupd} \\ $A_27t\ A_27w \in (((ty_2Ebina$ _{ry}_{ieee}_{2Efloat} $A_27t\ A_27w))^{(ty_2Ebina$ _{ry}_{ieee}_{2Efloat} $A_27t\ A_27w)})^{((ty_2Efc$ _P \\ $(A_27t\ A_27w))^{(ty_2Ebina$ _{ry}_{ieee}_{2Efloat} $A_27t\ A_27w)}) \end{aligned} \quad (75)$

Definition 73 We define c_2Ebina _{ry}_{ieee}_{2Efloat}_{negate} to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebina$

Definition 74 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0p \in (ty_2Epair$

Definition 75 We define c_2Ebina _{ry}_{ieee}_{2Efloat}_{sub} to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_2Ebina$

Let c_2Ebina _{ry}_{ieee}_{2Efloat}_{minus}_{min} : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebina$$
{ry}{ieee}_{2Efloat}_{minus}_{min} \\ $A_27t\ A_27w \in ((ty_2Ebina$ _{ry}_{ieee}_{2Efloat} $A_27t\ A_27w))^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))} \end{aligned} \quad (76)$

Let c_2Ebina _{ry}_{ieee}_{2Efloat}_{plus}_{min} : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebina$$
{ry}{ieee}_{2Efloat}_{plus}_{min} \\ $A_27t\ A_27w \in ((ty_2Ebina$ _{ry}_{ieee}_{2Efloat} $A_27t\ A_27w))^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))} \end{aligned} \quad (77)$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0a \in \text{ty_2Erealax_2Ereal}.) \\
& \quad (\forall V1f \in (A_27a^{\text{ty_2Erealax_2Ereal}}).(\forall V2v \in A_27a. \\
& \quad (\forall V3v1 \in A_27a.((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebinary_ieee_2Efloat_value_CASE} \\
& \quad A_27a) (\text{ap } \text{c_2Ebinary_ieee_2Efloat } V0a)) V1f) V2v) V3v1) = (\text{ap} \\
& \quad V1f V0a)))))) \wedge ((\forall V4f \in (A_27a^{\text{ty_2Erealax_2Ereal}}).(\forall V5v \in \\
& A_27a.(\forall V6v1 \in A_27a.((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebinary_ieee_2Efloat_value_CASE} \\
& \quad A_27a) \text{c_2Ebinary_ieee_2EInfinity}) V4f) V5v) V6v1) = V5v)))) \wedge \\
& \quad (\forall V7f \in (A_27a^{\text{ty_2Erealax_2Ereal}}).(\forall V8v \in A_27a. \\
& \quad (\forall V9v1 \in A_27a.((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2Ebinary_ieee_2Efloat_value_CASE} \\
& \quad A_27a) \text{c_2Ebinary_ieee_2ENaN}) V7f) V8v) V9v1) = V9v1))))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& \forall A_27t.\text{nonempty } A_27t \Rightarrow \forall A_27w.\text{nonempty } A_27w \Rightarrow (\\
& \quad (\text{ap } (\text{c_2Ebinary_ieee_2Efloat_minus_infinity } A_27t A_27w) \\
& \quad (\text{c_2Ebool_2Ethe_value } (\text{ty_2Epair_2Eprod } A_27t A_27w))) = (\text{ap} \\
& \quad (\text{c_2Ebinary_ieee_2Efloat_negate } A_27t A_27w) (\text{ap } (\text{c_2Ebinary_ieee_2Efloat_plus_infinity} \\
& \quad A_27t A_27w) (\text{c_2Ebool_2Ethe_value } (\text{ty_2Epair_2Eprod } A_27t \\
& \quad A_27w))))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27t. \\
& nonempty\ A.27t \Rightarrow \forall A.27w.nonempty\ A.27w \Rightarrow (((ap\ (c.2Ebinary_ieee.2Efloat_value \\
& \quad A.27t\ A.27w)\ (ap\ (c.2Ebinary_ieee.2Efloat_plus_infinity \\
& \quad A.27t\ A.27w)\ (c.2Ebool.2Ethe_value\ (ty.2Epair.2Eprod\ A.27t \\
& \quad A.27w)))) = c.2Ebinary_ieee.2EInfinity) \wedge (((ap\ (c.2Ebinary_ieee.2Efloat_value \\
& \quad A.27t\ A.27w)\ (ap\ (c.2Ebinary_ieee.2Efloat_minus_infinity \\
& \quad A.27t\ A.27w)\ (c.2Ebool.2Ethe_value\ (ty.2Epair.2Eprod\ A.27t \\
& \quad A.27w)))) = c.2Ebinary_ieee.2EInfinity) \wedge ((\forall V0fp_op \in \\
& \quad (ty.2Ebinary_ieee.2Efp_op\ A.27a\ A.27b).((ap\ (c.2Ebinary_ieee.2Efloat_value \\
& \quad A.27a\ A.27b)\ (ap\ (c.2Ebinary_ieee.2Efloat_some_qnan\ A.27a \\
& \quad A.27b)\ V0fp_op)) = c.2Ebinary_ieee.2ENaN) \wedge (((ap\ (c.2Ebinary_ieee.2Efloat_value \\
& \quad A.27t\ A.27w)\ (ap\ (c.2Ebinary_ieee.2Efloat_plus_zero\ A.27t \\
& \quad A.27w)\ (c.2Ebool.2Ethe_value\ (ty.2Epair.2Eprod\ A.27t\ A.27w)))) = \\
& \quad (ap\ c.2Ebinary_ieee.2EFloat\ (ap\ c.2Ereal.2Ereal_of_num\ c.2Enum.2E0))) \wedge \\
& \quad (((ap\ (c.2Ebinary_ieee.2Efloat_value\ A.27t\ A.27w)\ (ap\ (c.2Ebinary_ieee.2Efloat_minus_zero \\
& \quad A.27t\ A.27w)\ (c.2Ebool.2Ethe_value\ (ty.2Epair.2Eprod\ A.27t \\
& \quad A.27w)))) = (ap\ c.2Ebinary_ieee.2EFloat\ (ap\ c.2Ereal.2Ereal_of_num \\
& \quad c.2Enum.2E0))) \wedge (((ap\ (c.2Ebinary_ieee.2Efloat_value\ A.27t \\
& \quad A.27w)\ (ap\ (c.2Ebinary_ieee.2Efloat_plus_min\ A.27t\ A.27w) \\
& \quad (c.2Ebool.2Ethe_value\ (ty.2Epair.2Eprod\ A.27t\ A.27w)))) = (\\
& \quad ap\ c.2Ebinary_ieee.2EFloat\ (ap\ (ap\ c.2Ereal.2E.2F\ (ap\ c.2Ereal.2Ereal_of_num \\
& \quad (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO)))) \\
& \quad (ap\ (ap\ c.2Ereal.2Epow\ (ap\ c.2Ereal.2Ereal_of_num\ (ap\ c.2Earithmetic.2ENUMERAL \\
& \quad (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO))))\ (ap\ (ap \\
& \quad c.2Earithmetic.2E.2B\ (ap\ (c.2Ewords.2EINT_MAX\ A.27w)\ (c.2Ebool.2Ethe_value \\
& \quad A.27w)))\ (ap\ (c.2Efc.2Edimindex\ A.27t)\ (c.2Ebool.2Ethe_value \\
& \quad A.27t)))))) \wedge (((ap\ (c.2Ebinary_ieee.2Efloat_value\ A.27t\ A.27w) \\
& \quad (ap\ (c.2Ebinary_ieee.2Efloat_minus_min\ A.27t\ A.27w)\ (c.2Ebool.2Ethe_value \\
& \quad (ty.2Epair.2Eprod\ A.27t\ A.27w)))) = (ap\ c.2Ebinary_ieee.2EFloat \\
& \quad (ap\ (ap\ c.2Ereal.2E.2F\ (ap\ c.2Ereal.2Ereal_neg\ (ap\ c.2Ereal.2Ereal_of_num \\
& \quad (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO)))) \\
& \quad (ap\ (ap\ c.2Ereal.2Epow\ (ap\ c.2Ereal.2Ereal_of_num\ (ap\ c.2Earithmetic.2ENUMERAL \\
& \quad (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO))))\ (ap\ (ap \\
& \quad c.2Earithmetic.2E.2B\ (ap\ (c.2Ewords.2EINT_MAX\ A.27w)\ (c.2Ebool.2Ethe_value \\
& \quad A.27w)))\ (ap\ (c.2Efc.2Edimindex\ A.27t)\ (c.2Ebool.2Ethe_value \\
& \quad A.27t)))))))))
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0x \in (ty.2Ebinary_ieee.2Efloat\ A.27a\ A.27b).((ap\ (c.2Ebinary_ieee.2Efloat_negate \\
& \quad A.27a\ A.27b)\ (ap\ (c.2Ebinary_ieee.2Efloat_negate\ A.27a\ A.27b) \\
& \quad V0x)) = V0x)
\end{aligned} \tag{81}$$

Assume the following.

$$True \quad (82)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (83)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (84) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\ & (p \ V0t) \Rightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (85) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (86)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (87)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p \ V0t1) \Rightarrow \\ & ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (88) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\ & (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)))))) \quad (89) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \\ & V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ V1Q) \ V3x_27) \\ & V5y_27)))))) \quad (90) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\
& \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
& \hspace{15em} (91)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0x \in A_27b. (\forall V1y \in A_27c. (\forall V2f \in \\
& \quad ((A_27a^{A_27c})^{A_27b}). ((ap\ (ap\ (c_2Epair_2Epair_CASE\ A_27a\ A_27b \\
& \quad A_27c)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27b\ A_27c)\ V0x)\ V1y))\ V2f) = (ap \\
& \quad (ap\ V2f\ V0x)\ V1y)))))) \\
& \hspace{15em} (92)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow (\\
& \quad \forall V0mode \in ty_2Ebinary_ieee_2Erounding. (\forall V1x \in \\
& \quad (ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w). (\forall V2r \in ty_2Erealax_2Ereal. \\
& \quad (((ap\ (c_2Ebinary_ieee_2Efloat_value\ A_27t\ A_27w)\ V1x) = (ap \\
& \quad c_2Ebinary_ieee_2Efloat\ V2r)) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebinary_ieee_2Efloat_sub \\
& \quad A_27t\ A_27w)\ V0mode)\ V1x)\ (ap\ (c_2Ebinary_ieee_2Efloat_minus_infinity \\
& \quad A_27t\ A_27w)\ (c_2Ebool_2Ethe_value\ (ty_2Epair_2Eprod\ A_27t \\
& \quad A_27w)))) = (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Ebinary_ieee_2Eflags \\
& \quad (ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w))\ c_2Ebinary_ieee_2Eclear_flags) \\
& \quad (ap\ (c_2Ebinary_ieee_2Efloat_plus_infinity\ A_27t\ A_27w) \\
& \quad (c_2Ebool_2Ethe_value\ (ty_2Epair_2Eprod\ A_27t\ A_27w))))))))) \\
\end{aligned}$$