

thm_2Ebinary_2ieee_2Eround_2roundTowardZero_top
(TMRaxW7TVpKMgJRXQUigu99qr1njxbxeyqy)

October 26, 2020

Let $ty_2Ebinary_2ieee_2Erounding : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_2ieee_2Erounding \tag{1}$$

Let $c_2Ebinary_2ieee_2EroundTowardZero : \iota$ be given. Assume the following.

$$c_2Ebinary_2ieee_2EroundTowardZero \in ty_2Ebinary_2ieee_2Erounding \tag{2}$$

Let $c_2Ebinary_2ieee_2EroundTowardNegative : \iota$ be given. Assume the following.

$$c_2Ebinary_2ieee_2EroundTowardNegative \in ty_2Ebinary_2ieee_2Erounding \tag{3}$$

Let $c_2Ebinary_2ieee_2EroundTowardPositive : \iota$ be given. Assume the following.

$$c_2Ebinary_2ieee_2EroundTowardPositive \in ty_2Ebinary_2ieee_2Erounding \tag{4}$$

Let $c_2Ebinary_2ieee_2EroundTiesToEven : \iota$ be given. Assume the following.

$$c_2Ebinary_2ieee_2EroundTiesToEven \in ty_2Ebinary_2ieee_2Erounding \tag{5}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{6}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{7}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{8}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (9)$$

Definition 1 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2E2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A.\lambda P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal_REP_CLASS)))$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (10)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (11)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \quad (12)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (13)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (14)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (15)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (16)$$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (17)$$

Definition 9 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 10 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 13 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(V2t2 \in A_27a))))$

Definition 16 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ V0x)\ c_2Ereal_2Ereal_lte)\ c_2Erealax_2Ereal_lt))$

Let $ty_2Ebinary_2Eieee_2Efloat : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Ebinary_2Eieee_2Efloat\ A0\ A1) \quad (18)$$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ebool_2Eitself\ A0) \quad (19)$$

Let $c_2Ebinary_2Eieee_2Efloat_top : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_2Eieee_2Efloat_top\ A_27t\ A_27w \in ((ty_2Ebinary_2Eieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (20)$$

Let $c_2Ebool_2Ethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2Ethe_value\ A_27a \in (ty_2Ebool_2Eitself\ A_27a) \quad (21)$$

Let $c_2Efc_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Efc_2Edimindex\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (22)$$

Definition 17 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (23)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (24)$$

Definition 18 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (25)$$

Definition 19 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 20 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (26)$$

Let $ty_2EfcP_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2EfcP_2Ecart\ A0\ A1) \quad (27)$$

Let $c_2Ebinary_ieee_2Efloat_Significand : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Significand\ A_27t\ A_27w \in ((ty_2EfcP_2Ecart\ 2\ A_27t)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (28)$$

Let $ty_2EfcP_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2EfcP_2Efinite_image\ A0) \quad (29)$$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 22 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 23 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ c_2Ebool_2E_2F_5C$

Definition 24 We define $c_2EfcP_2Efinite_index$ to be $\lambda A_27a : \iota.(ap\ (c_2Emin_2E_40\ (A_27a^{ty_2Enum_2Enum$

Let $c_2EfcP_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2EfcP_2Edest_cart\ A_27a\ A_27b \in ((A_27a^{(ty_2EfcP_2Efinite_image\ A_27b)})^{(ty_2EfcP_2Ecart\ A_27a\ A_27b)}) \quad (30)$$

Definition 25 We define $c_2Efc_2Efc_index$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in (ty_2Efc_2Ecart\ A_27a\ A_27b)$.
Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (31)$$

Definition 26 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebo\ A_27a\ A_27b)\ A_27c)\ A_27d)\ A_27e)\ A_27f)$.
Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (32)$$

Definition 27 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Efc_2Ecart\ 2\ A_27a). (ap\ (ap\ (c_2Ew\ A_27a\ A_27b)\ A_27c)\ A_27d)\ A_27e)$.
Let $c_2Erealax_2Etreax_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (33)$$

Definition 28 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. (ap\ c_2Erealax_2Ereal_ABS\ A_27a\ A_27b)$.
Let $c_2Erealax_2Etreax_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (34)$$

Definition 29 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal. (ap\ c_2Erealax_2Ereal_mul\ A_27a\ A_27b)\ A_27c)$.

Definition 30 We define c_2Ereal_2E2F to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal. (ap\ c_2Ereal_2E2F\ A_27a\ A_27b)\ A_27c)$.

Definition 31 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2EBIT1\ A_27a\ A_27b)\ A_27c)\ A_27d)$.
Let $c_2Erealax_2Etreax_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreax_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (35)$$

Definition 32 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal. (ap\ c_2Erealax_2Ereal_add\ A_27a\ A_27b)\ A_27c)$.

Let $c_2Ewords_2EINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ewords_2EINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (36)$$

Let $c_2Ebinary_ieee_2Efloat_Exponent : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t. nonempty\ A_27t \Rightarrow \forall A_27w. nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Exponent\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ A_27w)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (37)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (38)$$

Let $c_2Ebinary_ieee_2Efloat_Sign : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_Sign\ A_27t\ A_27w \in ((ty_2Efc_2Ecart\ 2\ ty_2Eone_2Eone)^{(ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)}) \quad (39)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (40)$$

Definition 33 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (41)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (42)$$

Definition 34 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 35 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V$

Definition 36 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 37 We define c_2Efc_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 38 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2Efc_2EFC$

Definition 39 We define $c_2Ebinary_ieee_2Efloat_to_real$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinar$

Definition 40 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 41 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2E$

Definition 42 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x))$

Definition 43 We define $c_2Ebinary_ieee_2Eis_closest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (2^{(ty_2Ebinary_ie$

Definition 44 We define $c_2Ebinary_ieee_2Eclosest_such$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (2^{(ty_2Ebinary$

Definition 45 We define $c_2Ebinary_ieee_2Eclosest$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(ap (c_2Ebinary_ieee_2Eclose$

Let $c_2Ebinary_ieee_2Efloat_bottom : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_bottom\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (43)$$

Let $c_2Ebinary_ieee_2Ethreshold : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Ethreshold\ A_27t\ A_27w \in (ty_2Erealax_2Ereal^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (44)$$

Let $ty_2Ebinary_ieee_2Efloat_value : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ebinary_ieee_2Efloat_value \quad (45)$$

Let $c_2Ebinary_ieee_2Efloat : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2Efloat \in (ty_2Ebinary_ieee_2Efloat_value^{ty_2Erealax_2Ereal}) \quad (46)$$

Let $c_2Ebinary_ieee_2ENaN : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2ENaN \in ty_2Ebinary_ieee_2Efloat_value \quad (47)$$

Let $c_2Ebinary_ieee_2EInfinity : \iota$ be given. Assume the following.

$$c_2Ebinary_ieee_2EInfinity \in ty_2Ebinary_ieee_2Efloat_value \quad (48)$$

Let $c_2Ewords_2EUINT_MAX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewords_2EUINT_MAX\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (49)$$

Definition 46 We define $c_2Ewords_2Eword_T$ to be $\lambda A_27a : \iota.(ap\ (c_2Ewords_2En2w\ A_27a)\ (ap\ (c_2Ew$

Definition 47 We define $c_2Ebinary_ieee_2Efloat_value$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_$

Let $c_2Ebinary_ieee_2Efloat_value_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebinary_ieee_2Efloat_value_CASE\ A_27a \in (((A_27a^{A_27a})^{A_27a})^{(A_27a^{ty_2Erealax_2Ereal})})^{ty_2Ebinary_ieee_2Efloat_value} \quad (50)$$

Definition 48 We define $c_2Ebinary_ieee_2Efloat_is_finite$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0x \in (ty_2Ebinary_$

Definition 49 We define $c_2Ewords_2Eword_lsb$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Efcpx_2Ecart\ 2\ A_27a).(ap$

Let $c_2Ebinary_ieee_2Efloat_plus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_2Ebinary_ieee_2Efloat_plus_infinity\ A_27t\ A_27w \in ((ty_2Ebinary_ieee_2Efloat\ A_27t\ A_27w)^{(ty_2Ebool_2Eitself\ (ty_2Epair_2Eprod\ A_27t\ A_27w))}) \quad (51)$$

Definition 50 We define $c_Ereal_Ereal_ge$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Let $c_Ebinary_ieee_Efloat_minus_infinity : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_Ebinary_ieee_Efloat_minus_infinity\ A_27t\ A_27w \in ((ty_Ebinary_ieee_Efloat\ A_27t\ A_27w)^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (52)$$

Let $c_Ebinary_ieee_ERounding2num : \iota$ be given. Assume the following.

$$c_Ebinary_ieee_ERounding2num \in (ty_Eenum_Eenum^{ty_Ebinary_ieee_ERounding}) \quad (53)$$

Definition 51 We define $c_EBinary_ieee_ERounding_CASE$ to be $\lambda A_27a : \iota.\lambda V0x \in ty_EBinary_ieee_E$

Let $c_EBinary_ieee_ELargest : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow c_EBinary_ieee_ELargest\ A_27t\ A_27w \in (ty_Erealax_Ereal^{(ty_Ebool_Eitself\ (ty_Epair_Eprod\ A_27t\ A_27w))}) \quad (54)$$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_EABS_prod\ A_27a\ A_27b \in ((ty_Epair_Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (55)$$

Definition 52 We define $c_Epair_E_EC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_E$

Let $c_Epred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epred_set_EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_Epair_Eprod\ A_27a\ 2)^{A_27b}}) \quad (56)$$

Definition 53 We define $c_Ereal_Ereal_gt$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Definition 54 We define c_Ebool_ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b)^{A_27a}).(\lambda V1x \in A_27b$

Definition 55 We define $c_EBinary_ieee_ERound$ to be $\lambda A_27t : \iota.\lambda A_27w : \iota.\lambda V0mode \in ty_EBinary_iee$

Definition 56 We define $c_Ecombin_ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c)^{A_27b})^{A_27a})$

Definition 57 We define $c_Ecombin_EI$ to be $\lambda A_27a : \iota.(ap\ (ap\ (c_Ecombin_ES\ A_27a\ (A_27a)^{A_27a})\ A$

Let $c_Earithmetic_EEVEN : \iota$ be given. Assume the following.

$$c_Earithmetic_EEVEN \in (2^{ty_Eenum_Eenum}) \quad (57)$$

Let $c_Earithmetic_EODD : \iota$ be given. Assume the following.

$$c_Earithmetic_EODD \in (2^{ty_Eenum_Eenum}) \quad (58)$$

Definition 58 We define $c_2Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 59 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.$

Definition 60 We define $c_2Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 61 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.$

Definition 62 We define $c_2Enumeral_2EiSUC$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap c_2Enum_2ESUC (ap$

Definition 63 We define $c_2Enumeral_2EiDUB$ to be $\lambda V0x \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2E_3E$

Definition 64 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 65 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 66 We define $c_2Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (59)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Earithmic_2E_3C_3D c_2Enum_2E0) V0n))) \quad (60)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg(p (ap (ap c_2Earithmic_2E_3C_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V1n) V0m)))))) \quad (61)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2E_2B V0m) V1n) = c_2Enum_2E0) \Leftrightarrow ((V0m = c_2Enum_2E0) \wedge (V1n = c_2Enum_2E0)))))) \quad (62)$$

Assume the following.

$$((\forall V0n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D V0n) c_2Enum_2E0)) \Leftrightarrow (V0n = c_2Enum_2E0))) \wedge (\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D V1m) (ap c_2Enum_2ESUC V2n))) \Leftrightarrow ((V1m = (ap c_2Enum_2ESUC V2n)) \vee (p (ap (ap c_2Earithmic_2E_3C_3D V1m) V2n)))))))))) \quad (63)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0v0 \in A_27a. (\forall V1v1 \in \\
& \quad A_27a. (\forall V2v2 \in A_27a. (\forall V3v3 \in A_27a. ((ap\ (ap\ (ap\ (\\
& \quad ap\ (ap\ (c_2Ebinary_ieee_2Erounding_CASE\ A_27a)\ c_2Ebinary_ieee_2EroundTiesToEven) \\
& \quad V0v0)\ V1v1)\ V2v2)\ V3v3) = V0v0)))))) \wedge ((\forall V4v0 \in A_27a. (\forall V5v1 \in \\
& \quad A_27a. (\forall V6v2 \in A_27a. (\forall V7v3 \in A_27a. ((ap\ (ap\ (ap\ (\\
& \quad ap\ (ap\ (c_2Ebinary_ieee_2Erounding_CASE\ A_27a)\ c_2Ebinary_ieee_2EroundTowardPositive) \\
& \quad V4v0)\ V5v1)\ V6v2)\ V7v3) = V5v1)))))) \wedge ((\forall V8v0 \in A_27a. (\forall V9v1 \in \\
& \quad A_27a. (\forall V10v2 \in A_27a. (\forall V11v3 \in A_27a. ((ap\ (ap\ (ap\ (\\
& \quad (ap\ (ap\ (c_2Ebinary_ieee_2Erounding_CASE\ A_27a)\ c_2Ebinary_ieee_2EroundTowardNegative) \\
& \quad V8v0)\ V9v1)\ V10v2)\ V11v3) = V10v2)))))) \wedge ((\forall V12v0 \in A_27a. (\\
& \quad \forall V13v1 \in A_27a. (\forall V14v2 \in A_27a. (\forall V15v3 \in A_27a. \\
& \quad ((ap\ (ap\ (ap\ (ap\ (ap\ (c_2Ebinary_ieee_2Erounding_CASE\ A_27a) \\
& \quad c_2Ebinary_ieee_2EroundTowardZero)\ V12v0)\ V13v1)\ V14v2)\ V15v3) = \\
& \quad V15v3))))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A_27t.nonempty\ A_27t \Rightarrow \forall A_27w.nonempty\ A_27w \Rightarrow (\\
& \quad p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0) \\
& \quad (ap\ (c_2Ebinary_ieee_2Elargest\ A_27t\ A_27w)\ (c_2Ebool_2Ethe_value \\
& \quad (ty_2Epair_2Eprod\ A_27t\ A_27w))))))
\end{aligned} \tag{65}$$

Assume the following.

$$True \tag{66}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{67}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \tag{68}$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \tag{69}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1x \in A_27a. ((ap\ (ap\ (c_2Ebool_2ELET \\
& \quad A_27a\ A_27b)\ V0f)\ V1x) = (ap\ V0f\ V1x))))
\end{aligned} \tag{70}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \wedge ((p\ V1t2) \wedge (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \wedge (p\ V2t3)))))) \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{75}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\
& A_27a.(((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF) \\
& V0t1) \ V1t2) = V1t2))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(\\
& p \ V0A)) \vee (\neg(p \ V1B)))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B))))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{80}$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow (81)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{.27a}.(\forall V3x_{.27} \in A_{.27a}.(\forall V4y \in A_{.27a}. \\ & (\forall V5y_{.27} \in A_{.27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{.27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{.27})))))) \Rightarrow ((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) V1Q) V3x_{.27}) \\ & V5y_{.27}))))))))) \end{aligned} \quad (82)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0t1 \in A_{.27a}.(\forall V1t2 \in \\ & A_{.27a}.((ap (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2ET}} V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{.27a}.(\forall V3t2 \in A_{.27a}.((ap \\ & (ap (ap (c_{.2Ebool_{.2ECOND}} A_{.27a}) c_{.2Ebool_{.2EF}} V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (83)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap (c_{.2Ecombin_{.2EI}} A_{.27a}) V0x) = V0x)) \quad (84)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Earithmetic_2EZERO) \\
& V0n)) = V0n) \wedge (((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ c_2Earithmetic_2EZERO)) = V0n) \wedge (((ap\ c_2Enumeral_2EiZ\ (\\
& ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (\\
& ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT2\ (\\
& ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT2 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Earithmetic_2EZERO) \\
& V0n)) = (ap\ c_2Enum_2ESUC\ V0n)) \wedge (((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ c_2Earithmetic_2EZERO)) = (ap\ c_2Enum_2ESUC\ V0n)) \wedge (((ap \\
& c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT2 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = (ap\ c_2Earithmetic_2EBIT2 \\
& (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge (\\
& ((ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT2 \\
& V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = (ap\ c_2Earithmetic_2EBIT1 \\
& (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Earithmetic_2EZERO) \\
& V0n)) = (ap\ c_2Enumeral_2EiiSUC\ V0n)) \wedge (((ap\ c_2Enumeral_2EiiSUC \\
& (ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ c_2Earithmetic_2EZERO)) = (\\
& ap\ c_2Enumeral_2EiiSUC\ V0n)) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (\\
& ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT1 \\
& V1m))) = (ap\ c_2Earithmetic_2EBIT2\ (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ c_2Earithmetic_2EBIT1\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = \\
& (ap\ c_2Earithmetic_2EBIT1\ (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT1\ V1m))) = \\
& (ap\ c_2Earithmetic_2EBIT1\ (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& (ap\ c_2Earithmetic_2EBIT2\ V0n))\ (ap\ c_2Earithmetic_2EBIT2\ V1m))) = \\
& (ap\ c_2Earithmetic_2EBIT2\ (ap\ c_2Enumeral_2EiiSUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& V0n)\ V1m))))))))))))))))))))))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (((ap\ c_2Enumeral_2EiDUB\ (ap\ c_2Earithmetic_2EBIT1\ V0n)) = (ap\ c_2Earithmetic_2EBIT2\ (ap\ c_2Enumeral_2EiDUB\ V0n))) \wedge \\
& \quad (((ap\ c_2Enumeral_2EiDUB\ (ap\ c_2Earithmetic_2EBIT2\ V0n)) = (ap\ c_2Earithmetic_2EBIT2\ (ap\ c_2Earithmetic_2EBIT1\ V0n))) \wedge ((ap\ c_2Enumeral_2EiDUB\ c_2Earithmetic_2EZERO) = c_2Earithmetic_2EZERO)))) \\
& \hspace{15em} (87)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((ap\ (ap\ c_2Earithmetic_2E_2A\ c_2Earithmetic_2EZERO)\ V0n) = c_2Earithmetic_2EZERO) \wedge \\
& \quad (((ap\ (ap\ c_2Earithmetic_2E_2A\ V0n)\ c_2Earithmetic_2EZERO) = c_2Earithmetic_2EZERO) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2EBIT1\ V0n))\ V1m) = (ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Enumeral_2EiDUB\ (ap\ (ap\ c_2Earithmetic_2E_2A\ V0n)\ V1m)))\ V1m))) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2EBIT2\ V0n))\ V1m) = (ap\ c_2Enumeral_2EiDUB\ (ap\ c_2Enumeral_2EiZ\ (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ (ap\ c_2Earithmetic_2E_2A\ V0n)\ V1m))\ V1m)))))))))) \\
& \hspace{15em} (88)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((ap\ (c_2Epred_set_2EGSPEC\ A.27a\ A.27a)\ (\lambda V0x \in A.27a. (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ 2)\ V0x)\ c_2Ebool_2EF))) = (c_2Epred_set_2EMPTY\ A.27a)) \\
& \hspace{15em} (89)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& ((ap\ (ap\ c_2Erealx_2Ereal_add\ V0x)\ V1y) = (ap\ (ap\ c_2Erealx_2Ereal_add\ V1y)\ V0x)))) \\
& \hspace{15em} (90)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& \quad (\forall V2z \in ty_2Erealx_2Ereal. ((ap\ (ap\ c_2Erealx_2Ereal_add\ V0x)\ (ap\ (ap\ c_2Erealx_2Ereal_add\ V1y)\ V2z)) = (ap\ (ap\ c_2Erealx_2Ereal_add\ (ap\ (ap\ c_2Erealx_2Ereal_add\ V0x)\ V1y))\ V2z)))))) \\
& \hspace{15em} (91)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. ((ap\ (ap\ c_2Erealx_2Ereal_add\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = V0x)) \\
& \hspace{15em} (92)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. ((ap\ (ap\ c_2Erealx_2Ereal_add\ (ap\ c_2Erealx_2Ereal_neg\ V0x))\ V0x) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \\
& \hspace{15em} (93)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Erealax_2Ereal_lt \\
V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))) \Rightarrow (p (ap \\
& (ap c_2Erealax_2Ereal_lt V0x) V2z))))))
\end{aligned} \tag{94}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
V0x) (ap (ap c_2Erealax_2Ereal_mul V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) V2z))))))
\end{aligned} \tag{95}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (\\
ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{96}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0)) V0x)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0)) V1y))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_mul V0x) V1y))))))
\end{aligned} \tag{97}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = V0x))
\end{aligned} \tag{98}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
V0x) (ap c_2Erealax_2Ereal_neg V0x)) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{99}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_add V0x) \\
V1y)) = (ap (ap c_2Erealax_2Ereal_add (ap c_2Erealax_2Ereal_neg \\
& V0x) (ap c_2Erealax_2Ereal_neg V1y))))))
\end{aligned} \tag{100}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{101}$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))) \quad (102)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.((p (ap (ap c_2Erealax_2Ereal_lt (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) (ap (ap c_2Erealax_2Ereal_add V0x) V2z)))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z)))))) \quad (103)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z)))))) \quad (104)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z)))))) \quad (105)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) V2z)))))) \quad (106)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V0x))) \Leftrightarrow (V0x = V1y)))) \quad (107)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0) V0x)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0) V1y))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0) (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)))))) \quad (108)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad (ap (ap c_2Erealx_2Ereal_add (ap c_2Ereal_2Ereal_of_num \\
& \quad V0m)) (ap c_2Ereal_2Ereal_of_num V1n)) = (ap c_2Ereal_2Ereal_of_num \\
& \quad \quad (ap (ap c_2Earithmetric_2E_2B V0m) V1n))))))
\end{aligned} \tag{109}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& \quad ((ap (ap c_2Erealx_2Ereal_mul V0x) (ap c_2Erealx_2Ereal_neg \\
& \quad V1y)) = (ap c_2Erealx_2Ereal_neg (ap (ap c_2Erealx_2Ereal_mul \\
& \quad \quad V0x) V1y))))))
\end{aligned} \tag{110}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& \quad ((ap (ap c_2Erealx_2Ereal_mul (ap c_2Erealx_2Ereal_neg V0x)) \\
& \quad V1y) = (ap c_2Erealx_2Ereal_neg (ap (ap c_2Erealx_2Ereal_mul \\
& \quad \quad V0x) V1y))))))
\end{aligned} \tag{111}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty_2Erealx_2Ereal. (\forall V1x \in ty_2Erealx_2Ereal. \\
& \quad ((p (ap (ap c_2Erealx_2Ereal_lt V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad \quad V0y) V1x))))))
\end{aligned} \tag{112}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& \quad (\forall V2z \in ty_2Erealx_2Ereal. ((p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V1y) V2z)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealx_2Ereal_add \\
& \quad \quad V0x) V1y)) (ap (ap c_2Erealx_2Ereal_add V0x) V2z))))))
\end{aligned} \tag{113}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealx_2Ereal_neg V0x)) \\
& \quad V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& \quad \quad c_2Enum_2E0) (ap (ap c_2Erealx_2Ereal_add V0x) V1y))))))
\end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealx_2Ereal_neg V0x)) \\
& \quad (ap c_2Erealx_2Ereal_neg V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad \quad V1y) V0x))))))
\end{aligned} \tag{115}$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap\ c_2Erealax_2Ereal_neg\ (ap\ c_2Erealax_2Ereal_neg\ V0x)) = V0x)) \quad (116)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ (ap\ c_2Erealax_2Ereal_neg\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y))\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)))))) \quad (117)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.((ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y))\ V2z) = (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ V2z))\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V1y)\ V2z)))))) \quad (118)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num\ V0m))\ (ap\ c_2Ereal_2Ereal_of_num\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmic_2E_3C_3D\ V0m)\ V1n)))))) \quad (119)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.((ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_num\ V0m))\ (ap\ c_2Ereal_2Ereal_of_num\ V1n)) = (ap\ c_2Ereal_2Ereal_of_num\ (ap\ (ap\ c_2Earithmic_2E_2A\ V0m)\ V1n)))))) \quad (120)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (121)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (122)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (123)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (124)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (125)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (126)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (127)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (128)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (129)$$

Theorem 1

$$\begin{aligned} & \forall A_27t.nonempty A_27t \Rightarrow \forall A_27w.nonempty A_27w \Rightarrow (\\ & \forall V0y \in (ty_2Ebinary_ieee_2Efloat A_27t A_27w).(\forall V1x \in \\ & ty_2Erealax_2Ereal.((p (ap (ap (c_2Erealax_2Ereal_lt (ap (c_2Ebinary_ieee_2Elargest \\ & A_27t A_27w) (c_2Ebool_2Ethe_value (ty_2Epair_2Eprod A_27t \\ & A_27w)))))) V1x)) \Rightarrow ((ap (ap (c_2Ebinary_ieee_2ERound A_27t A_27w) \\ & c_2Ebinary_ieee_2ERoundTowardZero) V1x) = (ap (c_2Ebinary_ieee_2Efloat_top \\ & A_27t A_27w) (c_2Ebool_2Ethe_value (ty_2Epair_2Eprod A_27t \\ & A_27w)))))) \end{aligned}$$