

thm_2Ebit_2EBITSLT__THM
(TMXg7VHr4DvoGU6LSqX7usS8PRhNR48FThm)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow P \Rightarrow Q)$ of type ι .

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Enum_2E0 to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$.

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$.

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V0t \in 2.V0t))\ (\lambda V1t \in 2.V1t))$.

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$.

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (ap (c_2Enum_2EABS_num) m))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x) \text{ of type } \iota \Rightarrow \iota).$

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40) P)))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 14 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2D) n)$

Definition 15 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 16 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 17 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 18 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.\lambda V2m \in ty_2Enum_2Enum.$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad c_2Enum_2E0) V0n)) \Rightarrow (\forall V1k \in ty_2Enum_2Enum. ((V1k = (ap (\\
& \quad ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A (ap (ap c_2Earithmetic_2EDIV \\
& \quad V1k) V0n)) V0n)) (ap (ap c_2Earithmetic_2EMOD V1k) V0n))) \wedge (p (ap \\
& \quad (ap c_2Eprim_rec_2E_3C (ap (ap c_2Earithmetic_2EMOD V1k) V0n)) \\
& \quad V0n))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) \\
& \quad (ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap \\
& \quad c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) V0n))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\\
& \quad \forall V2n \in ty_2Enum_2Enum. ((ap (ap (ap c_2Ebit_2EBITS V0h) V1l) \\
& \quad V2n) = (ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2EDIV \\
& \quad V2n) (ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) V1l))) (\\
& \quad ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap \\
& \quad c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) (ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Enum_2ESUC V0h)) V1l))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\text{True} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& \quad (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& \quad p V0t))))))
\end{aligned} \tag{16}$$

Theorem 1

$$\begin{aligned}
& (\forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\\
& \quad \forall V2n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C (ap \\
& \quad (ap (ap c_2Ebit_2EBITS V0h) V1l) V2n)) (ap (ap c_2Earithmetic_2EEXP \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) \\
& \quad (ap (ap c_2Earithmetic_2E_2D (ap c_2Enum_2ESUC V0h)) V1l))))))
\end{aligned}$$