

thm_2Ebit_2EBITS__LT__LOW (TMNHktujuzLEpjeXrA9DPbL8mrpzTnA6nwu)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{6}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V1P \in 2.V1P))\ (\lambda V2P \in 2.V2P))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ (c_2Enum_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 7 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B) (V0n))$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 9 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap (ap c_2Ebit_2EDIV_2EXP) (V1n))$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 10 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap (ap c_2Ebit_2EMOD_2EXP) (V1n))$

Definition 11 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V2t \in ty_2Enum_2Enum. (ap (ap (ap c_2Ebit_2EBITS) (V2t)) (V1l))$

Definition 12 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow P \Rightarrow Q)$ of type ι .

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_21) 2) (V2t))))$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (12)$$

Definition 14 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2. V0t)$.

Definition 15 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21) (V0t))$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_21) 2) (V2t))))$

Definition 17 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 18 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_Emin_2E_40$

Definition 19 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 20 We define $c_Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 21 We define $c_Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 22 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 23 We define $c_Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_Ebool_2E$

Let $c_Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 24 We define $c_Enumeral_2EiSUC$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ c_Enum_2ESUC\ (ap$

Definition 25 We define $c_Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 26 We define $c_Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_Earithmetic$

Definition 27 We define $c_Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap\ (ap\ c_Earithmetic_2E_2B\ c_Enum_2E0)\ V0m) = V0m) \wedge (((ap\ (\\ & ap\ c_Earithmetic_2E_2B\ V0m)\ c_Enum_2E0) = V0m) \wedge (((ap\ (ap\ c_Earithmetic_2E_2B \\ & (ap\ c_Enum_2ESUC\ V0m))\ V1n) = (ap\ c_Enum_2ESUC\ (ap\ (ap\ c_Earithmetic_2E_2B \\ & V0m)\ V1n))) \wedge ((ap\ (ap\ c_Earithmetic_2E_2B\ V0m)\ (ap\ c_Enum_2ESUC \\ & V1n)) = (ap\ c_Enum_2ESUC\ (ap\ (ap\ c_Earithmetic_2E_2B\ V0m)\ V1n)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap\ (ap\ c_Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_Earithmetic_2E_2B \\ & V1n)\ V0m)))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((ap\ (ap\ c_Earithmetic_2E_2B\ V0m) \\ & (ap\ (ap\ c_Earithmetic_2E_2B\ V1n)\ V2p)) = (ap\ (ap\ c_Earithmetic_2E_2B \\ & (ap\ (ap\ c_Earithmetic_2E_2B\ V0m)\ V1n))\ V2p)))) \end{aligned} \quad (16)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p (ap (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V0m)) V1n)))))) \quad (17)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D c_2Enum_2E0) V0n))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\neg (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V0m))))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge (\\ & ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\ & (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\ & (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\ & V0m) V1n)))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D \\ & V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\ & ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\ & V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p)))))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ V0n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))\ V0n))) \quad (23)$$

Assume the following.

$$(\forall V0r \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0r)\ V1n)) \Rightarrow ((ap\ (ap\ c_2Earithmetic_2EDIV\ V0r)\ V1n) = c_2Enum_2E0)))) \quad (24)$$

Assume the following.

$$(\forall V0a \in ty_2Enum_2Enum. (\forall V1b \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0a)\ V1b)) \Rightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ (ap\ c_2Earithmetic_2EEXP\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))\ V0a))\ (ap\ (ap\ c_2Earithmetic_2EEXP\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))\ V1b)))))) \quad (25)$$

Assume the following.

$$(\forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\forall V2n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V2n)\ (ap\ (ap\ c_2Earithmetic_2EEXP\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))\ (ap\ c_2Enum_2ESUC\ V0h)))) \Rightarrow ((ap\ (ap\ (ap\ c_2Ebit_2EBITS\ V0h)\ V1l)\ V2n) = (ap\ (ap\ c_2Earithmetic_2EDIV\ V2n)\ (ap\ (ap\ c_2Earithmetic_2EEXP\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))\ V1l)))))) \quad (26)$$

Assume the following.

$$(\forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\forall V2n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0h)\ V1l)) \Rightarrow ((ap\ (ap\ (ap\ c_2Ebit_2EBITS\ V0h)\ V1l)\ V2n) = c_2Enum_2E0)))))) \quad (27)$$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \quad (29)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V1x)))) \quad (30)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \vee (\neg(p \ V1B)))) \wedge (((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B))))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \Rightarrow (p \ V1B)) \Leftrightarrow ((\neg(p \ V0A)) \vee (p \ V1B)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Leftrightarrow ((p \ V0t) \Leftrightarrow False))) \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))) \quad (37)$$

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2E_2B \\
& \quad (ap c_2Earithmic_2ENUMERAL V2n)) (ap c_2Earithmic_2ENUMERAL \\
& \quad V3m))) = (ap c_2Earithmic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2E_2A (\\
& \quad ap c_2Earithmic_2ENUMERAL V6n)) (ap c_2Earithmic_2ENUMERAL \\
& \quad V7m))) = (ap c_2Earithmic_2ENUMERAL (ap (ap c_2Earithmic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2E_2D \\
& \quad (ap c_2Earithmic_2ENUMERAL V10n)) (ap c_2Earithmic_2ENUMERAL \\
& \quad V11m))) = (ap c_2Earithmic_2ENUMERAL (ap (ap c_2Earithmic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmic_2EEXP c_2Enum_2E0) (ap c_2Earithmic_2ENUMERAL \\
& \quad (ap c_2Earithmic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmic_2EEXP (ap c_2Earithmic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmic_2ENUMERAL V16m))) = (ap c_2Earithmic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmic_2EEXP V15n) V16m)))))) \wedge (((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 \\
& \quad c_2Earithmic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum.(\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmic_2ENUMERAL V17n)) = (ap c_2Earithmic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmic_2ENUMERAL V18n)) = (ap c_2Earithmic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmic_2EZERO)))))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmic_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmic_2E_3E (ap c_2Earithmic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmic_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmic_2E_3E (ap c_2Earithmic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2ENUMERAL \\
& \quad V32n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D c_2Earithmic_2EZERO) \\
& \quad V32n)))))) \wedge ((\forall V33n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V33n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V33n)) c_2Enum_2E0)))))) \wedge ((\forall V34n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V34n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V34n)) c_2Enum_2E0)))))) \wedge ((\forall V35n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V35n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V35n)) c_2Enum_2E0)))))) \wedge ((\forall V36n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V36n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V36n)) c_2Enum_2E0)))))) \wedge ((\forall V37n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V37n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V37n)) c_2Enum_2E0)))))) \wedge ((\forall V38n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V38n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V38n)) c_2Enum_2E0)))))) \wedge ((\forall V39n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V39n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V39n)) c_2Enum_2E0)))))) \wedge ((\forall V40n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V40n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V40n)) c_2Enum_2E0)))))) \wedge ((\forall V41n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V41n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V41n)) c_2Enum_2E0)))))) \wedge ((\forall V42n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V42n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V42n)) c_2Enum_2E0)))))) \wedge ((\forall V43n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmic_2E_3C_3D \\
& \quad (ap c_2Earithmic_2ENUMERAL V43n)) c_2Enum_2E0)) \Leftrightarrow (p$$

$$\begin{aligned}
& (\forall V0n \in ty_c2Enumeral_2Enum.(\forall V1m \in ty_c2Enum.2Enum.2Enum. \\
& ((ap\ c2Enumeral_2EiZ\ (ap\ (ap\ c2Earithmetic_2E_2B\ c2Earithmetic_2EZERO) \\
& \quad V0n)) = V0n) \wedge (((ap\ c2Enumeral_2EiZ\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad V0n)\ c2Earithmetic_2EZERO)) = V0n) \wedge (((ap\ c2Enumeral_2EiZ\ (\\
& \quad ap\ (ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT1\ V0n)))\ (\\
& \quad ap\ c2Earithmetic_2EBIT1\ V1m)))) = (ap\ c2Earithmetic_2EBIT2\ (\\
& \quad ap\ c2Enumeral_2EiZ\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge \\
& (((ap\ c2Enumeral_2EiZ\ (ap\ (ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT1 \\
& \quad V0n))\ (ap\ c2Earithmetic_2EBIT2\ V1m)))) = (ap\ c2Earithmetic_2EBIT1 \\
& \quad (ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge (\\
& ((ap\ c2Enumeral_2EiZ\ (ap\ (ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT2 \\
& \quad V0n))\ (ap\ c2Earithmetic_2EBIT1\ V1m)))) = (ap\ c2Earithmetic_2EBIT1 \\
& \quad (ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge (\\
& ((ap\ c2Enumeral_2EiZ\ (ap\ (ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT2 \\
& \quad V0n))\ (ap\ c2Earithmetic_2EBIT2\ V1m)))) = (ap\ c2Earithmetic_2EBIT2 \\
& \quad (ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge (\\
& ((ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ c2Earithmetic_2EZERO) \\
& \quad V0n)) = (ap\ c2Enum_2ESUC\ V0n)) \wedge (((ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad V0n)\ c2Earithmetic_2EZERO)) = (ap\ c2Enum_2ESUC\ V0n)) \wedge (((ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad V0n)\ (ap\ c2Earithmetic_2EBIT1\ V1m)))) = (ap\ c2Earithmetic_2EBIT1 \\
& \quad (ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge (\\
& ((ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT1 \\
& \quad V0n))\ (ap\ c2Earithmetic_2EBIT2\ V1m)))) = (ap\ c2Earithmetic_2EBIT2 \\
& \quad (ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge (\\
& ((ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT2 \\
& \quad V0n))\ (ap\ c2Earithmetic_2EBIT1\ V1m)))) = (ap\ c2Earithmetic_2EBIT2 \\
& \quad (ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge (\\
& ((ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT2 \\
& \quad V0n))\ (ap\ c2Earithmetic_2EBIT2\ V1m)))) = (ap\ c2Earithmetic_2EBIT1 \\
& \quad (ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ V1m)))))) \wedge \\
& (((ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B\ c2Earithmetic_2EZERO) \\
& \quad V0n)) = (ap\ c2Enumeral_2EiiSUC\ V0n)) \wedge (((ap\ c2Enumeral_2EiiSUC \\
& \quad (ap\ (ap\ c2Earithmetic_2E_2B\ V0n)\ c2Earithmetic_2EZERO)) = (\\
& \quad ap\ c2Enumeral_2EiiSUC\ V0n)) \wedge (((ap\ c2Enumeral_2EiiSUC\ (ap\ (\\
& \quad ap\ c2Earithmetic_2E_2B\ (ap\ c2Earithmetic_2EBIT1\ V0n))\ (ap\ c2Earithmetic_2EBIT1 \\
& \quad V1m)))) = (ap\ c2Earithmetic_2EBIT2\ (ap\ c2Enum_2ESUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad V0n)\ V1m)))))) \wedge (((ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad (ap\ c2Earithmetic_2EBIT1\ V0n))\ (ap\ c2Earithmetic_2EBIT2\ V1m)))) = \\
& (ap\ c2Earithmetic_2EBIT1\ (ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad V0n)\ V1m)))))) \wedge (((ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad (ap\ c2Earithmetic_2EBIT2\ V0n))\ (ap\ c2Earithmetic_2EBIT1\ V1m)))) = \\
& (ap\ c2Earithmetic_2EBIT1\ (ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad V0n)\ V1m)))))) \wedge ((ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad (ap\ c2Earithmetic_2EBIT2\ V0n))\ (ap\ c2Earithmetic_2EBIT2\ V1m)))) = \\
& (ap\ c2Earithmetic_2EBIT2\ (ap\ c2Enumeral_2EiiSUC\ (ap\ (ap\ c2Earithmetic_2E_2B \\
& \quad V0n)\ V1m)))))))))
\end{aligned}$$

(39)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n)))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m)))))))))) \\
& \tag{40}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\\
& \forall V2n \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C V2n) \\
& (ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap \\
& c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) V1l))) \Rightarrow ((ap \\
& (ap (ap c_2Ebit_2EBITS V0h) V1l) V2n) = c_2Enum_2E0))))
\end{aligned}$$