

thm_2Ebit_2EBITS__SUM (TM- NdX9AWC7bTSPQNJ9W9Cdx8pKsfCSz9K35)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V0t \in 2.V0t))\ (\lambda V1t \in 2.V1t))$.

Definition 5 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow_p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$.

Definition 8 We define $c_Ebool_E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E_21\ 2) (\lambda V2t \in 2.$

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \quad (6)$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Definition 9 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap\ c_Enum_EABS_num\ ($

Definition 10 We define $c_Emin_E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x))\ \text{then } (the\ (\lambda x.x \in A \wedge P\ x)$
of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_Ebool_E_3F$ to be $\lambda A^{27a} : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_Emin_E_40\ ($

Definition 12 We define $c_Eprim_rec_E_3C$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum.$

Let $c_Earithmetic_E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2D \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (8)$$

Definition 13 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Definition 14 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_Enum_Enum.(ap\ (ap\ c_Earithmetic_E_2D\ ($

Definition 15 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Let $c_Earithmetic_EEXP : \iota$ be given. Assume the following.

$$c_Earithmetic_EEXP \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (9)$$

Let $c_Earithmetic_EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EDIV \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (10)$$

Let $c_Earithmetic_EMOD : \iota$ be given. Assume the following.

$$c_Earithmetic_EMOD \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (11)$$

Definition 16 We define $c_Ebit_EDIV_EXP$ to be $\lambda V0x \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum.$

Definition 17 We define $c_Ebit_EMOD_EXP$ to be $\lambda V0x \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum.$

Definition 18 We define c_Ebit_EBITS to be $\lambda V0h \in ty_Enum_Enum.\lambda V1l \in ty_Enum_Enum.\lambda V$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1r \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Eprim_rec_2E_3C V1r) V0n)) \Rightarrow (\forall V2q \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2EDIV (ap (ap c_2Earithmetic_2E_2B (ap \\
& (ap c_2Earithmetic_2E_2A V2q) V0n)) V1r)) V0n) = V2q))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1q \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n)) \Rightarrow ((ap (ap c_2Earithmetic_2EDIV \\
& (ap (ap c_2Earithmetic_2E_2A V1q) V0n)) V0n) = V1q))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) \\
& (ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap \\
& c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))) V0n))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\\
& \forall V2n \in ty_2Enum_2Enum. ((ap (ap (ap c_2Ebit_2EBITS V0h) V1l) \\
& V2n) = (ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2EDIV \\
& V2n) (ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))) V1l))) (\\
& ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap \\
& c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) (ap (ap c_2Earithmetic_2E_2D \\
& (ap c_2Enum_2ESUC V0h)) V1l))))))
\end{aligned} \tag{15}$$

Assume the following.

$$True \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))
\end{aligned} \tag{17}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{18}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{19}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (21)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)))))) \quad (22)$$

Theorem 1

$$(\forall V0h \in ty_2Enum_2Enum.(\forall V1l \in ty_2Enum_2Enum.(\forall V2a \in ty_2Enum_2Enum.(\forall V3b \in ty_2Enum_2Enum.((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \ V3b) \ (ap \ (ap \ c_2Earithmetic_2EEXP \ (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT2 \ c_2Earithmetic_2EZERO)))) \ V1l))) \Rightarrow ((ap \ (ap \ (ap \ c_2Ebit_2EBITS \ V0h) \ V1l) \ (ap \ (ap \ c_2Earithmetic_2E_2B \ (ap \ (ap \ c_2Earithmetic_2E_2A \ V2a) \ (ap \ (ap \ c_2Earithmetic_2EEXP \ (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT2 \ c_2Earithmetic_2EZERO)))) \ V1l))) \ V3b)) = (ap \ (ap \ (ap \ c_2Ebit_2EBITS \ V0h) \ V1l) \ (ap \ (ap \ c_2Earithmetic_2E_2A \ V2a) \ (ap \ (ap \ c_2Earithmetic_2EEXP \ (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT2 \ c_2Earithmetic_2EZERO)))) \ V1l)))))) \quad (23)$$