

thm_2Ebit_2EBITWISE__NOT__COR
(TMXM6Y1DZbXPVpoaJwtToD9iLA1B9nG9G6q)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{7}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{8}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Definition 7 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0n))$.

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0n$.

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 10 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0n$.

Definition 11 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.V0l$.

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0n))$.

Let $c_2Ebit_2EBITWISE : \iota$ be given. Assume the following.

$$c_2Ebit_2EBITWISE \in (((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{(2^2)^2})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 13 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ c_2Ebit_2EBITWISE\ V0b\ V1n)$.

Definition 14 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 15 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ 2)\ V0t)$.

Definition 17 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V0t2))\ V0t1\ V2t2))$.

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A.\lambda y.y \in A))$ of type $\iota \Rightarrow \iota$.

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in 2^A.(ap\ V0P \in (2^A)^{2^A}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ V0P)))$.

Definition 20 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0m$.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(((ap (ap c_2Earithmetic_2EEXP \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) \\
& V0n) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2EZERO))) \wedge ((ap (ap c_2Earithmetic_2EEXP V0n) \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = \\
& V0n)))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (\\
& ap c_2Enum_2ESUC V0a)) V0a) = (ap c_2Earithmetic_2ENUMERAL (ap \\
& c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty_2Enum_2Enum.(\forall V1l \in ty_2Enum_2Enum.(\\
& \forall V2n \in ty_2Enum_2Enum.((ap (ap (ap c_2Ebit_2EBITS V0h) V1l) \\
& V2n) = (ap (ap c_2Earithmetic_2EMOD (ap (ap c_2Earithmetic_2EDIV \\
& V2n) (ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) V1l))) (\\
& ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL (ap \\
& c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO))) (ap (ap c_2Earithmetic_2E_2D \\
& (ap c_2Enum_2ESUC V0h) V1l))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.((\neg((ap (ap c_2Earithmetic_2EMOD \\
& V0n) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 \\
& c_2Earithmetic_2EZERO))) = c_2Enum_2E0)) \Leftrightarrow ((ap (ap c_2Earithmetic_2EMOD \\
& V0n) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 \\
& c_2Earithmetic_2EZERO))) = (ap c_2Earithmetic_2ENUMERAL (ap \\
& c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\
& \forall V2op \in ((2^2)^2).(\forall V3a \in ty_2Enum_2Enum.(\forall V4b \in \\
& ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V0x) V1n)) \Rightarrow ((\\
& p (ap (ap c_2Ebit_2EBIT V0x) (ap (ap (ap (ap c_2Ebit_2EBITWISE V1n) \\
& V2op) V3a) V4b))) \Leftrightarrow (p (ap (ap V2op (ap (ap c_2Ebit_2EBIT V0x) V3a)) \\
& (ap (ap c_2Ebit_2EBIT V0x) V4b))))))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\text{True} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{20}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty.2Enum.2Enum.(\forall V1n \in ty.2Enum.2Enum.(\\
& \forall V2op \in ((2^2)^2).(\forall V3a \in ty.2Enum.2Enum.(\forall V4b \in \\
& ty.2Enum.2Enum.((p (ap (ap c.2Eprim_rec.2E.3C V0x) V1n)) \Rightarrow ((\\
& \neg(p (ap (ap V2op (ap (ap c.2Ebit.2EBIT V0x) V3a)) (ap (ap c.2Ebit.2EBIT \\
& V0x) V4b)))) \Rightarrow ((ap (ap c.2Earithmetic.2EMOD (ap (ap c.2Earithmetic.2EDIV \\
& (ap (ap (ap (ap c.2Ebit.2EBITWISE V1n) V2op) V3a) V4b)) (ap (ap c.2Earithmetic.2EEXP \\
& (ap c.2Earithmetic.2ENUMERAL (ap c.2Earithmetic.2EBIT2 c.2Earithmetic.2EZERO))) \\
& V0x))) (ap c.2Earithmetic.2ENUMERAL (ap c.2Earithmetic.2EBIT2 \\
& c.2Earithmetic.2EZERO))) = c.2Enum.2E0))))))
\end{aligned}$$