

thm\_2Ebit\_2EBIT\_\_DIV2  
(TML9Vm4fqL6DABwpve1EYDZhUUZE51kCXmd)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{2^m}))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define `c.Earithmic.EBIT1` to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2E$

**Definition 8** We define `c.Earithmic.ENUMERAL` to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 9** We define `c.Earithmic.EBIT2` to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2E$

Let `c.Earithmic.EEXP` :  $\iota$  be given. Assume the following.

$$c\_2Earithmic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let `c.Earithmic.EDIV` :  $\iota$  be given. Assume the following.

$$c\_2Earithmic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 10** We define `c.Ebit.EDIV_EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let `c.Earithmic.E_2D` :  $\iota$  be given. Assume the following.

$$c\_2Earithmic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let `c.Earithmic.EMOD` :  $\iota$  be given. Assume the following.

$$c\_2Earithmic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 11** We define `c.Ebit.EMOD_EXP` to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define `c.Ebit.EBITS` to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 13** We define `c.Ebit.EBIT` to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 14** We define `c.Emin.E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

Let `c.Earithmic.EEVEN` :  $\iota$  be given. Assume the following.

$$c\_2Earithmic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (11)$$

Let `c.Earithmic.EODD` :  $\iota$  be given. Assume the following.

$$c\_2Earithmic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 15** We define `c.Ebool.EF` to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 16** We define `c.Ebool.E_7E` to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D_3D_3E V0t) c\_2Ebool\_2E$

**Definition 17** We define `c.Ebool.E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 18** We define `c.Emin.E_40` to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge$  of type  $\iota \Rightarrow \iota$ .

**Definition 19** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_Emin\_2E\_40$

**Definition 20** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 21** We define  $c\_Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 22** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 23** We define  $c\_Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 24** We define  $c\_Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 25** We define  $c\_Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 26** We define  $c\_Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ (ap\ (ap\ (c\_Ebool\_2E$

Let  $c\_Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (13)$$

**Definition 27** We define  $c\_Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Assume the following.

$$\begin{aligned} & ((\forall V0m \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_Earithmetic\_2EEXP \\ V0m)\ c\_2Enum\_2E0) = (ap\ c\_Earithmetic\_2ENUMERAL\ (ap\ c\_Earithmetic\_2EBIT1 \\ & \quad c\_Earithmetic\_2EZERO)))) \wedge (\forall V1m \in ty\_2Enum\_2Enum. (\forall V2n \in \\ ty\_2Enum\_2Enum. ((ap\ (ap\ c\_Earithmetic\_2EEXP\ V1m)\ (ap\ c\_2Enum\_2ESUC \\ V2n)) = (ap\ (ap\ c\_Earithmetic\_2E\_2A\ V1m)\ (ap\ (ap\ c\_Earithmetic\_2EEXP \\ & \quad V1m)\ V2n)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ (ap\ (ap\ c\_Earithmetic\_2E\_2D\ (ap\ c\_2Enum\_2ESUC\ V0n))\ (ap\ c\_2Enum\_2ESUC \\ & \quad V1m)) = (ap\ (ap\ c\_Earithmetic\_2E\_2D\ V0n)\ V1m)))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ ((p\ (ap\ (ap\ c\_Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0)\ V0m)) \wedge (p\ (ap\ (ap\ c\_Eprim\_rec\_2E\_3C \\ & \quad c\_2Enum\_2E0)\ V1n))) \Rightarrow (\forall V2x \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_Earithmetic\_2EDIV \\ (ap\ (ap\ c\_Earithmetic\_2EDIV\ V2x)\ V0m))\ V1n) = (ap\ (ap\ c\_Earithmetic\_2EDIV \\ & \quad V2x)\ (ap\ (ap\ c\_Earithmetic\_2E\_2A\ V0m)\ V1n)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (p\ (ap\ (ap\ c\_Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0) \\ (ap\ (ap\ c\_Earithmetic\_2EEXP\ (ap\ c\_Earithmetic\_2ENUMERAL\ (ap \\ & \quad c\_Earithmetic\_2EBIT2\ c\_Earithmetic\_2EZERO)))\ V0n)))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned}
& (\forall V0h \in ty\_2Enum\_2Enum. (\forall V1l \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2n \in ty\_2Enum\_2Enum. ((ap (ap (ap c\_2Ebit\_2EBITS V0h) V1l) \\
V2n) = (ap (ap c\_2Earithmetic\_2EMOD (ap (ap c\_2Earithmetic\_2EDIV \\
& \quad V2n) (ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) V1l))) ( \\
& \quad ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL (ap \\
& \quad c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Enum\_2ESUC V0h)) V1l))))))
\end{aligned} \tag{18}$$

Assume the following.

$$True \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg (p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg ( \\
& \quad p V0t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\
& (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) (ap c\_2Earithmetic\_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& (ap c\_2Earithmetic\_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V0n) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT1 V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT1 V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V1m) V0n))) \wedge ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))))))))))
\end{aligned} \tag{25}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1i \in ty\_2Enum\_2Enum. ( \\
& (p (ap (ap c\_2Ebit\_2EBIT V0n) (ap (ap c\_2Earithmetic\_2EDIV V1i) \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)))))) \Leftrightarrow \\
& (p (ap (ap c\_2Ebit\_2EBIT (ap c\_2Enum\_2ESUC V0n)) V1i))))
\end{aligned}$$