

thm\_2Ebit\_2EDIV\_\_MULT\_\_THM2  
(TMUqh2RndCFLwG4rNYdMxpey62fY4fDt6hi)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Enum\_2ESUC\_REP\ m))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 6** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1 V0n))$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2)))$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 10** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT2 V0n))$

**Definition 11** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2A \\ & V1n) V0m)))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum.(((ap (ap c\_2Earithmetic\_2EEXP \\ & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \\ & V0n) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO))) \wedge ((ap (ap c\_2Earithmetic\_2EEXP V0n) \\ & (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = \\ & V0n))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (ap (ap c\_2Earithmetic\_2E\_2A (ap (ap c\_2Earithmetic\_2EDIV V1n) \\
& (ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL (ap \\
& c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) V0x))) (ap ( \\
& ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 \\
& c\_2Earithmetic\_2EZERO))) V0x)) = (ap (ap c\_2Earithmetic\_2E\_2D \\
& V1n) (ap (ap c\_2Earithmetic\_2EMOD V1n) (ap (ap c\_2Earithmetic\_2EEXP \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
& V0x))))))
\end{aligned} \tag{14}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \\
& (ap (ap c\_2Earithmetic\_2EDIV V0n) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)))))) = (ap (ap \\
& c\_2Earithmetic\_2E\_2D V0n) (ap (ap c\_2Earithmetic\_2EMOD V0n) ( \\
& ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))))))
\end{aligned}$$