

thm_2Ebit_2ESBIT__DIV
(TMGQ7QkpjghuVjCJ6TfK6Rhh31xtVpx4GNV)

October 26, 2020

Let $c_2Enum_2ZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2ABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2ABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2ABS_num\ c_2Enum_2ZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2SUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2SUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V0P \in 2.V0P)))$

Definition 5 We define c_2Enum_2SUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2ABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 6 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 n) V0)$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enumty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (7)$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_Ebool_E_3F$ to be $\lambda A.\lambda 27a:\iota.(\lambda V0P \in (2^{A_27a}).(ap\;V0P\;(ap\;(c_Emin_E_40\;A)\;27a))$

Definition 9 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_{\text{2Emin_3D_3D_3E}}$ to be $\lambda P \in 2.\lambda Q \in 2.\text{inj_o} (p \Rightarrow p \ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E))$

Definition 13 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 14 We define $c_{\text{CBool}} _ 2E _ 5C _ 2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_{\text{CBool}} _ 2E _ 21 _ 2) (\lambda V2t \in$

Definition 15 We define $c_2Earthmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let c_2 be given. Assume the following.

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

Let $c \in \text{arithmetic-EDIV} : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDI \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (9)$$

Definition 16 We define `c_2Earithmetic_2EZERO` to be `c_2Enum_2E0`.

Definition 17 We define $c_2Earthmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earthmetic$

Definition 18 We define $c_2\text{Earithmetic_2ENUMERAL}$ to be $\lambda V0x \in ty_2\text{Enum_2Enum}.V0x$.

Let $c_2Earithmetic_2EXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a).(\lambda V2t2 \in A.27a).)$

Definition 20 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (ap\ (ap\ (c_2Ebo$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B V1n) V0m)))) \quad (11)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m)) \quad (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2A V0m) V1n) = (ap (ap c_2Earithmetic_2E_2A V1n) V0m)))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2A V0m) (ap (ap c_2Earithmetic_2E_2A V1n) V2p)) = (ap (ap c_2Earithmetic_2E_2A (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) V2p)))))) \quad (14)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Rightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n))))) \quad (15)$$

Assume the following.

$$(\forall V0p \in ty_2Enum_2Enum. (\forall V1q \in ty_2Enum_2Enum. (\forall V2n \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2EEEXP V2n) (ap (ap c_2Earithmetic_2E_2B V0p) V1q)) = (ap (ap c_2Earithmetic_2E_2A (ap (ap c_2Earithmetic_2EEEXP V2n) V0p)) (ap (ap c_2Earithmetic_2EEEXP V2n) V1q))))))) \quad (16)$$

Assume the following.

$$(\forall V0a \in ty_2Enum_2Enum. (\forall V1c \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2E_2B V0a) V1c)) V1c) = V0a))) \quad (17)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \Rightarrow (\exists V2p \in ty_2Enum_2Enum. (V1n = (ap (ap c_2Earithmetic_2E_2B V0m) V2p)))))) \quad (18)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n)) \Rightarrow ((ap (ap c_2Earithmetic_2EDIV c_2Enum_2E0) V0n) = c_2Enum_2E0))) \quad (19)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\forall V1q \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V0n)) \Rightarrow ((ap (ap c_2Earithmetic_2EDIV (ap (ap c_2Earithmetic_2E_2A V1q) V0n)) V0n) = V1q)))) \quad (20)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap (ap c_2Earithmetic_2EEEXP (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)) V0n)))) \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. (\forall V1y \in A_{\text{27a}}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t))) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0t1 \in A_{\text{27a}}. (\forall V1t2 \in A_{\text{27a}}. ((ap (ap (ap (c_{\text{2Ebool_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool_2ET}}) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_{\text{2Ebool_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool_2EF}}) V0t1) V1t2) = V1t2)))) \end{aligned} \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_{\text{27}} \in 2. (\forall V2y \in 2. (\forall V3y_{\text{27}} \in 2. (((p V0x) \Leftrightarrow (p V1x_{\text{27}})) \wedge ((p V1x_{\text{27}}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{\text{27}}))))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{\text{27}}) \Rightarrow (p V3y_{\text{27}})))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow ((\forall V0t1 \in A_{\text{27a}}. (\forall V1t2 \in A_{\text{27a}}. ((ap (ap (ap (c_{\text{2Ebool_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool_2ET}}) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{\text{27a}}. (\forall V3t2 \in A_{\text{27a}}. ((ap (ap (c_{\text{2Ebool_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool_2EF}}) V2t1) V3t2) = V3t2)))))) \end{aligned} \quad (34)$$

Theorem 1

$$\begin{aligned} & (\forall V0b \in 2. (\forall V1m \in \text{ty_2Enum_2Enum}. (\forall V2n \in \text{ty_2Enum_2Enum}. \\ & ((p (ap (ap c_{\text{2Eprim_rec_2E_3C}} V2n) V1m)) \Rightarrow ((ap (ap c_{\text{2Ebit_2ESBIT}} \\ & V0b) (ap (ap c_{\text{2Earithmetric_2E_2D}} V1m) V2n)) = (ap (ap c_{\text{2Earithmetric_2EDIV}} \\ & (ap (ap c_{\text{2Ebit_2ESBIT}} V0b) V1m)) (ap (ap c_{\text{2Earithmetric_2EEEXP}} \\ & (ap (ap c_{\text{2Earithmetric_2ENUMERAL}} (ap c_{\text{2Earithmetric_2EBIT2}} c_{\text{2Earithmetric_2EZERO}}) \\ & V2n)))))))) \end{aligned}$$