

thm_2Ebit_2ESBIT__MULT
(TMRw6CDwj4L1JY9nLbECVznWyKbab36BtLC)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{5}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{6}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{7}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 6 We define `c_2Enum_2ESUC` to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num$

Definition 7 We define `c_2Earithmetic_2EBIT2` to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E$

Definition 8 We define `c_2Earithmetic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let `c_2Earithmetic_2EEXP` : ι be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 9 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2. V0t)$.

Definition 10 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow q)$ of type ι .

Definition 11 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D_3D_3E) V0t1) V1t2) V2t2)))$

Definition 12 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 13 We define `c_2Ebool_2ECOND` to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap (c_2Emin_2E_40) V0t) V1t1) V2t2)))$

Definition 14 We define `c_2Ebit_2ESBIT` to be $\lambda V0b \in 2. \lambda V1n \in ty_2Enum_2Enum. (ap (ap (ap (c_2Ebool_2E_21) 2) V0b) V1n))$

Definition 15 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D_3D_3E) V0t1) V1t2) V2t)))$

Definition 16 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E) V0t) c_2Ebool_2E_21))$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2A) V0m) c_2Enum_2E0) = c_2Enum_2E0)) \quad (9)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2A) V0m) V1n) = (ap (ap c_2Earithmetic_2E_2A) V1n) V0m))) \quad (10)$$

Assume the following.

$$(\forall V0p \in ty_2Enum_2Enum. (\forall V1q \in ty_2Enum_2Enum. (\forall V2n \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2EEXP) V2n) (ap (ap c_2Earithmetic_2E_2B) V0p) V1q)) = (ap (ap c_2Earithmetic_2E_2A) (ap (ap c_2Earithmetic_2EEXP) V2n) V0p)) (ap (ap c_2Earithmetic_2EEXP) V2n) V1q)))))) \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee (\neg(p \ V0t)))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \ V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF) \ V0t1) \ V1t2) = V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \\ & V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ V1Q) \ V3x_27) \\ & V5y_27)))))))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a. (\forall V3t2 \in A_27a. ((ap \\ & (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))) \\ & \hspace{15em} (22) \end{aligned}$$

Theorem 1

$$\begin{aligned} & (\forall V0b \in 2. (\forall V1m \in ty_2Enum_2Enum. (\forall V2n \in ty_2Enum_2Enum. \\ & ((ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ (ap\ c_2Ebit_2ESBIT\ V0b)\ V2n)) \\ & (ap\ (ap\ c_2Earithmetic_2EEXP\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap \\ & c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)))\ V1m))) = (ap\ (\\ & ap\ c_2Ebit_2ESBIT\ V0b)\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V2n)\ V1m)))))) \end{aligned}$$