

thm_2Ebitstring_2Eextract_v2w
 (TMSSYNN4UNMLZgati53vUpNXhEZ2Lpj1RJR)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. nonempty\ A \Rightarrow nonempty\ (ty_2Elist_2Elist\ A) \quad (2)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (3)$$

Let $c_2Elist_2EEEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EEEL\ A_27a \in ((A_27a^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (5)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o$ ($x = y$) of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (6)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Elist_2ETAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ETAKE\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ P)\ V0))$

Definition 4 We define $c_2Ebitstring_2Eshiftr$ to be $\lambda V0v \in (ty_2Elist_2Elist\ 2).\lambda V1m \in ty_2Enum_2Enum. (c_2Ebitstring_2Eshiftr\ V0v\ V1m)$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EDROP\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EGENLIST\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Enum_2Enum)})^{(A_27a^{ty_2Enum_2Enum})}) \quad (13)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (14)$$

Definition 8 We define $c_2Elist_2EPAD_LEFT$ to be $\lambda A_27a : \iota. \lambda V0c \in A_27a. \lambda V1n \in ty_2Enum_2Enum. (c_2Elist_2EPAD_LEFT\ A_27a\ V0c\ V1n)$

Definition 9 We define $c_2Ebitstring_2Ezero_extend$ to be $\lambda V0n \in ty_2Enum_2Enum. \lambda V1v \in (ty_2Elist_2Elist\ 2). (c_2Ebitstring_2Ezero_extend\ V0n\ V1v)$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_{\text{Ebool}} \cdot 2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_{\text{Emin}} \cdot 2E_3D_3D_3E\ V0t)\ c_{\text{Ebool}} \cdot 2E_7E))$

Definition 12 We define $c_{\text{c_Ebool_2E_2F_5C}}$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_{\text{c_Ebool_2E_21}}\ 2)\ (\lambda V2t \in$

Definition 13 We define $c_{\text{2Emin_2E_40}}$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \text{ } x)) \text{ then } (\lambda x. x \in A \wedge$ of type $\iota \multimap \iota$.

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A._27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 15 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 16 We define $c_2.Ebool_ECOND$ to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Definition 17 We define c_2Ebool_2ELET to be $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0f \in (A.27b^A.27a)).(\lambda V1x \in A.27$

Definition 18 We define $c_2Ebitstring_2Efixwidth$ to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist_2E$

Definition 19 We define $c_2Ebitstring_2Efield$ to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum.$

Definition 20 We define $c_2Ebitstring_2Etestbit$ to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1v \in (ty_2Elist_2Elist.$

Let c_2 be given. Assume the following.

$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum} \dots$

(15)

Let $ty_2Efcp_2Efinite_image : \iota \Rightarrow \iota$ be given. Assume the following.

$\forall A0 \text{ nonempty}, A0 \Rightarrow \text{nonempty} (\text{to } 2E \text{ from } 2E \text{ finite image } A0)$

⁴ See *Elgar, The Economics of Globalization* (1999) 16; *Elgar, The Political Economy of Globalization* (2000) 1.

$$M_{40} = \frac{1}{2} \left(t_0 - 2E_1 + 1.2E_1(t_0 - t_1) \right)$$

$$ty_2Ebool_2Eitself\ A_27a) \quad (18)$$

For each j , P_j contains the following:

Definition 24 We define $C_{\text{EBCS}}(S)$ to be $\chi_{\text{AECF}}(i, (X, Y)) \in \{0, 1\}$, if $(X, Y) \in S$.

Definition 22 We define $C_{2ECP_2EminIndex}$ to be $\lambda A_2ta : i.(ap\ (C_{2Emin}\ C_{2E40})\ (A_2ta))$.

Let $ty_2Efc_{2E}cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty}(\text{ty_2Efcp_2Ecart } A0\ A1) \quad (20)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efc_2Edest_cart A_27a A_27b \in ((A_27a^{(ty_2Efc_2Efinite_image A_27b)})^{(ty_2Efc_2Ecart A_27a A_27b)}) \quad (21)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A._27a : \iota.\lambda A._27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A._27b)$

Let $c_2Enum_2ZERO_REP : \iota$ be given. Assume the following

$$c_2Enum_2ZERO_REP \in \omega \quad (22)$$

Definition 24 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 25 We define $c_2EArithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 27 We define $c_2\text{Earithmetic_2ENUMERAL}$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Definition 28 We define $c_2Earithmetic_2EMIN$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 29 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ t1)\ t2)))$

Definition 30 We define c_2Earithmetic_2E_3C_3D to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 31 We define c_2Efcp_2EFCP to be $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0q \in (A.27a)^{ty_2Enum_2Enum}).(ap$

Definition 32 We define c_2Ewords_2Eword_bits to be $\lambda A. \lambda \tau_1 : \iota. \lambda V0h \in tu_2Enum_2Enum. \lambda V1l \in tu_2Enum_2Enum.$

Definition 33 We define c -2Earithmetic-2EBIT2 to be $\lambda V0n \in t u\ 2Enum\ 2Enum\ (an\ (an\ c\ 2Earithmetic-$

Let c 2Earithmetic 2EEXP : t , be given. Assume the following

$$c_{\text{2Earithmetic_2EXP}} \in ((ty_{\text{2Enum_2Enum}}^{ty_{\text{2Enum_2Enum}}})^{ty_{\text{2Enum_2Enum}}}) \quad (23)$$

Definition 34 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (ap\ (c_2Ebo$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following:

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum(ty_2Enum_2Enum^{ty_2Enum_2Enum}))ty_2Enum_2Enum) \\ (24)$$

Definition 35 We define c_2 as the word $\lambda A.27a : \iota.\lambda V0w \in (ty.2Efcp.2Ecart\ A.27a).(ap\ (ap\ c\ (V0w\ A))\ (c\ 27a))$.

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (25)$$

Definition 36 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. \dots$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (26)$$

Definition 37 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. \dots$

Definition 38 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum. \lambda V2m \in ty_2Enum_2Enum. \dots$

Definition 39 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (ap (c_2Efcp_2EFC) A_27a) \dots$

Definition 40 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota. \lambda V0n \in ty_2Enum_2Enum. (ap (c_2Efcp_2EFC) A_27a) \dots$

Definition 41 We define $c_2Ewords_2Ew2w$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w \in (ty_2Efcp_2Ecart 2 A_27a) \dots$

Definition 42 We define $c_2Ebitstring_2Ev2w$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2Elist_2Elist 2). (ap (c_2Efcp_2EFC) A_27a) \dots$

Definition 43 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c^{A_27b}). \lambda V2h \in (A_27a^{A_27c}). \dots$

Definition 44 We define $c_2Ewords_2Eword_extract$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0h \in ty_2Enum_2Enum. (ap (c_2Efcp_2EFC) A_27a) \dots$

Definition 45 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27c}). \lambda V1g \in (A_27b^{A_27c}). \lambda V2h \in (A_27a^{A_27c}). \dots)$

Definition 46 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap (ap (c_2Ecombin_2ES A_27a) (A_27a^{A_27a})) A_27b) \dots$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (27)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (28)$$

Definition 47 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. \dots$

Definition 48 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. \lambda V2o \in ty_2Enum_2Enum. \dots$

Definition 49 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum. (ap (ap (ap (c_2Ebool_2Bool) A_27a) (A_27a^{A_27a})) A_27b) \dots$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (29)$$

Definition 50 We define $c_2Enumeral_2EiiSUC$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap c_2Enum_2ESUC (ap (c_2Eprim_rec_2EPRE A_27a) (A_27a^{A_27a}))) \dots$

Definition 51 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m)) \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & \quad ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ & \quad ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ & \quad (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ & \quad V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ & \quad V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))) \\ & \quad (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & \quad (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B \\ & \quad V1n) V0m))) \\ & \quad (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & \quad (\forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B V0m) \\ & \quad (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) = (ap (ap c_2Earithmetic_2E_2B \\ & \quad (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) V2p))))))) \\ & \quad (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & \quad (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) (ap c_2Enum_2ESUC \\ & \quad V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))))) \\ & \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & \quad (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ & \quad (ap c_2Enum_2ESUC V0m)) V1n)))))) \\ & \quad (35) \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D \\ c_2Enum_2E0) V0n))) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\ & \quad (\neg(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ & \quad V1n) V0m)))))) \\ & \quad (37) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\
& ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\
& (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\
& (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\
& V0m) V1n)))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& \forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2A (ap \\
& (ap c_2Earithmetic_2E_2B V0m) V1n)) V2p) = (ap (ap c_2Earithmetic_2E_2B \\
& (ap (ap c_2Earithmetic_2E_2A V0m) V2p)) (ap (ap c_2Earithmetic_2E_2A \\
& V1n) V2p))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\
& ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0c \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2D V0c) \\
V0c) = c_2Enum_2E0)) \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& (V0m = V1n) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n)) \wedge (p (\\
& ap (ap c_2Earithmetic_2E_3C_3D V1n) V0m))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ & (ap c_2Enum_2ESUC V1n)) V0m)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\ & V0m)) V1n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\ & V1n)) V0m))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\ & c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)) V0n))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2D (ap \\ & (ap c_2Earithmetic_2E_2D V0m) V1n)) V2p) = (ap (ap c_2Earithmetic_2E_2D \\ & V0m) (ap (ap c_2Earithmetic_2E_2B V1n) V2p)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\ & (ap (ap c_2Earithmetic_2E_2D V0m) V1n)) V2p)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ & V0m) (ap (ap c_2Earithmetic_2E_2B V1n) V2p))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C V0m) \\ & (ap (ap c_2Earithmetic_2E_2D V1n) V2p))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\ & (ap (ap c_2Earithmetic_2E_2B V0m) V2p)) V1n))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C (\\ & ap (ap c_2Earithmetic_2E_2D V0m) V1n)) V2p)) \Leftrightarrow ((p (ap (ap c_2Eprim_rec_2E_3C \\ & V0m) (ap (ap c_2Earithmetic_2E_2B V1n) V2p))) \wedge (p (ap (ap c_2Eprim_rec_2E_3C \\ & c_2Enum_2E0) V2p))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0P \in (2^{ty_2Enum_2Enum}).(\forall V1a \in ty_2Enum_2Enum. \\
 & (\forall V2b \in ty_2Enum_2Enum.(p (ap V0P (ap (ap c_2Earithmetic_2E_2D \\
 & V1a) V2b))) \Leftrightarrow (\forall V3d \in ty_2Enum_2Enum.((V2b = (ap (ap c_2Earithmetic_2E_2B \\
 & V1a) V3d)) \Rightarrow (p (ap V0P c_2Enum_2E0))) \wedge ((V1a = (ap (ap c_2Earithmetic_2E_2B \\
 & V2b) V3d)) \Rightarrow (p (ap V0P V3d))))))) \\
 \end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty_2Enum_2Enum.(\forall V1v \in (ty_2Elist_2Elist \\
 & 2).((ap (c_2Elist_2ELENGTH 2) (ap (ap c_2Ebitstring_2Efixwidth \\
 & V0n) V1v)) = V0n)))
 \end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0h \in ty_2Enum_2Enum.(\forall V1l \in ty_2Enum_2Enum. \\
 & \forall V2v \in (ty_2Elist_2Elist 2).((ap (c_2Elist_2ELENGTH 2) \\
 & (ap (ap (ap c_2Ebitstring_2Efield V0h) V1l) V2v)) = (ap (ap c_2Earithmetic_2E_2D \\
 & (ap c_2Enum_2ESUC V0h)) V1l)))) \\
 \end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0i \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\
 & \forall V2w \in (ty_2Elist_2Elist 2).((p (ap (ap c_2Eprim_rec_2E_3C \\
 & V0i) V1n)) \Rightarrow ((p (ap (ap (c_2Elist_2EEL 2) V0i) (ap (ap c_2Ebitstring_2Efixwidth \\
 & V1n) V2w))) \Leftrightarrow (p (ap (ap (c_2Ebool_2ECOND 2) (ap (ap c_2Eprim_rec_2E_3C \\
 & (ap (c_2Elist_2ELENGTH 2) V2w)) V1n)) (ap (ap c_2Ebool_2E_2F_5C \\
 & (ap (ap c_2Earithmetic_2E_3C_3D (ap (ap c_2Earithmetic_2E_2D \\
 & V1n) (ap (c_2Elist_2ELENGTH 2) V2w))) V0i)) (ap (ap (c_2Elist_2EEL \\
 & 2) (ap (ap c_2Earithmetic_2E_2D V0i) (ap (ap c_2Earithmetic_2E_2D \\
 & V1n) (ap (c_2Elist_2ELENGTH 2) V2w)))) V2w))) (ap (ap (c_2Elist_2EEL \\
 & 2) (ap (ap c_2Earithmetic_2E_2B V0i) (ap (ap c_2Earithmetic_2E_2D \\
 & (ap (c_2Elist_2ELENGTH 2) V2w)) V1n))) V2w))))))) \\
 \end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0v \in (ty_2Elist_2Elist 2).(\forall V1h \in ty_2Enum_2Enum. \\
 & (\forall V2l \in ty_2Enum_2Enum.(\forall V3i \in ty_2Enum_2Enum. \\
 & (p (ap (ap c_2Eprim_rec_2E_3C V3i) (ap (ap c_2Earithmetic_2E_2D \\
 & (ap c_2Enum_2ESUC V1h)) V2l))) \Rightarrow ((p (ap (ap (c_2Elist_2EEL 2) V3i) \\
 & (ap (ap (ap c_2Ebitstring_2Efield V1h) V2l) V0v))) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & (ap c_2Enum_2ESUC V1h)) (ap (ap c_2Earithmetic_2E_2B V3i) (ap \\
 & c_2Elist_2ELENGTH 2) V0v))) \wedge (p (ap (ap (c_2Elist_2EEL 2) (ap \\
 & (ap c_2Earithmetic_2E_2D (ap (ap c_2Earithmetic_2E_2B V3i) (ap \\
 & (c_2Elist_2ELENGTH 2) V0v))) (ap c_2Enum_2ESUC V1h)) V0v))))))) \\
 \end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0b \in ty_2Enum_2Enum. (\forall V1v \in (ty_2Elist_2Elist \\
 & 2). ((p (ap (ap c_2Ebitstring_2Etestbit V0b) V1v)) \Leftrightarrow (p (ap (ap (\\
 & c_2Ebool_2ELET ty_2Enum_2Enum 2) (\lambda V2n \in ty_2Enum_2Enum. \\
 & (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Eprim_rec_2E_3C V0b) V2n)) \\
 & (ap (ap (c_2Elist_2EEL 2) (ap (ap c_2Earithmetic_2E_2D (ap (ap \\
 & c_2Earithmetic_2E_2D V2n) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
 & c_2Earithmetic_2EZERO)))) V0b))) V1v)))) (ap (c_2Elist_2ELENGTH \\
 & 2) V1v)))))))
 \end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty_2Enum_2Enum. (\forall V1v \in (ty_2Elist_2Elist \\
 & 2). (\forall V2w \in (ty_2Elist_2Elist 2). (((ap (ap c_2Ebitstring_2Efixwidth \\
 & V0n) V1v) = (ap (ap c_2Ebitstring_2Efixwidth V0n) V2w)) \Leftrightarrow (\forall V3i \in \\
 & ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C V3i) V0n)) \Rightarrow ((\\
 & p (ap (ap c_2Ebitstring_2Etestbit V3i) V1v)) \Leftrightarrow (p (ap (ap c_2Ebitstring_2Etestbit \\
 & V3i) V2w))))))))
 \end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0v \in (ty_2Elist_2Elist \\
 & 2). (\forall V1w \in (ty_2Elist_2Elist 2). (((ap (c_2Ebitstring_2Ev2w \\
 & A_27a) V0v) = (ap (c_2Ebitstring_2Ev2w A_27a) V1w)) \Leftrightarrow ((ap (ap c_2Ebitstring_2Efixwidth \\
 & (ap (c_2Efcp_2Edimindex A_27a) (c_2Ebool_2Ethe_value A_27a))) \\
 & V0v) = (ap (ap c_2Ebitstring_2Efixwidth (ap (c_2Efcp_2Edimindex \\
 & A_27a) (c_2Ebool_2Ethe_value A_27a))) V1w))))))
 \end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \\
 & \forall V0v \in (ty_2Elist_2Elist 2). ((ap (c_2Ewords_2Ew2w A_27a \\
 & A_27b) (ap (c_2Ebitstring_2Ev2w A_27a) V0v)) = (ap (c_2Ebitstring_2Ev2w \\
 & A_27b) (ap (ap c_2Ebitstring_2Efixwidth (ap (ap (c_2Ebool_2ECOND \\
 & ty_2Enum_2Enum) (ap (ap c_2Eprim_rec_2E_3C (ap (c_2Efcp_2Edimindex \\
 & A_27b) (c_2Ebool_2Ethe_value A_27b))) (ap (c_2Efcp_2Edimindex \\
 & A_27a) (c_2Ebool_2Ethe_value A_27a)))) (ap (c_2Efcp_2Edimindex \\
 & A_27b) (c_2Ebool_2Ethe_value A_27b))) (ap (c_2Efcp_2Edimindex \\
 & A_27a) (c_2Ebool_2Ethe_value A_27a)))) V0v)))
 \end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0h \in ty_2Enum_2Enum. \\
& \quad \forall V1l \in ty_2Enum_2Enum.(\forall V2v \in (ty_2Elist_2Elist \\
& \quad 2).((ap (ap (ap (c_2Ewords_2Eword_bits A_{27a}) V0h) V1l) (ap (\\
& \quad c_2Ebitstring_2Ev2w A_{27a}) V2v)) = (ap (c_2Ebitstring_2Ev2w A_{27a}) \\
& \quad (ap (ap (ap c_2Ebitstring_2Efield V0h) V1l) (ap (ap c_2Ebitstring_2Efixwidth \\
& \quad (ap (c_2Efcop_2Edimindex A_{27a}) (c_2Ebool_2Ethet_value A_{27a})) \\
& \quad V2v))))))) \\
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\\
& \quad \forall V0h \in ty_2Enum_2Enum.(\forall V1l \in ty_2Enum_2Enum.(\forall V2v \in \\
& \quad (ty_2Elist_2Elist 2).((ap (ap (ap (c_2Ewords_2Eword_extract \\
& \quad A_{27a} A_{27b}) V0h) V1l) (ap (c_2Ebitstring_2Ev2w A_{27a}) V2v)) = (\\
& \quad ap (c_2Ewords_2Ew2w A_{27a} A_{27b}) (ap (ap (ap (c_2Ewords_2Eword_bits \\
& \quad A_{27a}) V0h) V1l) (ap (c_2Ebitstring_2Ev2w A_{27a}) V2v))))))) \\
\end{aligned} \tag{61}$$

Assume the following.

$$True \tag{62}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{63}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{64}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\\
& \quad \forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1x \in A_{27a}.((ap (ap (c_2Ebool_2ELET \\
& \quad A_{27a} A_{27b}) V0f) V1x) = (ap V0f V1x))) \\
\end{aligned} \tag{66}$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_{27a}.(p V0t) \Leftrightarrow (p V0t)))) \tag{67}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge \\
& ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \tag{68}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (69)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (70)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (71)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (72)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (73)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (74)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (75)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.((ap(ap(ap(c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap(ap(ap(c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (76)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B)) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (77)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))) \quad (78)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (79)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (80)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (81)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1)) \wedge (\neg(p V1t2))))))) \quad (82)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \\ & \forall V0b \in 2. (\forall V1f \in (A_{27b}^{A_{27a}}). (\forall V2g \in (A_{27b}^{A_{27a}}). \\ & (\forall V3x \in A_{27a}. ((ap (ap (ap (ap (c_2Ebool_2ECOND (A_{27b}^{A_{27a}}) \\ & V0b) V1f) V2g) V3x) = (ap (ap (ap (c_2Ebool_2ECOND A_{27b}) V0b) (ap \\ & V1f V3x)) (ap V2g V3x))))))) \end{aligned} \quad (83)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. nonempty A_{27a} \Rightarrow \forall A_{27b}. nonempty A_{27b} \Rightarrow \\ & \forall V0f \in (A_{27b}^{A_{27a}}). (\forall V1b \in 2. (\forall V2x \in A_{27a}. \\ & (\forall V3y \in A_{27a}. ((ap V0f (ap (ap (ap (c_2Ebool_2ECOND A_{27a}) \\ & V1b) V2x) V3y) = (ap (ap (ap (c_2Ebool_2ECOND A_{27b}) V1b) (ap V0f \\ & V2x)) (ap V0f V3y))))))) \end{aligned} \quad (84)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in \\ 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow \\ (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))) \quad (85)$$

Assume the following.

$$\begin{aligned}
 & \forall A_{_27a}. nonempty\ A_{_27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
 & (\forall V2x \in A_{_27a}. (\forall V3x_{_27} \in A_{_27a}. (\forall V4y \in A_{_27a}. \\
 & (\forall V5y_{_27} \in A_{_27a}. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_{_27})) \wedge \\
 & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_{_27})))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{_27a}) \\
 & V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{_27a})\ V1Q)\ V3x_{_27}) \\
 & V5y_{_27}))))))) \\
 \end{aligned} \tag{86}$$

Assume the following.

$$\begin{aligned}
 & \forall A_{_27a}. nonempty\ A_{_27a} \Rightarrow ((\forall V0t1 \in A_{_27a}. (\forall V1t2 \in \\
 & A_{_27a}. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{_27a})\ c_2Ebool_2ET)\ V0t1) \\
 & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{_27a}. (\forall V3t2 \in A_{_27a}. ((ap\ \\
 & (ap\ (ap\ (c_2Ebool_2ECOND\ A_{_27a})\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))) \\
 \end{aligned} \tag{87}$$

Assume the following.

$$\forall A_{_27a}. nonempty\ A_{_27a} \Rightarrow (\forall V0x \in A_{_27a}. ((ap\ (c_2Ecombin_2EI \\
 A_{_27a})\ V0x) = V0x)) \tag{88}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& ((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
(ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge (((ap c_2Enum_2ESUC \\
c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum. \\
& (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Enum_2ESUC V17n)))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
(ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
(ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL \\
V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& ((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
V30m) V29n)))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL \\
V32n)))) \wedge ((\forall V33n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
c_2Enum_2E0) V33n)) \Leftrightarrow False)) \wedge ((\forall V34n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL \\
V34n)) \Leftrightarrow False)))))))
\end{aligned}$$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n)))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{91}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg(p (ap (ap c_2Eprim_rec_2E_3C \\
V0n) V0n)))) \tag{92}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{93}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{94}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
\end{aligned} \tag{95}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
\end{aligned} \tag{96}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{97}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p \\
& V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \\
\end{aligned} \tag{98}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge ((p V1q) \vee \\
 & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))) \\
 \end{aligned} \tag{99}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
 & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge \\
 & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))) \\
 \end{aligned} \tag{100}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
 (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \tag{101}$$

Assume the following.

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) \\
 & (ap (c_2Efcp_2Edimindex A_27a) (c_2Ebool_2Ethe_value A_27a))) \\
 \end{aligned} \tag{102}$$

Theorem 1

$$\begin{aligned}
 & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \\
 & \forall V0h \in ty_2Enum_2Enum. (\forall V1l \in ty_2Enum_2Enum. (\forall V2v \in \\
 & (ty_2Elist_2Elist 2). (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & ap (c_2Elist_2ELENGTH 2) V2v)) (ap (c_2Efcp_2Edimindex A_27a) \\
 & (c_2Ebool_2Ethe_value A_27a)))) \wedge ((ap (c_2Efcp_2Edimindex \\
 & A_27b) (c_2Ebool_2Ethe_value A_27b)) = (ap (ap c_2Earithmetic_2E_2D \\
 & (ap c_2Enum_2ESUC V0h)) V1l)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & (ap (c_2Efcp_2Edimindex A_27b) (c_2Ebool_2Ethe_value A_27b))) \\
 & (ap (c_2Efcp_2Edimindex A_27a) (c_2Ebool_2Ethe_value A_27a))))))) \Rightarrow \\
 & ((ap (ap (ap (c_2Ewords_2Eword_extract A_27a A_27b) V0h) V1l) \\
 & (ap (c_2Ebitstring_2Ev2w A_27a) V2v)) = (ap (c_2Ebitstring_2Ev2w \\
 & A_27b) (ap (ap (ap c_2Ebitstring_2Efield V0h) V1l) V2v)))) \\
 \end{aligned}$$