

thm\_2Ebitstring\_2Efield\_id\_imp  
(TMY4njQcSXRciCtYE1ULZ4ZviCkMAi1ZizV)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{2}$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \tag{3}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{6}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x)))$

**Definition 4** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (c\_2Enum\_2EREP\_num\ m))$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{7}$$

Let  $c\_2Elist\_2EDROP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EDROP\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

Let  $c\_2Elist\_2EGENLIST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EGENLIST\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Enum\_2Enum)})^{(A\_27a)^{ty\_2Enum\_2Enum}}) \quad (9)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (10)$$

**Definition 7** We define  $c\_2Elist\_2EPAD\_LEFT$  to be  $\lambda A\_27a : \iota.\lambda V0c \in A\_27a.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 8** We define  $c\_2Ebitstring\_2Ezero\_extend$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1v \in (ty\_2Elist\_2Elist)$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21\ 2))$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 12** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\_27a))))$

**Definition 14** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(\lambda V3t3 \in 2.V3t3))))$

**Definition 16** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in (A\_27b)^{A\_27a}).(\lambda V1x \in A\_27a.(\lambda V2y \in A\_27b.V2y))$

**Definition 17** We define  $c\_2Ebitstring\_2Efixwidth$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1v \in (ty\_2Elist\_2Elist)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (11)$$

**Definition 18** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ETAKE\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 19** We define  $c\_2Ebitstring\_2Eshiftr$  to be  $\lambda V0v \in (ty\_2Elist\_2Elist\ 2).\lambda V1m \in ty\_2Enum\_2Enum$

**Definition 20** We define  $c\_2Ebitstring\_2Efield$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum$

**Definition 21** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\forall V1w \in (ty\_2Elist\_2Elist\ 2)).((V0n = (ap\ (c\_2Elist\_2ELENGTH\ 2)\ V1w)) \Rightarrow ((ap\ (ap\ c\_2Ebitstring\_2Efixwidth\ V0n)\ V1w) = V1w)))) \quad (13)$$

Assume the following.

$$(\forall V0h \in ty\_2Enum\_2Enum.(\forall V1v \in (ty\_2Elist\_2Elist\ 2)).((ap\ (ap\ (ap\ c\_2Ebitstring\_2Efield\ V0h)\ c\_2Enum\_2E0)\ V1v) = (ap\ (ap\ c\_2Ebitstring\_2Efixwidth\ (ap\ c\_2Enum\_2ESUC\ V0h))\ V1v)))) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow (\neg(p \ V0A) \Rightarrow False)) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\neg(\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow (((p \ V0A) \Rightarrow False) \Rightarrow (\neg(p \ V1B) \Rightarrow False)))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\neg(\neg(\neg(p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow (\neg(p \ V1B) \Rightarrow False)))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(\neg(\neg(p \ V0A)) \Rightarrow False) \Rightarrow (((p \ V0A) \Rightarrow False) \Rightarrow False)) \quad (27)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Leftrightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee (\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee (\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee (\neg(p \ V1q) \vee (\neg(p \ V0p)))))))))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \vee (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \quad (29)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Rightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (\neg(p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (36)$$

**Theorem 1**

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1v \in (ty\_2Elist\_2Elist\ 2). (((ap\ c\_2Enum\_2ESUC\ V0n) = (ap\ (c\_2Elist\_2ELENGTH\ 2)\ V1v)) \Rightarrow ((ap\ (ap\ (ap\ c\_2Ebitstring\_2Efield\ V0n)\ c\_2Enum\_2E0)\ V1v) = V1v))))$$