

thm_2Ebitstring_2Efixwidth (TMaw6egKeKknWGTeS128DJkpHff3tSR5fno)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2EDROP\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{ty_2Enum_2Enum}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A.27a})))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then}$ (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P (ap (c_2Emin_2E40$

Definition 11 We define $c_2Eprim_rec_2E3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (7)$$

Let $c_2Earithmetic_2E2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 12 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EGENLIST\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{ty_2Enum_2Enum})^{(A_27a)^{ty_2Enum_2Enum}}) \quad (9)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (10)$$

Definition 13 We define $c_2Elist_2EPAD_LEFT$ to be $\lambda A_27a : \iota.\lambda V0c \in A_27a.\lambda V1n \in ty_2Enum_2Enum$

Definition 14 We define $c_2Ebitstring_2Ezero_extend$ to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 16 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in (A_27b^{A-27a}).(\lambda V1x \in A_27$

Definition 17 We define $c_2Ebitstring_2Efixwidth$ to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist_2E$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a^{(ty_2Elist_2Elist\ A_27a)}) \quad (11)$$

Definition 18 We define $c_2Ebitstring_2Esign_extend$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.\lambda V1v \in$

Let $c_2Ebitstring_2Eextend : \iota$ be given. Assume the following.

$$c_2Ebitstring_2Eextend \in (((ty_2Elist_2Elist\ 2)^{(ty_2Elist_2Elist\ 2)})^{ty_2Enum_2Enum})^2 \quad (12)$$

Definition 19 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 20 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty_2Enum_2Enum.(\forall V1v \in (ty_2Elist_2Elist \\ & 2).((ap (ap c_2Ebitstring_2Ezero_extend V0n) V1v) = (ap (ap (\\ & ap c_2Ebitstring_2Eextend c_2Ebool_2EF) (ap (ap c_2Earithmetic_2E_2D \\ & V0n) (ap (c_2Elist_2ELENGTH 2) V1v))) V1v)))) \wedge (\forall V2n \in ty_2Enum_2Enum. \\ & (\forall V3v \in (ty_2Elist_2Elist 2).((ap (ap (c_2Ebitstring_2Esign_extend \\ & 2) V2n) V3v) = (ap (ap (ap c_2Ebitstring_2Eextend (ap (c_2Elist_2EHD \\ & 2) V3v)) (ap (ap c_2Earithmetic_2E_2D V2n) (ap (c_2Elist_2ELENGTH \\ & 2) V3v)))) V3v)))))) \end{aligned} \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\quad (15)$$

$$\forall V0f \in (A_27b^{A_27a}).(\forall V1x \in A_27a.((ap (ap (c_2Ebool_2ELET A_27a A_27b) V0f) V1x) = (ap V0f V1x))))$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) \\ & V5y_27))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((ap (c.2Ecombin.2E1 A.27a) V0x) = V0x)) \quad (21)$$

Theorem 1

$$\begin{aligned} & (\forall V0n \in ty.2Enum.2Enum.(\forall V1v \in (ty.2Elist.2Elist \\ & 2).((ap (ap c.2Ebitstring.2Efixwidth V0n) V1v) = (ap (ap (c.2Ebool.2ELET \\ & ty.2Enum.2Enum (ty.2Elist.2Elist 2)) (\lambda V2l \in ty.2Enum.2Enum. \\ & (ap (ap (ap (c.2Ebool.2ECOND (ty.2Elist.2Elist 2)) (ap (ap c.2Eprim_rec.2E.3C \\ & V2l) V0n)) (ap (ap (ap c.2Ebitstring.2Eextend c.2Ebool.2EF) (ap \\ & (ap c.2Earithmetic.2E.2D V0n) V2l)) V1v)) (ap (ap (c.2Elist.2EDROP \\ & 2) (ap (ap c.2Earithmetic.2E.2D V2l) V0n)) V1v)))) (ap (c.2Elist.2ELENGTH \\ & 2) V1v)))))) \end{aligned}$$