

thm_2Ebitstring_2Elength__bitify__null (TMJruMMwk3A3RYiS29b2w997HFftvgucicY)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{3}$$

Let $c_2Ebitstring_2Ebitify : \iota$ be given. Assume the following.

$$c_2Ebitstring_2Ebitify \in (((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{(ty_2Elist_2Elist\ 2)})^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2. V0x))\ (\lambda V1x \in 2. V1x))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{6}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{7}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2. V1x))\ (\lambda V2x \in 2. V2x)))$

Definition 4 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (8)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (10)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (11)$$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ c_2Enum_2E0) = V0m)) \quad (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V0m)))) \quad (13)$$

Assume the following.

$$(\forall V0v \in (ty_2Elist_2Elist\ 2).(\forall V1l \in (ty_2Elist_2Elist\ ty_2Enum_2Enum).((ap\ (c_2Elist_2ELENGTH\ ty_2Enum_2Enum)\ (ap\ (ap\ c_2Ebitstring_2Ebitify\ V1l)\ V0v)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ (c_2Elist_2ELENGTH\ ty_2Enum_2Enum)\ V1l))\ (ap\ (c_2Elist_2ELENGTH\ 2)\ V0v)))))) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (((ap\ (c.2Elist.2ELENGTH\ A.27a) \\ & (c.2Elist.2ENIL\ A.27a)) = c.2Enum.2E0) \wedge (\forall V0h \in A.27a. (\\ & \forall V1t \in (ty.2Elist.2Elist\ A.27a). ((ap\ (c.2Elist.2ELENGTH \\ A.27a)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ c.2Enum.2ESUC \\ & (ap\ (c.2Elist.2ELENGTH\ A.27a)\ V1t)))))) \end{aligned} \quad (17)$$

Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0v \in (ty.2Elist.2Elist \\ & 2). (\forall V1l \in A.27a. ((ap\ (c.2Elist.2ELENGTH\ ty.2Enum.2Enum) \\ & (ap\ (ap\ c.2Ebitstring.2Ebitify\ (c.2Elist.2ENIL\ ty.2Enum.2Enum)) \\ & V0v)) = (ap\ (c.2Elist.2ELENGTH\ 2)\ V0v)))) \end{aligned}$$