

thm_2Ebitstring_2Ereduce_and_v2w

(TMaBXneb4WGyeJzzbDp7XHGaVWxBXy6jscP)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_0.nonempty\ A_0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A_0) \quad (1)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ENIL\ A_{27a} \in (ty_2Elist_2Elist\ A_{27a}) \quad (2)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ECONS\ A_{27a} \in (((ty_2Elist_2Elist\ A_{27a})^{(ty_2Elist_2Elist\ A_{27a})})^{A_{27a}}) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ELENGTH\ A_{27a} \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_{27a})}) \quad (5)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Elist_2ETAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Elist_2ETAKE\ A_{27a} \in (((ty_2Elist_2Elist\ A_{27a})^{(ty_2Elist_2Elist\ A_{27a})})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^A)^{27a}).(ap\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^A^{27a})\ P)\ V)\ 0)\ P)$

Definition 4 We define $c_2Ebitstring_2Eshift$ to be $\lambda V0v \in (ty_2Elist_2Elist\ 2).\lambda V1m \in ty_2Enum_2Env$

Let $c_2Enum_2EREPE_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{t y_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega)^\omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (10)$$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EDROP\ A_27a \in (((ty_2Elist_2Elist\\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2E\text{GENLIST } A_27a \in (((ty_2Elist_2Elist \\ A_27a)^{ty_2Enum_2Enum})^{(A_27a^{ty_2Enum_2Enum})}) \quad (12)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\\A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (13)$$

Definition 8 We define $c_2Elist_2EPAD_LEFT$ to be $\lambda A._27a : \iota.\lambda V0c \in A._27a.\lambda V1n \in ty_2Enum_2Enum$

Definition 9 We define $c_2Ebitstring_2Ezero_extend$ to be $\lambda V0n \in ty_2Enum_2Enum. \lambda V1v \in (ty_2Elist_2Ebitstring_2Ezero_extend)$

Definition 10 We define $c_{\text{Emin}} : \text{inj} \rightarrow \text{o}$ to be $\lambda P \in 2. \lambda Q \in 2. \text{inj} \rightarrow \text{o} (p \rightarrow P \rightarrow Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E))$

Definition 12 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \text{ (ap } P \text{ } x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$.

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A._27a : \iota.(\lambda V0P \in (2^A_{-}27a).(\text{ap } V0P (\text{ap } (c_2Emin_2E_40$

Definition 15 We define $c_2Eprim_rec_2E\mathcal{C}$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 16 We define $c_{_2Ebool_2ECOND}$ to be $\lambda A._27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A._27a.(\lambda V2t2 \in A._27a.($

Definition 17 We define c_2 to be $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0f \in (A.27b)^{A \rightarrow 27a}).(\lambda V1x \in A.27$

Definition 18 We define $c_2Ebitstring_2Efixwidth$ to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist_2E$

Definition 19 We define $c_2Ebitstring_2Efield$ to be $\lambda V0h \in ty_2Enum_2Enum. \lambda V1l \in ty_2Enum_2Enum.$

Definition 20 We define $c_2Ebitstring_2Etestbit$ to be $\lambda V0b \in ty_2Enum_2Enum. \lambda V1v \in (ty_2Elist_2Elist.$

Let $ty_2Efc_{finite_image} : \iota \Rightarrow \iota$ be given. Assume the following.

$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_}2E\text{fc}\text{p_}2E\text{finite_image } A0)$

t_y_2Ebool_2Eitself : t_l⇒t_l be given. Assume the following.

$\forall A0 \text{ nonempty } A0 \Rightarrow \text{nonempty } (\text{ty} \ 2\text{Ebool} \ 2\text{Eitsel})$

Goal 2Ethical value: \mapsto be given. Assume the following

$\forall A \exists a \text{ nonempty } A \exists a \rightarrow c \exists E \text{ bool } \exists E \text{ the value } A \exists a \in$

$\exists E \text{ from } \exists E \text{ division rule}$ can be given. Assume the following:

$$\sqrt{4.27} \leq t - 4.27 \leq -2E_0^{\text{eff}} - 2E_0^{\text{kin}} + i^{-1} - 4.27 \in (t - 8$$

$$\text{D.6.5.1.1.21.} \quad W_{\text{dil}}^{(1)}(6) = -25I_1 + 125(25/21)(1/I_1) + 4/27 \quad (\text{NMR}) \quad (2A^{27}\text{Ca}) \quad (-) \quad -25I_1 + 125(25/21)(1/I_1) + 4/27$$

Fig. 5. (a) The HII-LG transition in the Ω - Ω' plane for the $\Omega = \Omega'$ case. (b) The same as in (a), but for the $\Omega = 0.5\Omega'$ case.

Definition 12 We define $\text{S}^{\text{top}}\text{-}\text{monoid}$ to be $\text{A}^{\text{top}}\text{-}\text{alg}$ over $(\text{S}^{\text{top}}\text{-}\text{monoids}, \text{Hilb})$.

Let $y \in \mathbb{R}^n$ be given. Assume the following.

\rightarrow $\text{AII} \rightarrow \text{nonempty AII} \rightarrow \text{nonempty (eg-ZZJCP-ZZear)}$
 $A0\ A1)$ (18)

Let $c_2E\!fcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efc_{\text{cp_2Edest_cart}}(A_27a, A_27b, ((A_27a^{(ty_2Efc_{\text{cp_2Efinite_image}} A_27b)}))^{(ty_2Efc_{\text{cp_2Ecart}} A_27a, A_27b)}) \quad (19)$$

Definition 23 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in (ty_2Efcp_2Ecart\ A_27a)$

Definition 24 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap (c_2Efcp_2EFCP A_27a) V0g))$

Definition 25 We define $c_2Ebitstring_2Ev2w$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2Elist_2Elist 2).(ap (c_2Efcp_2EFCP A_27a) V0v))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (20)$$

Definition 26 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP).$

Definition 27 We define $c_2Earithmetic_2EZERO$ to be $c_2Enum_2E0.$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (21)$$

Definition 28 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B V0n))$

Definition 29 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x.$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ETL A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (22)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EHD A_27a \in (A_27a^{(ty_2Elist_2Elist A_27a)}) \quad (23)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Elist_2EFOLDL A_27a A_27b \in (((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27b})^{((A_27b^{A_27a})^{A_27b})}) \quad (24)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$\text{nonempty } ty_2Eone_2Eone \quad (25)$$

Definition 30 We define $c_2Ewords_2Eword_reduce$ to be $\lambda A_27a : \iota. \lambda V0f \in ((2^2)^2). \lambda V1w \in (ty_2Efcp_2EFCP A_27a). (ap (c_2Ewords_2Eword_reduce A_27a) V0f) = (ap (c_2Ewords_2Eword_reduce A_27a) V1w)$

Definition 31 We define $c_2Ewords_2Ereduce_and$ to be $\lambda A_27a : \iota. (ap (c_2Ewords_2Eword_reduce A_27a) V0v) = (ap (c_2Ewords_2Eword_reduce A_27a) V1g) \Leftrightarrow (\forall V2x \in A_27a. (ap V0f V2x) = (ap V1g V2x)))$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & \forall A_27b.\text{nonempty } A_27b \Rightarrow \\ & \forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a. (ap V0f V2x) = (ap V1g V2x)))) \end{aligned} \quad (26)$$

Theorem 1

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0v \in (ty_2Elist_2Elist A_27a). ((ap (c_2Ewords_2Ereduce_and A_27a) (ap (c_2Ebitstring_2Ev2w A_27a) V0v)) = (ap (ap (c_2Ewords_2Eword_reduce A_27a) c_2Ebool_2E_2F_5C) (ap (c_2Ebitstring_2Ev2w A_27a) V0v)))) \end{aligned}$$