

thm\_2Ebitstring\_2Eshiftl\_\_replicate\_\_F  
(TMUzAi2dQuwXLmzEG3FBJimZM4Yxeb3rQ5j)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{3}$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \tag{4}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1x \in 2.V1x))))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{5}$$

**Definition 5** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

Let  $c\_2Elist\_2EGENLIST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EGENLIST\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{ty\_2Enum\_2Enum})^{(A\_27a^{ty\_2Enum\_2Enum})}) \tag{6}$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (7)$$

**Definition 6** We define  $c\_2Elist\_2EPAD\_RIGHT$  to be  $\lambda A\_27a : \iota.\lambda V0c \in A\_27a.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 7** We define  $c\_2Ebitstring\_2Eshiftl$  to be  $\lambda V0v \in (ty\_2Elist\_2Elist\ 2).\lambda V1m \in ty\_2Enum\_2Enum$

Let  $c\_2Elist\_2EFLAT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EFLAT\ A\_27a \in ((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ (ty\_2Elist\_2Elist\ A\_27a))}) \quad (8)$$

**Definition 8** We define  $c\_2Ebitstring\_2Ereplicate$  to be  $\lambda V0v \in (ty\_2Elist\_2Elist\ 2).\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E$

**Definition 11** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (9)$$

Let  $c\_2Elist\_2EGENLIST\_AUX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EGENLIST\_AUX\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum})^{(A\_27a^{ty\_2Enum\_2Enum})} \quad (10)$$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (11)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (13)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (14)$$

**Definition 13** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$   
Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{15}$$

**Definition 14** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 15** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$   
Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V1n)\ V0m)))) \tag{16}$$

Assume the following.

$$(\forall V0a \in ty\_2Enum\_2Enum.(\forall V1c \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2D\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0a)\ V1c))\ V1c) = V0a)) \tag{17}$$

Assume the following.

$$True \tag{18}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \tag{19}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27b.((ap\ (ap\ (c\_2Ecombin\_2EK\ A\_27a\ A\_27b)\ V0x)\ V1y) = V0x))) \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow \forall A\_27e.nonempty \\
& A\_27e \Rightarrow \forall A\_27f.nonempty\ A\_27f \Rightarrow ((\forall V0f \in (A\_27b^{A\_27a}). \\
& (\forall V1v \in A\_27c. ((ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27a\ A\_27c\ A\_27b) \\
& (ap\ (c\_2Ecombin\_2EK\ A\_27c\ A\_27b)\ V1v))\ V0f) = (ap\ (c\_2Ecombin\_2EK \\
& A\_27c\ A\_27a)\ V1v))) \wedge (\forall V2f \in (A\_27e^{A\_27d}). (\forall V3v \in \\
& A\_27d. ((ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27f\ A\_27e\ A\_27d)\ V2f)\ (ap\ (c\_2Ecombin\_2EK \\
& A\_27d\ A\_27f)\ V3v)) = (ap\ (c\_2Ecombin\_2EK\ A\_27e\ A\_27f)\ (ap\ V2f\ V3v))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist \\
& A\_27a). ((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ (c\_2Elist\_2ENIL\ A\_27a)) \\
& V0l) = V0l) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V2l2 \in \\
& (ty\_2Elist\_2Elist\ A\_27a). (\forall V3h \in A\_27a. ((ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V3h)\ V1l1))\ V2l2) = (ap\ (ap \\
& (c\_2Elist\_2ECONS\ A\_27a)\ V3h)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a) \\
& V1l1)\ V2l2))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (((ap\ (c\_2Elist\_2EFLAT\ A\_27a)\ ( \\
& c\_2Elist\_2ENIL\ (ty\_2Elist\_2Elist\ A\_27a))) = (c\_2Elist\_2ENIL \\
& A\_27a)) \wedge (\forall V0h \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V1t \in \\
& (ty\_2Elist\_2Elist\ (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2EFLAT \\
& A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ (ty\_2Elist\_2Elist\ A\_27a)\ V0h) \\
& V1t)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0h)\ (ap\ (c\_2Elist\_2EFLAT \\
& A\_27a)\ V1t))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a0 \in A\_27a. (\forall V1a1 \in \\
& (ty\_2Elist\_2Elist\ A\_27a). (\forall V2a0.27 \in A\_27a. (\forall V3a1.27 \in \\
& (ty\_2Elist\_2Elist\ A\_27a). (((ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0a0) \\
& V1a1) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2a0.27)\ V3a1.27)) \Leftrightarrow ((V0a0 = \\
& V2a0.27) \wedge (V1a1 = V3a1.27))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0l1 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V2l3 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a) \\
& \quad V0l1)\ V1l2) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\
& \quad V2l3)))))) \wedge (\forall V3l1 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V4l2 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(\forall V5l3 \in (ty\_2Elist\_2Elist\ A\_27a). \\
& \quad (((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& \quad A\_27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& \quad (\forall V1n \in ty\_2Enum\_2Enum.((ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a) \\
& \quad V0f)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ ( \\
& \quad ap\ V0f\ c\_2Enum\_2E0))\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a)\ (ap\ (ap \\
& \quad (c\_2Ecombin\_2Eo\ ty\_2Enum\_2Enum\ A\_27a\ ty\_2Enum\_2Enum)\ V0f)\ c\_2Enum\_2ESUC)) \\
& \quad V1n))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (A\_27a^{ty\_2Enum\_2Enum}). \\
& \quad (\forall V1n \in ty\_2Enum\_2Enum.(((ap\ (ap\ (c\_2Elist\_2EGENLIST\ A\_27a) \\
& \quad V0f)\ c\_2Enum\_2E0) = (c\_2Elist\_2ENIL\ A\_27a)) \wedge ((ap\ (ap\ (c\_2Elist\_2EGENLIST \\
& \quad A\_27a)\ V0f)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ V1n)) = (ap\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\_AUX \\
& \quad A\_27a)\ V0f)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ V1n))\ (c\_2Elist\_2ENIL \\
& \quad A\_27a))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\
& \quad (\forall V1n \in ty\_2Enum\_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\
& \quad V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{30}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0v \in (ty\_2Elist\_2Elist\ 2).(\forall V1n \in ty\_2Enum\_2Enum. \\
& \quad ((ap\ (ap\ c\_2Ebitstring\_2Eshiftl\ V0v)\ V1n) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& \quad 2)\ V0v)\ (ap\ (ap\ c\_2Ebitstring\_2Ereplicate\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& \quad 2)\ c\_2Ebool\_2EF)\ (c\_2Elist\_2ENIL\ 2))\ V1n))))))
\end{aligned}$$