

thm\_2Ebitstring\_2Ev2w\_\_11  
(TMZ6uR5CWTVAh8R3sVVYs1Qv5fDsSDcwFq)

October 26, 2020

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (1)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ENIL\ A.27a \in (ty\_2Elist\_2Elist\ A.27a) \quad (2)$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ECONS\ A.27a \in (((ty\_2Elist\_2Elist\ A.27a)^{(ty\_2Elist\_2Elist\ A.27a)})^{A.27a}) \quad (3)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ELENGTH\ A.27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A.27a)}) \quad (5)$$

Let  $c\_2Earithmetic\_2E2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Elist\_2ETAKE\ A.27a \in (((ty\_2Elist\_2Elist\ A.27a)^{(ty\_2Elist\_2Elist\ A.27a)})^{ty\_2Enum\_2Enum}) \quad (7)$$



**Definition 13** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 14** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40$

**Definition 15** We define `c_2Eprim_rec_2E_3C` to be  $\lambda V0m \in \text{ty\_2Enum\_2Enum}. \lambda V1n \in \text{ty\_2Enum\_2Enum}$

**Definition 16** We define `c_2Ebool_2ECOND` to be  $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. ($

**Definition 17** We define `c_2Ebool_2ELET` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. (\lambda V0f \in (A. 27b^{A-27a}). (\lambda V1x \in A. 27$

**Definition 18** We define `c_2Ebitstring_2Efixwidth` to be  $\lambda V0n \in \text{ty\_2Enum\_2Enum}. \lambda V1v \in (\text{ty\_2Elist\_2E}$

**Definition 19** We define `c_2Ebitstring_2Efield` to be  $\lambda V0h \in \text{ty\_2Enum\_2Enum}. \lambda V1l \in \text{ty\_2Enum\_2Enum}$

**Definition 20** We define `c_2Ebitstring_2Etestbit` to be  $\lambda V0b \in \text{ty\_2Enum\_2Enum}. \lambda V1v \in (\text{ty\_2Elist\_2E}$

Let `ty_2Efcf_2Efinite_image` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty (ty\_2Efcf\_2Efinite\_image } A0) \quad (14)$$

Let `ty_2Ebool_2Eitself` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty (ty\_2Ebool\_2Eitself } A0) \quad (15)$$

Let `c_2Ebool_2Ethe_value` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c\_2Ebool\_2Ethe\_value } A. 27a \in (\text{ty\_2Ebool\_2Eitself } A. 27a) \quad (16)$$

Let `c_2Efcf_2Edimindex` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c\_2Efcf\_2Edimindex } A. 27a \in (\text{ty\_2Enum\_2Enum}^{(\text{ty\_2Ebool\_2Eitself } A. 27a)}) \quad (17)$$

**Definition 21** We define `c_2Ebool_2E_3F_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap c_2Ebool_2E_2F_5C$

**Definition 22** We define `c_2Efcf_2Efinite_index` to be  $\lambda A. 27a : \iota. (\text{ap (c_2Emin_2E_40 (A_27a}^{\text{ty\_2Enum\_2Enum}}$

Let `ty_2Efcf_2Ecart` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty (ty\_2Efcf\_2Ecart } A0 \ A1) \quad (18)$$

Let `c_2Efcf_2Edest_cart` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c\_2Efcf\_2Edest\_cart } A. 27a \ A. 27b \in ((A_27a)^{(\text{ty\_2Efcf\_2Efinite\_image } A. 27b)}) (\text{ty\_2Efcf\_2Ecart } A. 27a \ A. 27b) \quad (19)$$

**Definition 23** We define `c_2Efcf_2Efcf_index` to be  $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda V0x \in (\text{ty\_2Efcf\_2Ecart } A. 27$

**Definition 24** We define  $c\_2Efc\_2EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 25** We define  $c\_2Ebitstring\_2Ev2w$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2Elist\_2Elist\ 2).(ap (c\_2Efc\_2EFCP$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{20}$$

**Definition 26** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 27** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{21}$$

**Definition 28** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap\ c\_2Earithmetic$

**Definition 29** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 30** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in$

**Definition 31** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 32** We define  $c\_2Ewords\_2Eword\_bit$  to be  $\lambda A\_27a : \iota.\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1w \in (ty\_2$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum. ( \\ & \quad \forall V1v \in (ty\_2Elist\_2Elist\ 2). ((p (ap (ap (c\_2Ewords\_2Eword\_bit \\ & \quad A\_27a)\ V0n) (ap (c\_2Ebitstring\_2Ev2w\ A\_27a)\ V1v))) \Leftrightarrow ((p (ap (ap \\ & \quad c\_2Eprim\_rec\_2E\_3C\ V0n) (ap (c\_2Efc\_2Edimindex\ A\_27a) (c\_2Ebool\_2Ethe\_value \\ & \quad A\_27a)))) \wedge (p (ap (ap\ c\_2Ebitstring\_2Etestbit\ V0n)\ V1v)))))) \end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1v \in (ty\_2Elist\_2Elist \\ & \quad 2). (\forall V2w \in (ty\_2Elist\_2Elist\ 2). (((ap (ap\ c\_2Ebitstring\_2Efixwidth \\ & \quad V0n)\ V1v) = (ap (ap\ c\_2Ebitstring\_2Efixwidth\ V0n)\ V2w)) \Leftrightarrow (\forall V3i \in \\ & \quad ty\_2Enum\_2Enum. ((p (ap (ap\ c\_2Eprim\_rec\_2E\_3C\ V3i)\ V0n)) \Rightarrow (( \\ & \quad p (ap (ap\ c\_2Ebitstring\_2Etestbit\ V3i)\ V1v)) \Leftrightarrow (p (ap (ap\ c\_2Ebitstring\_2Etestbit \\ & \quad V3i)\ V2w)))))))))) \end{aligned} \tag{23}$$

Assume the following.

$$True \tag{24}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & \quad (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & \quad (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \tag{25}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0x \in (ty\_2Efc\_2Ecart\ A\_27a\ A\_27b). (\forall V1y \in (ty\_2Efc\_2Ecart \\ & A\_27a\ A\_27b). ((V0x = V1y) \Leftrightarrow (\forall V2i \in ty\_2Enum\_2Enum. ((p\ (ap \\ & (ap\ c\_2Eprim\_rec\_2E\_3C\ V2i)\ (ap\ (c\_2Efc\_2Edimindex\ A\_27b)\ ( \\ & c\_2Ebool\_2Ethe\_value\ A\_27b)))) \Rightarrow ((ap\ (ap\ (c\_2Efc\_2Efc\_index \\ & A\_27a\ A\_27b)\ V0x)\ V2i) = (ap\ (ap\ (c\_2Efc\_2Efc\_index\ A\_27a\ A\_27b) \\ & V1y)\ V2i)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0w \in (ty\_2Efc\_2Ecart \\ & 2\ A\_27a). (\forall V1b \in ty\_2Enum\_2Enum. ((p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\ & V1b)\ (ap\ (c\_2Efc\_2Edimindex\ A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a)))) \Rightarrow \\ & ((p\ (ap\ (ap\ (c\_2Efc\_2Efc\_index\ 2\ A\_27a)\ V0w)\ V1b)) \Leftrightarrow (p\ (ap\ (ap \\ & (c\_2Ewords\_2Eword\_bit\ A\_27a)\ V1b)\ V0w)))))) \end{aligned} \quad (32)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0v \in (ty\_2Elist\_2Elist \\ & 2). (\forall V1w \in (ty\_2Elist\_2Elist\ 2). (((ap\ (c\_2Ebitstring\_2Ev2w \\ & A\_27a)\ V0v) = (ap\ (c\_2Ebitstring\_2Ev2w\ A\_27a)\ V1w)) \Leftrightarrow ((ap\ (ap\ c\_2Ebitstring\_2Efixwidth \\ & (ap\ (c\_2Efc\_2Edimindex\ A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a))) \\ & V0v) = (ap\ (ap\ c\_2Ebitstring\_2Efixwidth\ (ap\ (c\_2Efc\_2Edimindex \\ & A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a)))\ V1w)))))) \end{aligned}$$