

thm_2Ebitstring_2Ew2n_v2w (TMSxy- BYiyKHB4McDE1W7zRcpnLnEM7tMS1q)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ENIL\ A.27a \in (ty_2Elist_2Elist\ A.27a) \quad (2)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{A.27a}) \quad (3)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (4)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ELENGTH\ A.27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A.27a)}) \quad (5)$$

Let $c_2Earithmetic_2E2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Elist_2ETAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ETAKE\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Ebitstring_2Eshiftr$ to be $\lambda V0v \in (ty_2Elist_2Elist\ 2). \lambda V1m \in ty_2Enum_2Enum$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EDROP\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21\ 2)) (\lambda V0t \in 2.V0t)$.

Definition 7 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b.V0x))$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EGENLIST\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Enum_2Enum)})^{(A_27a^{ty_2Enum_2Enum})}) \quad (12)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (13)$$

Definition 8 We define $c_2Elist_2EPAD_LEFT$ to be $\lambda A_27a : \iota. \lambda V0c \in A_27a. \lambda V1n \in ty_2Enum_2Enum$

Definition 9 We define $c_2Ebitstring_2Ezero_extend$ to be $\lambda V0n \in ty_2Enum_2Enum. \lambda V1v \in (ty_2Elist_2Elist$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap\ c_2Emin_2E_3D_3D_3E\ V0t))\ c_2Ebool_2E_21$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21\ 2)) (\lambda V2t \in$

Definition 13 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge \dots)$ of type $\iota \Rightarrow \iota$).

Definition 14 We define `c_2Ebool_2E_3F` to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}). (ap V0P (ap (c_2Emin_2E_40$

Definition 15 We define `c_2Eprim_rec_2E_3C` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 16 We define `c_2Ebool_2ECOND` to be $\lambda A_{27a} : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_{27a}.(\lambda V2t2 \in A_{27a}.$

Definition 17 We define `c_2Ebool_2ELET` to be $\lambda A_{27a} : \iota.\lambda A_{27b} : \iota.(\lambda V0f \in (A_{27b}^{A_{27a}}).(\lambda V1x \in A_{27b}$

Definition 18 We define `c_2Ebitstring_2Efixwidth` to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist_2E$

Definition 19 We define `c_2Ebitstring_2Efield` to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum$

Definition 20 We define `c_2Ebitstring_2Etestbit` to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist_2E$

Let `ty_2Efcf_2Efinite_image` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efcf_2Efinite_image A0) \quad (14)$$

Let `ty_2Ebool_2Eitself` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (15)$$

Let `c_2Ebool_2Ethe_value` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c_2Ebool_2Ethe_value A_{27a} \in (ty_2Ebool_2Eitself A_{27a}) \quad (16)$$

Let `c_2Efcf_2Edimindex` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c_2Efcf_2Edimindex A_{27a} \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_{27a})}) \quad (17)$$

Definition 21 We define `c_2Ebool_2E_3F_21` to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}). (ap (ap c_2Ebool_2E_2F_5C$

Definition 22 We define `c_2Efcf_2Efinite_index` to be $\lambda A_{27a} : \iota. (ap (c_2Emin_2E_40 (A_{27a}^{ty_2Enum_2Enum$

Let `ty_2Efcf_2Ecart` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efcf_2Ecart A0 A1) \quad (18)$$

Let `c_2Efcf_2Edest_cart` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow c_2Efcf_2Edest_cart A_{27a} A_{27b} \in ((A_{27a}^{(ty_2Efcf_2Efinite_image A_{27b})})(ty_2Efcf_2Ecart A_{27a} A_{27b})) \quad (19)$$

Definition 23 We define `c_2Efcf_2Efcf_index` to be $\lambda A_{27a} : \iota.\lambda A_{27b} : \iota.\lambda V0x \in (ty_2Efcf_2Ecart A_{27a}$

Definition 24 We define c_2Efc_2EFCP to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0g \in (A_27a^{ty_2Enum_2Enum}). (ap$

Definition 25 We define $c_2Ebitstring_2Ev2w$ to be $\lambda A_27a : \iota. \lambda V0v \in (ty_2Elist_2Elist\ 2). (ap (c_2Efc_2EFCP$

Let $c_2Ebitstring_2Ebitify : \iota$ be given. Assume the following.

$$c_2Ebitstring_2Ebitify \in (((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{ty_2Elist_2Elist\ 2})^{ty_2Elist_2Elist\ ty_2Enum_2Enum}) \quad (20)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (21)$$

Definition 26 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 27 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (22)$$

Definition 28 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap\ c_2Earithmetic$

Definition 29 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Enumposrep_2El2n : \iota$ be given. Assume the following.

$$c_2Enumposrep_2El2n \in ((ty_2Enum_2Enum^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)})^{ty_2Enum_2Enum}) \quad (23)$$

Definition 30 We define $c_2Enumposrep_2Enum_from_bin_list$ to be $(ap\ c_2Enumposrep_2El2n (ap\ c_2E$

Definition 31 We define $c_2Ebitstring_2Ev2n$ to be $\lambda V0l \in (ty_2Elist_2Elist\ 2). (ap\ c_2Enumposrep_2Enum$

Definition 32 We define $c_2Ebool_2EBOUNDED$ to be $(\lambda V0v \in c_2Ebool_2ET)$.

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (24)$$

Let $c_2Earithmetic_2EMOD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EMOD \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (25)$$

Definition 33 We define $c_2Ebit_2EMOD_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2E$

Let $c_2Ewords_2Edimword : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ewords_2Edimword\ A_27a \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself\ A_27a)}) \quad (26)$$

Definition 34 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 V0n))$.
Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (27)$$

Definition 35 We define $c_2Ebit_2EDIV_2EXP$ to be $\lambda V0x \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 36 We define c_2Ebit_2EBITS to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum.$

Definition 37 We define c_2Ebit_2EBIT to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap$

Definition 38 We define $c_2Ewords_2En2w$ to be $\lambda A_27a : \iota.\lambda V0n \in ty_2Enum_2Enum.(ap (c_2EfcP_2EFC$

Definition 39 We define c_2Ebit_2ESBIT to be $\lambda V0b \in 2.\lambda V1n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebo$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (28)$$

Definition 40 We define $c_2Ewords_2Ew2n$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2EfcP_2Ecart\ 2\ A_27a).(ap (ap c$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0v \in (ty_2Elist_2Elist \\ & 2).(ap (c_2Ewords_2En2w\ A_27a)\ (ap\ c_2Ebitstring_2Ev2n\ V0v)) = \\ & (ap (c_2Ebitstring_2Ev2w\ A_27a)\ V0v)) \end{aligned} \quad (29)$$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (32)$$

Assume the following.

$$(\forall V0v \in 2.((p\ (ap\ c_2Ebool_2EBOUNDED\ V0v)) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\ & (ap (ap\ c_2Earithmetic_2EMOD\ V0n)\ (ap\ (c_2Ewords_2Edimword\ A_27a) \\ & (c_2Ebool_2Ethe_value\ A_27a))) = (ap (ap\ c_2Ebit_2EMOD_2EXP \\ & (ap\ (c_2EfcP_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a))) \\ & V0n))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty.2Enum.2Enum. (\\ (ap\ (c.2Ewords.2Ew2n\ A.27a)\ (ap\ (c.2Ewords.2En2w\ A.27a)\ V0n)) = \\ (ap\ (ap\ c.2Earithmetic.2EMOD\ V0n)\ (ap\ (c.2Ewords.2Edimword\ A.27a) \\ (c.2Ebool.2Ethe_value\ A.27a)))))) \end{aligned} \tag{35}$$

Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0v \in (ty.2Elist.2Elist \\ 2).((ap\ (c.2Ewords.2Ew2n\ A.27a)\ (ap\ (c.2Ebitstring.2Ev2w\ A.27a) \\ V0v)) = (ap\ (ap\ c.2Ebit.2EMOD_2EXP\ (ap\ (c.2Efc.2Edimindex\ A.27a) \\ (c.2Ebool.2Ethe_value\ A.27a)))\ (ap\ c.2Ebitstring.2Ev2n\ V0v)))))) \end{aligned}$$