

thm\_2Ebitstring\_2Eword\_concat\_v2w  
(TMQ8FzGtTov8zJoJmS9mWBptJiWxtXzC28U)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num (ap c\_2Enum\_2EREP\_num (ap c\_2Enum\_2ESUC\_REP m)))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 13** We define  $c\_Earithmetic\_2EMIN$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (5)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (6)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Elist\_2EDROP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2EDROP\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 14** We define  $c\_Ecombin\_2EK$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0x \in A\_27a. (\lambda V1y \in A\_27b. V0x)$

Let  $c\_2Elist\_2EGENLIST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2EGENLIST\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Enum\_2Enum)})^{(A\_27a^{ty\_2Enum\_2Enum})}) \quad (9)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2EAPPEND\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (10)$$

**Definition 15** We define  $c\_2Elist\_2EPAD\_LEFT$  to be  $\lambda A\_27a : \iota. \lambda V0c \in A\_27a. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 16** We define  $c\_2Ebitstring\_2Ezero\_extend$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. \lambda V1v \in (ty\_2Elist\_2E$

**Definition 17** We define  $c\_Ebool\_2ELET$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0f \in (A\_27b^{A\_27a}). (\lambda V1x \in A\_27$

**Definition 18** We define  $c\_2Ebitstring\_2Efixwidth$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. \lambda V1v \in (ty\_2Elist\_2E$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (11)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (12)$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ETAKE\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 19** We define  $c\_2Ebitstring\_2Eshiftr$  to be  $\lambda V0v \in (ty\_2Elist\_2Elist\ 2).\lambda V1m \in ty\_2Enum\_2Enum$

**Definition 20** We define  $c\_2Ebitstring\_2Efield$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum$

**Definition 21** We define  $c\_2Ebitstring\_2Etestbit$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1v \in (ty\_2Elist\_2Elist\ 2)$

Let  $ty\_2EfcP\_2Efinite\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2EfcP\_2Efinite\_image\ A0) \quad (14)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (15)$$

Let  $c\_2Ebool\_2Ethe\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2Ethe\_value\ A\_27a \in (ty\_2Ebool\_2Eitself\ A\_27a) \quad (16)$$

Let  $c\_2EfcP\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2EfcP\_2Edimindex\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Ebool\_2Eitself\ A\_27a)}) \quad (17)$$

**Definition 22** We define  $c\_2Ebool\_2E\_3F\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C$

**Definition 23** We define  $c\_2EfcP\_2Efinite\_index$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Emin\_2E\_40\ (A\_27a^{ty\_2Enum\_2Enum$

Let  $ty\_2EfcP\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2EfcP\_2Ecart\ A0\ A1) \quad (18)$$

Let  $c\_2EfcP\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2EfcP\_2Edest\_cart\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2EfcP\_2Efinite\_image\ A\_27b)})^{(ty\_2EfcP\_2Ecart\ A\_27a\ A\_27b)}) \quad (19)$$

**Definition 24** We define  $c\_2Efc\_2Efc\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efc\_2Ecart\ A\_27a)$

**Definition 25** We define  $c\_2Efc\_2EFCP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0g \in (A\_27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 26** We define  $c\_2Ebitstring\_2Ev2w$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2Elist\_2Elist\ 2).(ap\ (c\_2Efc\_2E$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{20}$$

**Definition 27** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 28** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{21}$$

**Definition 29** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 30** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 31** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 32** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

**Definition 33** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{22}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{23}$$

**Definition 34** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \tag{24}$$

**Definition 35** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2$

**Definition 36** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 37** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_21 (2$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (25)$$

**Definition 38** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (26)$$

**Definition 39** We define  $c\_2Ebit\_2ESBIT$  to be  $\lambda V0b \in 2.\lambda V1n \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool$

Let  $c\_2Esum\_num\_2ESUM : \iota$  be given. Assume the following.

$$c\_2Esum\_num\_2ESUM \in ((ty\_2Enum\_2Enum^{(ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})})^{ty\_2Enum\_2Enum}) \quad (27)$$

**Definition 40** We define  $c\_2Ewords\_2Ew2n$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart 2 A\_27a).(ap (ap c$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (28)$$

**Definition 41** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (29)$$

**Definition 42** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 43** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.\lambda V$

**Definition 44** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.(ap$

**Definition 45** We define  $c\_2Ewords\_2En2w$  to be  $\lambda A\_27a : \iota.\lambda V0n \in ty\_2Enum\_2Enum.(ap (c\_2EfcP\_2EFC$

**Definition 46** We define  $c\_2Ewords\_2Ew2w$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart 2 A\_27a$

**Definition 47** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2$

**Definition 48** We define  $c\_2Ewords\_2Eword\_lsl$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2EfcP\_2Ecart 2 A\_27a).\lambda V1$

**Definition 49** We define  $c\_2Ewords\_2Eword\_or$  to be  $\lambda A\_27a : \iota.\lambda V0v \in (ty\_2EfcP\_2Ecart 2 A\_27a).\lambda V1$

**Definition 50** We define  $c\_Ewords\_Eword\_join$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0v \in (ty\_2Efc\_2Ecart\ 2)$

**Definition 51** We define  $c\_Ewords\_Eword\_concat$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0v \in (ty\_2Efc\_2Ecart\ 2)$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0v \in (ty\_2Elist\_2Elist\ 2).((ap\ (c\_2Ewords\_2Ew2w\ A\_27a \\ & \quad A\_27b)\ (ap\ (c\_2Ebitstring\_2Ev2w\ A\_27a)\ V0v)) = (ap\ (c\_2Ebitstring\_2Ev2w \\ & \quad A\_27b)\ (ap\ (ap\ c\_2Ebitstring\_2Efixwidth\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND \\ & \quad ty\_2Enum\_2Enum)\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ (ap\ (c\_2Efc\_2Edimindex \\ & \quad A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b))))\ (ap\ (c\_2Efc\_2Edimindex \\ & \quad A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a))))\ (ap\ (c\_2Efc\_2Edimindex \\ & \quad A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b))))\ (ap\ (c\_2Efc\_2Edimindex \\ & \quad A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a))))\ V0v))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0v1 \in (ty\_2Elist\_2Elist\ 2).(\forall V1v2 \in (ty\_2Elist\_2Elist \\ & \quad 2).(((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (c\_2Epred\_set\_2EUNIV \\ & \quad A\_27a)))) \wedge (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27b)\ (c\_2Epred\_set\_2EUNIV \\ & \quad A\_27b)))) \Rightarrow ((ap\ (ap\ (c\_2Ewords\_2Eword\_join\ A\_27a\ A\_27b)\ (ap\ ( \\ & \quad c\_2Ebitstring\_2Ev2w\ A\_27a)\ V0v1))\ (ap\ (c\_2Ebitstring\_2Ev2w\ A\_27b)\ \\ & \quad V1v2)) = (ap\ (c\_2Ebitstring\_2Ev2w\ (ty\_2Esum\_2Esum\ A\_27a\ A\_27b)) \\ & \quad (ap\ (ap\ (c\_2Elist\_2EAPPEND\ 2)\ V0v1)\ (ap\ (ap\ c\_2Ebitstring\_2Efixwidth \\ & \quad (ap\ (c\_2Efc\_2Edimindex\ A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b))) \\ & \quad V1v2)))))) \end{aligned} \quad (31)$$

Assume the following.

$$True \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & \quad (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & \quad (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & \quad True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & \quad (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27 \\ & V5y\_27)))))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap \\ & (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V2t1)\ V3t2) = V3t2)))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & (ap\ (c\_2Efc\_2Edimindex\ (ty\_2Esum\_2Esum\ A\_27a\ A\_27b))\ (c\_2Ebool\_2Ethe\_value \\ & (ty\_2Esum\_2Esum\ A\_27a\ A\_27b))) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ ty\_2Enum\_2Enum) \\ & (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a) \\ & (c\_2Epred\_set\_2EUNIV\ A\_27a)))\ (ap\ (c\_2Epred\_set\_2EFINITE \\ & A\_27b)\ (c\_2Epred\_set\_2EUNIV\ A\_27b))))\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\ & (ap\ (c\_2Efc\_2Edimindex\ A\_27a)\ (c\_2Ebool\_2Ethe\_value\ A\_27a))) \\ & (ap\ (c\_2Efc\_2Edimindex\ A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b)))) \\ & (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) \end{aligned} \quad (42)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & \quad nonempty\ A\_27c \Rightarrow (\forall V0v1 \in (ty\_2Elist\_2Elist\ 2). (\forall V1v2 \in \\ & \quad (ty\_2Elist\_2Elist\ 2). (((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a) \\ & \quad (c\_2Epred\_set\_2EUNIV\ A\_27a))) \wedge (p\ (ap\ (c\_2Epred\_set\_2EFINITE \\ A\_27b)\ (c\_2Epred\_set\_2EUNIV\ A\_27b)))) \Rightarrow ((ap\ (ap\ (c\_2Ewords\_2Eword\_concat \\ & \quad A\_27a\ A\_27b\ A\_27c)\ (ap\ (c\_2Ebitstring\_2Ev2w\ A\_27a)\ V0v1))\ (ap\ ( \\ & \quad c\_2Ebitstring\_2Ev2w\ A\_27b)\ V1v2)) = (ap\ (c\_2Ebitstring\_2Ev2w \\ A\_27c)\ (ap\ (ap\ c\_2Ebitstring\_2Efixwidth\ (ap\ (ap\ c\_2Earithmetic\_2EMIN \\ & \quad (ap\ (c\_2Efc\_2Edimindex\ A\_27c)\ (c\_2Ebool\_2Ethe\_value\ A\_27c)))) \\ & \quad (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ (c\_2Efc\_2Edimindex\ A\_27a)\ ( \\ & \quad c\_2Ebool\_2Ethe\_value\ A\_27a))))\ (ap\ (c\_2Efc\_2Edimindex\ A\_27b) \\ & \quad (c\_2Ebool\_2Ethe\_value\ A\_27b))))))\ (ap\ (ap\ (c\_2Elist\_2EAPPEND \\ 2)\ V0v1)\ (ap\ (ap\ c\_2Ebitstring\_2Efixwidth\ (ap\ (c\_2Efc\_2Edimindex \\ & \quad A\_27b)\ (c\_2Ebool\_2Ethe\_value\ A\_27b))\ V1v2))))))))) \end{aligned}$$