

thm_2Ebitstring_2Eword_index_v2w (TMKzm- LXvQqqzevcKLrhwitaqxXmdnHBBYTa)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (1)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ENIL\ A.27a \in (ty_2Elist_2Elist\ A.27a) \quad (2)$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{A.27a}) \quad (3)$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \quad (4)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ELENGTH\ A.27a \in (ty_2Eenum_2Eenum^{(ty_2Elist_2Elist\ A.27a)}) \quad (5)$$

Let $c_2Earithmetic_2E2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2D \in ((ty_2Eenum_2Eenum^{ty_2Eenum_2Eenum})^{ty_2Eenum_2Eenum}) \quad (6)$$

Let $c_2Elist_2ETAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ETAKE\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{ty_2Eenum_2Eenum}) \quad (7)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a}$

Definition 4 We define $c_2Ebitstring_2Eshiftr$ to be $\lambda V0v \in (ty_2Elist_2Elist\ 2). \lambda V1m \in ty_2Enum_2Enum$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Let $c_2Elist_2EDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EDROP\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b.V0x))$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EGENLIST\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Enum_2Enum)})^{(A_27a)^{ty_2Enum_2Enum}}) \quad (12)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (13)$$

Definition 8 We define $c_2Elist_2EPAD_LEFT$ to be $\lambda A_27a : \iota. \lambda V0c \in A_27a. \lambda V1n \in ty_2Enum_2Enum$

Definition 9 We define $c_2Ebitstring_2Ezero_extend$ to be $\lambda V0n \in ty_2Enum_2Enum. \lambda V1v \in (ty_2Elist_2Elist$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \setminus p)$ of type $\iota \Rightarrow \iota$).

Definition 14 We define `c_2Ebool_2E_3F` to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}). (ap V0P (ap (c_2Emin_2E_40$

Definition 15 We define `c_2Eprim_rec_2E_3C` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 16 We define `c_2Ebool_2ECOND` to be $\lambda A_{27a} : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_{27a}.(\lambda V2t2 \in A_{27a}.$

Definition 17 We define `c_2Ebool_2ELET` to be $\lambda A_{27a} : \iota.\lambda A_{27b} : \iota.(\lambda V0f \in (A_{27b}^{A_{27a}}).(\lambda V1x \in A_{27b}$

Definition 18 We define `c_2Ebitstring_2Efixwidth` to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist_2E$

Definition 19 We define `c_2Ebitstring_2Efield` to be $\lambda V0h \in ty_2Enum_2Enum.\lambda V1l \in ty_2Enum_2Enum$

Definition 20 We define `c_2Ebitstring_2Etestbit` to be $\lambda V0b \in ty_2Enum_2Enum.\lambda V1v \in (ty_2Elist_2E$

Let `ty_2Efcf_2Efinite_image` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Efcf_2Efinite_image A0) \quad (14)$$

Let `ty_2Ebool_2Eitself` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (15)$$

Let `c_2Ebool_2Ethe_value` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c_2Ebool_2Ethe_value A_{27a} \in (ty_2Ebool_2Eitself A_{27a}) \quad (16)$$

Let `c_2Efcf_2Edimindex` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow c_2Efcf_2Edimindex A_{27a} \in (ty_2Enum_2Enum^{(ty_2Ebool_2Eitself A_{27a})}) \quad (17)$$

Definition 21 We define `c_2Ebool_2E_3F_21` to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}). (ap (ap c_2Ebool_2E_2F_5C$

Definition 22 We define `c_2Efcf_2Efinite_index` to be $\lambda A_{27a} : \iota. (ap (c_2Emin_2E_40 (A_{27a}^{ty_2Enum_2Enum$

Let `ty_2Efcf_2Ecart` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efcf_2Ecart A0 A1) \quad (18)$$

Let `c_2Efcf_2Edest_cart` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow c_2Efcf_2Edest_cart A_{27a} A_{27b} \in ((A_{27a}^{(ty_2Efcf_2Efinite_image A_{27b})})(ty_2Efcf_2Ecart A_{27a} A_{27b})) \quad (19)$$

Definition 23 We define `c_2Efcf_2Efcf_index` to be $\lambda A_{27a} : \iota.\lambda A_{27b} : \iota.\lambda V0x \in (ty_2Efcf_2Ecart A_{27a}$

Definition 24 We define c_2Efc_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{ty_2Enum_2Enum}).(ap$

Definition 25 We define $c_2Ebitstring_2Ev2w$ to be $\lambda A_27a : \iota.\lambda V0v \in (ty_2Elist_2Elist\ 2).(ap (c_2Efc_2E$

Definition 26 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in$

Definition 27 We define $c_2Ecombin_2EFAIL$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{20}$$

Definition 28 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 29 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{21}$$

Definition 30 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap\ c_2Earithmetic$

Definition 31 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 32 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2$

Definition 33 We define $c_2Ewords_2Eword_bit$ to be $\lambda A_27a : \iota.\lambda V0b \in ty_2Enum_2Enum.\lambda V1w \in (ty_2$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\\ & \quad \forall V1v \in (ty_2Elist_2Elist\ 2). ((p (ap (ap (c_2Ewords_2Eword_bit \\ & \quad A_27a)\ V0n) (ap (c_2Ebitstring_2Ev2w\ A_27a)\ V1v))) \Leftrightarrow ((p (ap (ap \\ & \quad c_2Eprim_rec_2E_3C\ V0n) (ap (c_2Efc_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value \\ & \quad A_27a)))) \wedge (p (ap (ap\ c_2Ebitstring_2Etestbit\ V0n)\ V1v)))))) \end{aligned} \tag{22}$$

Assume the following.

$$True \tag{23}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{24}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \tag{25}$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg (p\ V0t))) \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p \ V0t))))))
\end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in \\
& A_27a.(((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF \\
& V0t1) \ V1t2) = V1t2))))))
\end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\
& (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \\
& V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ V1Q) \ V3x_27) \\
& V5y_27)))))))))
\end{aligned} \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\quad (34)$$

$$\forall V0x \in A_27a.(\forall V1y \in A_27b.((ap \ (ap \ (c_2Ecombin_2EFAIL \ A_27a \ A_27b) \ V0x) \ V1y) = V0x)))$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2Efc_2Ecart \\
& 2\ A_27a). (\forall V1b \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& V1b)\ (ap\ (c_2Efc_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \Rightarrow \\
& ((p\ (ap\ (ap\ (c_2Efc_2Efc_index\ 2\ A_27a)\ V0w)\ V1b)) \Leftrightarrow (p\ (ap\ (ap \\
& (c_2Ewords_2Eword_bit\ A_27a)\ V1b)\ V0w))))))
\end{aligned} \tag{35}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0index_20too_20large \in \\
& 2. (\forall V1v \in (ty_2Elist_2Elist\ 2). (\forall V2i \in ty_2Enum_2Enum. \\
& ((p\ (ap\ (ap\ (c_2Efc_2Efc_index\ 2\ A_27a)\ (ap\ (c_2Ebitstring_2Ev2w \\
& A_27a)\ V1v))\ V2i)) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ 2)\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
& V2i)\ (ap\ (c_2Efc_2Edimindex\ A_27a)\ (c_2Ebool_2Ethe_value\ A_27a)))) \\
& (ap\ (ap\ c_2Ebitstring_2Etestbit\ V2i)\ V1v))\ (ap\ (ap\ (ap\ (c_2Ecombin_2EFAIL \\
& ((2ty_2Enum_2Enum)(ty_2Efc_2Ecart\ 2\ A_27a)\ 2)\ (c_2Efc_2Efc_index \\
& 2\ A_27a))\ V0index_20too_20large)\ (ap\ (c_2Ebitstring_2Ev2w\ A_27a) \\
& V1v))\ V2i))))))
\end{aligned}$$