

thm\_2Ebitstring\_2Eword\_reduce\_v2w  
 (TMXBR7PGhbe5yi1xWxfn5iCMxQUtDp89ZPt)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (2)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (3)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Elist\_2EDROP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Elist\_2EDROP\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (5)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ (\lambda V1P \in 2.V1P))\ (\lambda V0P \in 2.V0P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0x \in A\_27a. (\lambda V1y \in A\_27b. V0x))$

Let  $c\_2Elist\_2EGENLIST : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2EGENLIST\ A_{27a} \in (((ty\_2Elist\_2Elist\ A_{27a})^{ty\_2Enum\_2Enum})^{(A_{27a}^{ty\_2Enum\_2Enum})}) \quad (6)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2EAPPEND\ A_{27a} \in (((ty\_2Elist\_2Elist\ A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})})^{(ty\_2Elist\_2Elist\ A_{27a})}) \quad (7)$$

**Definition 6** We define  $c\_2Elist\_2EPAD\_LEFT$  to be  $\lambda A_{27a} : \iota. \lambda V0c \in A_{27a}. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 7** We define  $c\_2Ebitstring\_2Ezero\_extend$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. \lambda V1v \in (ty\_2Elist\_2Elist\ A_{27a})$

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V2t) c\_2Ebool\_2EF)))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EABS\_num m)$

**Definition 12** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x)) \text{ else } (\lambda x. x \in A \wedge \neg p x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (ap V0P (ap (c\_2Emin\_2E\_40 A_{27a}) P)))$

**Definition 14** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A_{27a} : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_{27a}. (\lambda V2t2 \in A_{27a}. (ap (ap c\_2Emin\_2E\_40 A_{27a}) t1) t2)))$

**Definition 16** We define  $c\_2Ebool\_2ELET$  to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. (\lambda V0f \in (A_{27b}^{A_{27a}}). (\lambda V1x \in A_{27b}. (ap (ap c\_2Emin\_2E\_40 A_{27b}) f) x)))$

**Definition 17** We define  $c\_2Ebitstring\_2Efixwidth$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. \lambda V1v \in (ty\_2Elist\_2Elist\ A_{27a})$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2ENIL\ A_{27a} \in ((ty\_2Elist\_2Elist\ A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})^{A_{27a}}}) \quad (11)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2ECONS\ A_{27a} \in (((ty\_2Elist\_2Elist\ A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})^{A_{27a}}})^{(ty\_2Elist\_2Elist\ A_{27a})^{A_{27a}}}) \quad (12)$$

Let  $c\_2Elist\_2ETAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Elist\_2ETAKE\ A_{27a} \in (((ty\_2Elist\_2Elist\ A_{27a})^{(ty\_2Elist\_2Elist\ A_{27a})^{A_{27a}}})^{(ty\_2Enum\_2Enum)}) \quad (13)$$

**Definition 18** We define  $c\_2Ebitstring\_2Eshiftr$  to be  $\lambda V0v \in (ty\_2Elist\_2Elist 2).\lambda V1m \in ty\_2Enum\_2Enum.\lambda V2n \in ty\_2Enum\_2Enum.(V0v \cdot m \cdot n)$

**Definition 19** We define  $c\_2Ebitstring\_2Efield$  to be  $\lambda V0h \in ty\_2Enum\_2Enum.\lambda V1l \in ty\_2Enum\_2Enum.(V0h \cdot l)$

**Definition 20** We define  $c\_2Ebitstring\_2Etestbit$  to be  $\lambda V0b \in ty\_2Enum\_2Enum.\lambda V1v \in (ty\_2Elist\_2Elist 2).V0b \cdot v$

Let  $ty\_2Efcp\_2Efinit\_image : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Efcp\_2Efinit\_image\ A0) \quad (14)$$

Let  $ty\_2Ebool\_2Eitself : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ebool\_2Eitself\ A0) \quad (15)$$

Let  $c\_2Ebool\_2Eth\_value : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Ebool\_2Eth\_value\ A_{27a} \in (ty\_2Ebool\_2Eitself\ A_{27a}) \quad (16)$$

Let  $c\_2Efcp\_2Edimindex : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c\_2Efcp\_2Edimindex\ A_{27a} \in (ty\_2Enum\_2Enum)^{(ty\_2Ebool\_2Eitself\ A_{27a})} \quad (17)$$

**Definition 21** We define  $c\_2Ebool\_2E_3F_21$  to be  $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap\ (ap\ c\_2Ebool\_2E_2F_5C\ P\ V0)\ V0))$

**Definition 22** We define  $c\_2Efcp\_2Efinit\_index$  to be  $\lambda A_{27a} : \iota.(ap\ (c\_2Emin\_2E_40\ (A_{27a}^{ty\_2Enum\_2Enum}))\ A_{27a})$

Let  $ty\_2Efcp\_2Ecart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efcp\_2Ecart\ A0\ A1) \quad (18)$$

Let  $c\_2Efcp\_2Edest\_cart : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c\_2Efcp\_2Edest\_cart\ A_{27a}\ A_{27b} \in ((A_{27a}^{(ty\_2Efcp\_2Efinit\_image\ A_{27b})})^{(ty\_2Efcp\_2Ecart\ A_{27a}\ A_{27b})}) \quad (19)$$

**Definition 23** We define  $c\_2Efcp\_2Efcp\_index$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in (ty\_2Efcp\_2Ecart\ A\_27c)$

**Definition 24** We define  $c\_2Efcp\_2EFCP$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.(\lambda V0g \in (A.27a^{ty\_2Enum\_2Enum}).(ap$

**Definition 25** We define  $c_2Ebitstring\_2Ev2w$  to be  $\lambda A\_27a : \iota. \lambda V0v \in (ty\_2Elist\_2Elist 2).(ap (c\_2Efcp\_2)$

**Definition 26** We define  $c_2Ecombin\_2ES$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.(\lambda V0f \in ((A.27c^{A.27b})^{A.27c}))$

**Definition 27** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^A\_27a) A))$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (20)$$

**Definition 28** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_{27a} : \iota. (\lambda V0x \in A\_{27a}. (\lambda V1f \in (2^{A\_{27a}}). (ap\_{V1f}\_{V0x})))$

Let  $c\_2Elist\_2EEL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Elist\_2EEL \ A\_27a \in ((A\_27a^{(ty\_2Elist\_2Elist \ A\_27a)})^{ty\_2Enum\_2Enum})$$

(21)

Let  $c_2Earithmetic_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (22)$$

Let  $c_2Earithmetic_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (23)$$

**Definition 29** We define  $c\_2Earthmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 30** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 31** We define  $c_2Earthmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Enum\_2ZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ZERO\_REP \in \omega$$

**Definition 32** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 33** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap (ap (c\_2Ebool\_2EPRE$

Let  $c_2Earithmic_2EXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (25)$$

Let  $c_2Earithmetic_2E_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (26)$$

**Definition 34** We define  $c\_2\text{Enumeral\_2EiiSUC}$  to be  $\lambda V0n \in ty\_2\text{Enum\_2Enum}.(\text{ap } c\_2\text{Enum\_2ESUC } (\text{ap }$

Let  $c\_2\text{Earithmetic\_2E\_2B} : \iota$  be given. Assume the following.

$$c\_2\text{Earithmetic\_2E\_2B} \in ((ty\_2\text{Enum\_2Enum}^{ty\_2\text{Enum\_2Enum}})^{ty\_2\text{Enum\_2Enum}}) \quad (27)$$

**Definition 35** We define  $c\_2\text{Enumeral\_2EiZ}$  to be  $\lambda V0x \in ty\_2\text{Enum\_2Enum}.V0x$ .

**Definition 36** We define  $c\_2\text{Earithmetic\_2EBIT2}$  to be  $\lambda V0n \in ty\_2\text{Enum\_2Enum}.(\text{ap } (\text{ap } c\_2\text{Earithmetic\_2E\_2B} (\text{ap } c\_2\text{Enum\_2ESUC}))$

**Definition 37** We define  $c\_2\text{Earithmetic\_2E\_3C\_3D}$  to be  $\lambda V0m \in ty\_2\text{Enum\_2Enum}.(\lambda V1n \in ty\_2\text{Enum\_2Enum}.($

Let  $c\_2\text{Elist\_2ETL} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2ETL } A\_27a \in ((ty\_2\text{Elist\_2Elist } A\_27a)^{(ty\_2\text{Elist\_2Elist } A\_27a)}) \quad (28)$$

Let  $c\_2\text{Elist\_2EHD} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Elist\_2EHD } A\_27a \in (A\_27a^{(ty\_2\text{Elist\_2Elist } A\_27a)}) \quad (29)$$

Let  $c\_2\text{Elist\_2EFOLDL} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2\text{Elist\_2EFOLDL } A\_27a A\_27b \in (((A\_27b^{(ty\_2\text{Elist\_2Elist } A\_27a)})^{A\_27b})^{((A\_27b^{A\_27a})^{A\_27b})}) \quad (30)$$

**Definition 38** We define  $c\_2\text{Earithmetic\_2EZERO}$  to be  $c\_2\text{Enum\_2E0}$ .

**Definition 39** We define  $c\_2\text{Earithmetic\_2EBIT1}$  to be  $\lambda V0n \in ty\_2\text{Enum\_2Enum}.(\text{ap } (\text{ap } c\_2\text{Earithmetic\_2E\_2B} (\text{ap } c\_2\text{Enum\_2ESUC}))$

**Definition 40** We define  $c\_2\text{Earithmetic\_2ENUMERAL}$  to be  $\lambda V0x \in ty\_2\text{Enum\_2Enum}.V0x$ .

Let  $ty\_2\text{Eone\_2Eone} : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2\text{Eone\_2Eone} \quad (31)$$

**Definition 41** We define  $c\_2\text{Ewords\_2Eword\_reduce}$  to be  $\lambda A\_27a : \iota. \lambda V0f \in ((2^2)^2). \lambda V1w \in (ty\_2\text{Efcp\_2E})$

**Definition 42** We define  $c\_2\text{Ewords\_2Eword\_bit}$  to be  $\lambda A\_27a : \iota. \lambda V0b \in ty\_2\text{Enum\_2Enum}. \lambda V1w \in (ty\_2\text{Efcp\_2E})$

Assume the following.

$$(\forall V0m \in ty\_2\text{Enum\_2Enum}.((\text{ap } (\text{ap } c\_2\text{Earithmetic\_2E\_2B } V0m) c\_2\text{Enum\_2E0}) = V0m)) \quad (32)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge ((ap ( \\
 & ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\
 & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\
 & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\
 & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))) \\
 & (33)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & V1n) V0m))) \\
 & (34)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & V1n) V0m))) \\
 & (35)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (\forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\
 & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p)))))) \\
 & (36)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & (ap c\_2Enum\_2ESUC V0m)) V1n)))) \\
 & (37)
 \end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 c\_2Enum\_2E0) V0n))) \quad (38)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
 & (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
 & V1n) V0m)))))) \\
 & (39)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2D \\
 c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge ((ap (ap c\_2Earithmetic\_2E\_2D \\
 V0m) c\_2Enum\_2E0) = V0m))) \\
 & (40)
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\
& ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& V0m) V1n)))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))
\end{aligned} \tag{42}$$

Assume the following.

$$(\forall V0c \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2D V0c) \\
V0c) = c\_2Enum\_2E0)) \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p ( \\
& ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Enum\_2ESUC V1n)) V0m))))))
\end{aligned} \tag{46}$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC V1n)) V0m))))))) \quad (47)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0n))) \quad (48)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2D (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p) = (ap (ap c\_2Earithmetic\_2E\_2D V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p))))))) \quad (49)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p))))))) \quad (50)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap (ap c\_2Earithmetic\_2E\_2D V0m) V1n)) V2p)) \Leftrightarrow ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p))) \wedge (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V2p))))))) \quad (51)$$

Assume the following.

$$(\forall V0P \in (2^{ty\_2Enum\_2Enum}). (\forall V1a \in ty\_2Enum\_2Enum. (\forall V2b \in ty\_2Enum\_2Enum. ((p (ap V0P (ap (ap c\_2Earithmetic\_2E\_2D V1a) V2b))) \Leftrightarrow (\forall V3d \in ty\_2Enum\_2Enum. (((V2b = (ap (ap c\_2Earithmetic\_2E\_2B V1a) V3d)) \Rightarrow (p (ap V0P c\_2Enum\_2E0))) \wedge ((V1a = (ap (ap c\_2Earithmetic\_2E\_2B V2b) V3d)) \Rightarrow (p (ap V0P V3d)))))))))) \quad (52)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\forall V1v \in (ty\_2Elist\_2Elist 2). ((ap (c\_2Elist\_2LENGTH 2) (ap (ap c\_2Ebitstring\_2Efixwidth V0n) V1v)) = V0n))) \quad (53)$$

Assume the following.

$$\begin{aligned}
& (\forall V0i \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& \forall V2w \in (ty\_2Elist\_2Elist 2). ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V0i) V1n)) \Rightarrow ((p (ap (ap (c\_2Elist\_2EEL 2) V0i) (ap (ap c\_2Ebitstring\_2Efixwidth \\
& V1n) V2w))) \Leftrightarrow (p (ap (ap (ap (c\_2Ebool\_2ECOND 2) (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap (c\_2Elist\_2ELENGTH 2) V2w)) V1n)) (ap (ap c\_2Ebool\_2E\_2F\_5C \\
& (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap (ap c\_2Earithmetic\_2E\_2D \\
& V1n) (ap (c\_2Elist\_2ELENGTH 2) V2w))) V0i)) (ap (ap (c\_2Elist\_2EEL \\
& 2) (ap (ap c\_2Earithmetic\_2E\_2D V0i) (ap (ap c\_2Earithmetic\_2E\_2D \\
& V1n) (ap (c\_2Elist\_2ELENGTH 2) V2w)))) V2w))) (ap (ap (c\_2Elist\_2EEL \\
& 2) (ap (ap c\_2Earithmetic\_2E\_2B V0i) (ap (ap c\_2Earithmetic\_2E\_2D \\
& (ap (c\_2Elist\_2ELENGTH 2) V2w)) V1n))) V2w))))))) \\
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0b \in ty\_2Enum\_2Enum. (\forall V1v \in (ty\_2Elist\_2Elist \\
& 2). ((p (ap (ap c\_2Ebitstring\_2Etestbit V0b) V1v)) \Leftrightarrow (p (ap (ap ( \\
& c\_2Ebool\_2ELET ty\_2Enum\_2Enum 2) (\lambda V2n \in ty\_2Enum\_2Enum. \\
& (ap (ap c\_2Ebool\_2E\_2F\_5C (ap (ap c\_2Eprim\_rec\_2E\_3C V0b) V2n)) \\
& (ap (ap (c\_2Elist\_2EEL 2) (ap (ap c\_2Earithmetic\_2E\_2D (ap (ap \\
& c\_2Earithmetic\_2E\_2D V2n) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& c\_2Earithmetic\_2EZERO)))) V0b)) V1v)))) (ap (c\_2Elist\_2ELENGTH \\
& 2) V1v))))))) \\
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum. \\
& \forall V1v \in (ty\_2Elist\_2Elist 2). ((p (ap (ap (c\_2Ewords\_2Eword\_bit \\
& A\_27a) V0n) (ap (c\_2Ebitstring\_2Ev2w A\_27a) V1v))) \Leftrightarrow ((p (ap (ap \\
& c\_2Eprim\_rec\_2E\_3C V0n) (ap (c\_2Efcp\_2Edimindex A\_27a) (c\_2Ebool\_2Ethe\_value \\
& A\_27a)))) \wedge (p (ap (ap c\_2Ebitstring\_2Etestbit V0n) V1v)))))) \\
\end{aligned} \tag{56}$$

Assume the following.

$$True \tag{57}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{58}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{59}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{60}$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\ & \forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1x \in A_{27a}.((ap (ap (c_2Ebool\_LET \\ & A_{27a} A_{27b}) V0f) V1x) = (ap V0f V1x))) \end{aligned} \quad (61)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_{27a}.(p V0t)) \Leftrightarrow (p V0t))) \quad (62)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge \\ ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (63)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow \\ & (p V0t)) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (66)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))) \quad (67)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((V0x = V0x) \Leftrightarrow \\ True)) \quad (68)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27a}.((V0x = V1y) \Leftrightarrow \\ (V1y = V0x)))) \quad (69)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \\ & V0t)))))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0t1 \in A_{27a}.(\forall V1t2 \in \\ A_{27a}.(((ap\ (ap\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27a})\ c_{2Ebool\_2ET})\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27a})\ c_{2Ebool\_2EF}) \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (71)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee ( \\ (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C))))))) \quad (72)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((((\neg(p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \\ \vee (\neg(p\ V1B)))) \wedge ((\neg(p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))))) \quad (73)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A) \\ \vee (p\ V1B)))))) \quad (74)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Leftrightarrow ((p\ V0t) \Leftrightarrow False))) \quad (75)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \\ \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3))))))) \quad (76)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow (((p\ V0t1) \\ \wedge (p\ V1t2)) \vee ((\neg(p\ V0t1)) \wedge (\neg(p\ V1t2))))))) \quad (77)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in \\ 2.(((p\ V0x) \Leftrightarrow (p\ V1x_{27})) \wedge ((p\ V1x_{27}) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_{27})))))) \Rightarrow \quad (78) \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_{27}) \Rightarrow (p\ V3y_{27})))))) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_{27a}.(\forall V3x_{27} \in A_{27a}.(\forall V4y \in A_{27a}. \\ & (\forall V5y_{27} \in A_{27a}.(((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_{27})) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_{27})))) \Rightarrow ((ap\ (ap\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27a})\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27a})\ V1Q)\ V3x_{27}) \\ & V5y_{27})))))))))) \end{aligned} \quad (79)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0t1 \in A_{27a}.(\forall V1t2 \in \\ A_{27a}.((ap\ (ap\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27a})\ c_{2Ebool\_2ET})\ V0t1) \\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{27a}.(\forall V3t2 \in A_{27a}.((ap \\ (ap\ (c_{2Ebool\_2ECOND}\ A_{27a})\ c_{2Ebool\_2EF})\ V2t1)\ V3t2) = V3t2)))) \\ (80) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ \forall V0x \in A_{27a}.(\forall V1y \in A_{27b}.((ap\ (ap\ (c_{2Ecombin\_2EK} \\ A_{27a}\ A_{27b})\ V0x)\ V1y) = V0x))) \\ (81) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.((ap\ (c_{2Ecombin\_2EI} \\ A_{27a})\ V0x) = V0x)) \\ (82) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ \forall V0x \in (ty_{2Efcp\_2Ecart}\ A_{27a}\ A_{27b}).(\forall V1y \in (ty_{2Efcp\_2Ecart} \\ A_{27a}\ A_{27b}).((V0x = V1y) \Leftrightarrow (\forall V2i \in ty_{2Enum\_2Enum}.((p\ (ap \\ (ap\ c_{2Eprim\_rec\_2E\_3C}\ V2i))\ (ap\ (c_{2Efcp\_2Edimindex}\ A_{27b})\ ( \\ c_{2Ebool\_2Ethe\_value}\ A_{27b})))) \Rightarrow ((ap\ (ap\ (c_{2Efcp\_2Efcp\_index} \\ A_{27a}\ A_{27b})\ V0x)\ V2i) = (ap\ (ap\ (c_{2Efcp\_2Efcp\_index}\ A_{27a}\ A_{27b}) \\ V1y)\ V2i)))))) \\ (83) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ \forall V0g \in (A_{27a}^{ty_{2Enum\_2Enum}}).(\forall V1i \in ty_{2Enum\_2Enum}. \\ ((p\ (ap\ (ap\ c_{2Eprim\_rec\_2E\_3C}\ V1i))\ (ap\ (c_{2Efcp\_2Edimindex}\ A_{27b})\ ( \\ c_{2Ebool\_2Ethe\_value}\ A_{27b})))) \Rightarrow ((ap\ (ap\ (c_{2Efcp\_2Efcp\_index} \\ A_{27a}\ A_{27b})\ (ap\ (c_{2Efcp\_2EFCP}\ A_{27a}\ A_{27b})\ V0g))\ V1i) = (ap\ V0g \\ V1i)))) \\ (84) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0h \in A_{27a}.(\forall V1t \in \\ (ty_{2Elist\_2Elist}\ A_{27a}).((ap\ (c_{2Elist\_2EHd}\ A_{27a})\ (ap\ (ap\ ( \\ c_{2Elist\_2ECONS}\ A_{27a})\ V0h)\ V1t)) = V0h))) \\ (85) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c_{2Elist\_2ELENGTH}\ A_{27a}) \\ (c_{2Elist\_2ENIL}\ A_{27a})) = c_{2Enum\_2E0}) \wedge (\forall V0h \in A_{27a}.( \\ \forall V1t \in (ty_{2Elist\_2Elist}\ A_{27a}).((ap\ (c_{2Elist\_2ELENGTH} \\ A_{27a})\ (ap\ (ap\ (c_{2Elist\_2ECONS}\ A_{27a})\ V0h)\ V1t)) = (ap\ c_{2Enum\_2ESUC} \\ (ap\ (c_{2Elist\_2ELENGTH}\ A_{27a})\ V1t)))))) \\ (86) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0l1 \in (ty\_2Elist\_2Elist \\ A_{27a}).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A_{27a}).((V0l1 = V1l2) \Leftrightarrow \\ ((ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ V0l1) = (ap\ (c\_2Elist\_2ELENGTH\ \\ A_{27a})\ V1l2)) \wedge (\forall V2x \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\\ V2x)\ (ap\ (c\_2Elist\_2ELENGTH\ A_{27a})\ V0l1))) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EEL\\ A_{27a})\ V2x)\ V0l1) = (ap\ (ap\ (c\_2Elist\_2EEL\ A_{27a})\ V2x)\ V1l2))))))) \\ (87) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0n \in ty\_2Enum\_2Enum.(\forall V1l \in A_{27b}.(\forall V2ls \in \\ (ty\_2Elist\_2Elist\ A_{27b}).(((ap\ (c\_2Elist\_2EEL\ A_{27a})\ c\_2Enum\_2E0) = \\ (c\_2Elist\_2EHd\ A_{27a})) \wedge ((ap\ (ap\ (c\_2Elist\_2EEL\ A_{27b})\ (ap\ c\_2Enum\_2ESUC\\ V0n))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A_{27b})\ V1l)\ V2ls)) = (ap\ (ap\ (c\_2Elist\_2EEL\\ A_{27b})\ V0n)\ V2ls))))))) \\ (88) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0l \in (ty\_2Elist\_2Elist\ A_{27a}).(\forall V1l\_27 \in (ty\_2Elist\_2Elist\\ A_{27a}).(\forall V2b \in A_{27b}.(\forall V3b\_27 \in A_{27b}.(\forall V4f \in\\ ((A_{27b}^{A\_27a})^{A\_27b}).(\forall V5f\_27 \in ((A_{27b}^{A\_27a})^{A\_27b}).\\ (((V0l = V1l\_27) \wedge ((V2b = V3b\_27) \wedge (\forall V6x \in A_{27a}.(\forall V7a \in\\ A_{27b}.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{27a})\ V6x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\\ A_{27a})\ V1l\_27))) \Rightarrow ((ap\ (ap\ V4f\ V7a)\ V6x) = (ap\ (ap\ V5f\_27\ V7a)\ V6x))))))) \Rightarrow \\ ((ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ A_{27a}\ A_{27b})\ V4f)\ V2b)\ V0l) = (ap\ (\\ ap\ (ap\ (c\_2Elist\_2EFOLDL\ A_{27a}\ A_{27b})\ V5f\_27)\ V3b\_27)\ V1l\_27))))))) \\ (89) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0f \in (A_{27a}^{ty\_2Enum\_2Enum}). \\ & (\forall V1n \in ty\_2Enum\_2Enum.((ap\ (c\_2Elist\_2ELENGTH\ A_{27a}) \\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A_{27a})\ V0f)\ V1n)) = V1n))) \\ (90) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0f \in (A_{27a}^{ty\_2Enum\_2Enum}). \\ & (\forall V1n \in ty\_2Enum\_2Enum.(\forall V2x \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\\ V2x)\ V1n)) \Rightarrow ((ap\ (ap\ (c\_2Elist\_2EEL\\ A_{27a})\ V2x)\ (ap\ (ap\ (c\_2Elist\_2EGENLIST\ A_{27a})\ V0f)\ V1n)) = (ap\ V0f\\ V2x))))))) \\ (91) \end{aligned}$$

Assume the following.

$(\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B c_2Enum\_2E0) V0n) = V0n)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V1n) c_2Enum\_2E0) = V1n)) \wedge (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V3m) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2EiZ (ap (ap c_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge (\forall V4n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A c_2Enum\_2E0) V4n) = c_2Enum\_2E0)) \wedge (\forall V5n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A V5n) c_2Enum\_2E0) = c_2Enum\_2E0)) \wedge (\forall V6n \in ty\_2Enum\_2Enum. (\forall V7m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A (ap c_2Earithmetic\_2ENUMERAL V6n)) (ap c_2Earithmetic\_2ENUMERAL V7m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2A V6n) V7m)))))) \wedge (\forall V8n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D c_2Enum\_2E0) V8n) = c_2Enum\_2E0)) \wedge (\forall V9n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D V9n) c_2Enum\_2E0) = V9n)) \wedge (\forall V10n \in ty\_2Enum\_2Enum. (\forall V11m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D (ap c_2Earithmetic\_2ENUMERAL V10n)) (ap c_2Earithmetic\_2ENUMERAL V11m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2D V10n) V11m)))))) \wedge (\forall V12n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 V12n)))) = c_2Enum\_2E0)) \wedge (\forall V13n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT2 V13n)))) = c_2Enum\_2E0)) \wedge (\forall V14n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP V14n) c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))))) \wedge (\forall V15n \in ty\_2Enum\_2Enum. (\forall V16m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP (ap c_2Earithmetic\_2ENUMERAL V15n)) (ap c_2Earithmetic\_2ENUMERAL V16m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2EEEXP V15n) V16m)))))) \wedge (((ap c_2Enum\_2ESUC c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))) \wedge (\forall V17n \in ty\_2Enum\_2Enum. ((ap c_2Enum\_2ESUC (ap c_2Earithmetic\_2ENUMERAL V17n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2ESUC V17n)))))) \wedge (((ap c_2Eprim\_rec\_2EPRE c_2Enum\_2E0) = c_2Enum\_2E0) \wedge (\forall V18n \in ty\_2Enum\_2Enum. ((ap c_2Eprim\_rec\_2EPRE (ap c_2Earithmetic\_2ENUMERAL V18n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Eprim\_rec\_2EPRE V18n)))))) \wedge (\forall V19n \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V19n) = c_2Enum\_2E0) \Leftrightarrow (V19n = c_2Earithmetic\_2EZERO))) \wedge (\forall V20n \in ty\_2Enum\_2Enum. ((c_2Enum\_2E0 = (ap c_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic\_2EZERO))) \wedge (\forall V21n \in ty\_2Enum\_2Enum. ((\forall V22m \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C V23n) c_2Enum\_2E0)) \Leftrightarrow False))) \wedge (\forall V24n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL V24n))) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Earithmetic\_2EZERO) V24n)))))) \wedge (\forall V25n \in ty\_2Enum\_2Enum. (\forall V26m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C (ap c_2Earithmetic\_2ENUMERAL V25n)) (ap c_2Earithmetic\_2ENUMERAL V26m)))) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge (\forall V28n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E (ap c_2Enum\_2E0) V28n)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V28n)))) \wedge (\forall V29n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E (ap c_2Enum\_2E0) V29n)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V29n)))) \wedge (\forall V30m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V30m)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V30m)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge (\forall V32n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V32n)) \Leftrightarrow False))) \wedge (\forall V33m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V33m)) \Leftrightarrow False)))$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Earithmetic\_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) c\_2Earithmetic\_2EZERO) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) c\_2Earithmetic\_2EZERO) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{94}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V0n) c\_2Enum\_2E0)))) \tag{95}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{96}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{97}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
\end{aligned} \tag{98}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \\
\end{aligned} \tag{99}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{100}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p \\
& V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \\
\end{aligned} \tag{101}$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))) \\ & \end{aligned} \quad (102)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \\ & \end{aligned} \quad (103)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (104)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) \\ & (ap (c\_2Efcp\_2Edimindex A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a)))) \\ & \end{aligned} \quad (105)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0w \in (ty\_2Efcp\_2Ecart \\ & 2 A\_27a). (\forall V1b \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\ & V1b) (ap (c\_2Efcp\_2Edimindex A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a)))) \Rightarrow \\ & ((p (ap (ap (c\_2Efcp\_2Efcp\_index 2 A\_27a) V0w) V1b)) \Leftrightarrow (p (ap (ap \\ & (c\_2Ewords\_2Eword\_bit A\_27a) V1b) V0w))))))) \\ & \end{aligned} \quad (106)$$

Assume the following.

$$\begin{aligned} & ((ap (c\_2Efcp\_2Edimindex ty\_2Eone\_2Eone) (c\_2Ebool\_2Ethe\_value \\ & ty\_2Eone\_2Eone)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\ & c\_2Earithmetic\_2EZERO))) \\ & \end{aligned} \quad (107)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0f \in ((2^2)^2). (\forall V1v \in \\ & (ty\_2Elist\_2Elist 2). ((ap (ap (c\_2Ewords\_2Eword\_reduce A\_27a) \\ & V0f) (ap (c\_2Ebitstring\_2Ev2w A\_27a) V1v)) = (ap (ap (c\_2Ebool\_2ELET \\ & (ty\_2Elist\_2Elist 2) (ty\_2Efcp\_2Ecart 2 ty\_2Eone\_2Eone)) ( \\ & \lambda V2l \in (ty\_2Elist\_2Elist 2). (ap (c\_2Ebitstring\_2Ev2w ty\_2Eone\_2Eone) \\ & (ap (ap (c\_2Elist\_2ECONS 2) (ap (ap (c\_2Elist\_2EFOLDL 2 2) \\ & V0f) (ap (c\_2Elist\_2EHDL 2) V2l)) (ap (c\_2Elist\_2ETL 2) V2l))) \\ & (c\_2Elist\_2ENIL 2)))) (ap (ap c\_2Ebitstring\_2Efixwidth (ap \\ & (c\_2Efcp\_2Edimindex A\_27a) (c\_2Ebool\_2Ethe\_value A\_27a))) \\ & V1v))))))) \\ & \end{aligned}$$