

# thm\_2Ecardinal\_2ECARD\_\_ADD\_\_ASSOC (TMPYxCrft9mo2NmUapfc5KivehiicduxsGp)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

**Definition 4** We define `c_2Ebool_2E_2F` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define `c_2Ebool_2E_3F` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a$

**Definition 9** We define `c_2Ebool_2E_3F_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C$

**Definition 10** We define `c_2Ebool_2E_2IN` to be  $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

**Definition 11** We define `c_2Epred_set_2ESURJ` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b})$

**Definition 12** We define `c_2Epred_set_2EINJ` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b})$

**Definition 13** We define `c_2Epred_set_2EBIJ` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27b})$

**Definition 14** We define `c_2Ecardinal_2Ecardeq` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27b})$

**Definition 15** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2T$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (1)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (2)$$

**Definition 16** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (3)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (4)$$

**Definition 17** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (5)$$

**Definition 18** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

**Definition 19** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ V0t1\ V1t2)))$

**Definition 20** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0s\ V1t)$

**Definition 21** We define  $c\_2Ecardinal\_2E\_2B\_c$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27b}).(ap\ (c\_2Ecardinal\_2E\_2B\_c\ A\_27a\ A\_27b)\ V0s\ V1t)$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (8)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). ((p\ (ap \\ & (c\_2Ebool\_2E\_3F\_21\ A\_27a)\ (\lambda V1x \in A\_27a.(ap\ V0P\ V1x)))) \Leftrightarrow (( \\ & \exists V2x \in A\_27a.(p\ (ap\ V0P\ V2x))) \wedge (\forall V3x \in A\_27a. (\forall V4y \in \\ & A\_27a. (((p\ (ap\ V0P\ V3x)) \wedge (p\ (ap\ V0P\ V4y))) \Rightarrow (V3x = V4y)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in \\ & A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ ( \\ & ap\ V0P\ V1a)))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0s \in (2^{A\_27a}). (\forall V1t \in (2^{A\_27b}). ((p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecard \\ & eq\ A\_27a\ A\_27b)\ V0s)\ V1t))) \Leftrightarrow (\exists V2f \in (A\_27b^{A\_27a}). ((\forall V3x \in \\ & A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V0s)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27b)\ (ap\ V2f\ V3x))\ V1t)))) \wedge (\forall V4y \in A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27b)\ V4y)\ V1t)) \Rightarrow (p\ (ap\ (c\_2Ebool\_2E\_3F\_21\ A\_27a)\ (\lambda V5x \in A\_27a. \\ & (ap\ (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V5x)\ V0s)) \\ & (ap\ (ap\ (c\_2Emin\_2E\_3D\ A\_27b)\ (ap\ V2f\ V5x))\ V4y)))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0s \in (2^{A\_27a}). (\forall V1t \in (2^{A\_27b}). ((\forall V2x \in \\ & A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Esum\_2Esum\ A\_27a\ A\_27b)) \\ & (ap\ (c\_2Esum\_2EINL\ A\_27a\ A\_27b)\ V2x))\ (ap\ (ap\ (c\_2Ecardinal\_2E\_2B\_c \\ & A\_27a\ A\_27b)\ V0s)\ V1t))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)))) \wedge \\ & (\forall V3y \in A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Esum\_2Esum \\ & A\_27a\ A\_27b))\ (ap\ (c\_2Esum\_2EINR\ A\_27a\ A\_27b)\ V3y))\ (ap\ (ap\ (c\_2Ecardinal\_2E\_2B\_c \\ & A\_27a\ A\_27b)\ V0s)\ V1t))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V3y)\ V1t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((ap\ (c\_2Esum\_2EINL\ A\_27a \\ & A\_27b)\ V0x) = (ap\ (c\_2Esum\_2EINL\ A\_27a\ A\_27b)\ V1y)) \Leftrightarrow (V0x = V1y))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0x \in A\_27b. (\forall V1y \in A\_27b. ((ap\ (c\_2Esum\_2EINR\ A\_27a \\ & A\_27b)\ V0x) = (ap\ (c\_2Esum\_2EINR\ A\_27a\ A\_27b)\ V1y)) \Leftrightarrow (V0x = V1y))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0P \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}). ((\forall V1s \in \\ & (ty\_2Esum\_2Esum\ A\_27a\ A\_27b). (p\ (ap\ V0P\ V1s))) \Leftrightarrow ((\forall V2x \in \\ & A\_27a. (p\ (ap\ V0P\ (ap\ (c\_2Esum\_2EINL\ A\_27a\ A\_27b)\ V2x)))) \wedge (\forall V3y \in \\ & A\_27b. (p\ (ap\ V0P\ (ap\ (c\_2Esum\_2EINR\ A\_27a\ A\_27b)\ V3y)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0P \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}). ((\exists V1s \in \\ & (ty\_2Esum\_2Esum\ A\_27a\ A\_27b). (p\ (ap\ V0P\ V1s))) \Leftrightarrow ((\exists V2x \in \\ & A\_27a. (p\ (ap\ V0P\ (ap\ (c\_2Esum\_2EINL\ A\_27a\ A\_27b)\ V2x)))) \vee (\exists V3y \in \\ & A\_27b. (p\ (ap\ V0P\ (ap\ (c\_2Esum\_2EINR\ A\_27a\ A\_27b)\ V3y)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow (\forall V0f \in (A\_27c^{A\_27a}). (\forall V1g \in (A\_27c^{A\_27b}). \\ & (\exists V2h \in (A\_27c^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}). ((\forall V3x \in \\ & A\_27a. ((ap\ V2h\ (ap\ (c\_2Esum\_2EINL\ A\_27a\ A\_27b)\ V3x)) = (ap\ V0f\ V3x))) \wedge \\ & (\forall V4y \in A\_27b. ((ap\ V2h\ (ap\ (c\_2Esum\_2EINR\ A\_27a\ A\_27b)\ V4y)) = \\ & (ap\ V1g\ V4y)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\neg((ap\ (c\_2Esum\_2EINL \\ & A\_27a\ A\_27b)\ V0x) = (ap\ (c\_2Esum\_2EINR\ A\_27a\ A\_27b)\ V1y)))) \end{aligned} \quad (28)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in (2^{A\_27b}). \\ & (\forall V2u \in (2^{A\_27c}). (p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardeq\ (ty\_2Esum\_2Esum \\ & A\_27a\ (ty\_2Esum\_2Esum\ A\_27b\ A\_27c))\ (ty\_2Esum\_2Esum\ (ty\_2Esum\_2Esum \\ & A\_27a\ A\_27b)\ A\_27c))\ (ap\ (ap\ (c\_2Ecardinal\_2E\_2B\_c\ A\_27a\ (ty\_2Esum\_2Esum \\ & A\_27b\ A\_27c))\ V0s)\ (ap\ (ap\ (c\_2Ecardinal\_2E\_2B\_c\ A\_27b\ A\_27c) \\ & V1t)\ V2u)))\ (ap\ (ap\ (c\_2Ecardinal\_2E\_2B\_c\ (ty\_2Esum\_2Esum\ A\_27a \\ & A\_27b)\ A\_27c)\ (ap\ (ap\ (c\_2Ecardinal\_2E\_2B\_c\ A\_27a\ A\_27b)\ V0s) \\ & V1t))\ V2u)))))) \end{aligned}$$