

thm_2Ecardinal_2ECARD_ADD_SYM
(TMWqt5UrgVtfxNYZ6v565hFUe5HbgU8Pi1d)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P)))$

Definition 9 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap c_2Ebool_2E_2F_5C A_27a P$

Definition 10 We define $c_2Ebool_2E_EIN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 11 We define $c_2Epred_set_2ESURJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 12 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 13 We define $c_2Epred_set_2EBIJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 14 We define $c_2Ecardinal_2Ecardeq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27a})$

Definition 15 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_ET$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (1)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (2)$$

Definition 16 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (3)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (4)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (5)$$

Definition 18 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ V0t1\ V1t2)))$

Definition 20 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0s\ V1t)$

Definition 21 We define $c_2Ecardinal_2E_2B_c$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27b}).(ap\ (c_2Ecardinal_2E_2B_c\ A_27a\ A_27b)\ V0s\ V1t)$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((p\ (ap \\ & (c.2Ebool.2E.3F.21\ A.27a)\ (\lambda V1x \in A.27a.(ap\ V0P\ V1x)))) \Leftrightarrow ((\\ & \exists V2x \in A.27a.(p\ (ap\ V0P\ V2x))) \wedge (\forall V3x \in A.27a.(\forall V4y \in \\ & A.27a.(((p\ (ap\ V0P\ V3x)) \wedge (p\ (ap\ V0P\ V4y))) \Rightarrow (V3x = V4y)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x.27)) \wedge ((p\ V1x.27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y.27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x.27) \Rightarrow (p\ V3y.27)))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1a \in \\ & A.27a.((\exists V2x \in A.27a.((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (\\ & ap\ V0P\ V1a)))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0s \in (2^{A.27a}).(\forall V1t \in (2^{A.27b}).((p\ (ap\ (ap\ (c.2Ecardinal.2Ecardinal \\ & A.27a\ A.27b)\ V0s)\ V1t))) \Leftrightarrow (\exists V2f \in (A.27b^{A.27a}).((\forall V3x \in \\ & A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V3x)\ V0s)) \Rightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & A.27b)\ (ap\ V2f\ V3x))\ V1t)))) \wedge (\forall V4y \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & A.27b)\ V4y)\ V1t)) \Rightarrow (p\ (ap\ (c.2Ebool.2E.3F.21\ A.27a)\ (\lambda V5x \in A.27a. \\ & (ap\ (ap\ c.2Ebool.2E.2F.5C\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V5x)\ V0s)) \\ & (ap\ (ap\ (c.2Emin.2E.3D\ A.27b)\ (ap\ V2f\ V5x))\ V4y)))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0s \in (2^{A.27a}).(\forall V1t \in (2^{A.27b}).((\forall V2x \in \\ & A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (ty.2Esum.2Esum\ A.27a\ A.27b)) \\ & (ap\ (c.2Esum.2EINL\ A.27a\ A.27b)\ V2x))\ (ap\ (ap\ (c.2Ecardinal.2E.2B...c \\ & A.27a\ A.27b)\ V0s)\ V1t))) \Leftrightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0s)))) \wedge \\ & (\forall V3y \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (ty.2Esum.2Esum \\ & A.27a\ A.27b))\ (ap\ (c.2Esum.2EINR\ A.27a\ A.27b)\ V3y))\ (ap\ (ap\ (c.2Ecardinal.2E.2B...c \\ & A.27a\ A.27b)\ V0s)\ V1t))) \Leftrightarrow (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27b)\ V3y)\ V1t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & (\forall V0y \in A.27a.(\forall V1x \in A.27a.(((ap\ (c.2Esum.2EINL \\ & A.27a\ A.27b)\ V1x) = (ap\ (c.2Esum.2EINL\ A.27a\ A.27b)\ V0y)) \Leftrightarrow (V1x = \\ & V0y))) \wedge (\forall V2y \in A.27b.(\forall V3x \in A.27b.(((ap\ (c.2Esum.2EINR \\ & A.27a\ A.27b)\ V3x) = (ap\ (c.2Esum.2EINR\ A.27a\ A.27b)\ V2y)) \Leftrightarrow (V3x = \\ & V2y)))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0P \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}).((\forall V1s \in \\
& \quad (ty_2Esum_2Esum\ A_27a\ A_27b).(p\ (ap\ V0P\ V1s))) \Leftrightarrow ((\forall V2x \in \\
& \quad A_27a.(p\ (ap\ V0P\ (ap\ (c_2Esum_2EINL\ A_27a\ A_27b)\ V2x)))) \wedge (\forall V3y \in \\
& \quad A_27b.(p\ (ap\ V0P\ (ap\ (c_2Esum_2EINR\ A_27a\ A_27b)\ V3y))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0P \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}).((\exists V1s \in \\
& \quad (ty_2Esum_2Esum\ A_27a\ A_27b).(p\ (ap\ V0P\ V1s))) \Leftrightarrow ((\exists V2x \in \\
& \quad A_27a.(p\ (ap\ V0P\ (ap\ (c_2Esum_2EINL\ A_27a\ A_27b)\ V2x)))) \vee (\exists V3y \in \\
& \quad A_27b.(p\ (ap\ V0P\ (ap\ (c_2Esum_2EINR\ A_27a\ A_27b)\ V3y))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27c^{A_27a}).(\forall V1g \in (A_27c^{A_27b}). \\
& \quad (\exists V2h \in (A_27c^{(ty_2Esum_2Esum\ A_27a\ A_27b)}).((\forall V3x \in \\
& \quad A_27a.((ap\ V2h\ (ap\ (c_2Esum_2EINL\ A_27a\ A_27b)\ V3x)) = (ap\ V0f\ V3x))) \wedge \\
& \quad (\forall V4y \in A_27b.((ap\ V2h\ (ap\ (c_2Esum_2EINR\ A_27a\ A_27b)\ V4y)) = \\
& \quad (ap\ V1g\ V4y))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in A_27a.(\forall V1y \in A_27b.(\neg((ap\ (c_2Esum_2EINL \\
& \quad A_27a\ A_27b)\ V0x) = (ap\ (c_2Esum_2EINR\ A_27a\ A_27b)\ V1y))))
\end{aligned} \tag{27}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27b}).(p\ (ap\ (ap\ (c_2Ecardinal_2Ecardeq \\
& \quad (ty_2Esum_2Esum\ A_27a\ A_27b)\ (ty_2Esum_2Esum\ A_27b\ A_27a))\ (ap \\
& \quad (ap\ (c_2Ecardinal_2E_2B_c\ A_27a\ A_27b)\ V0s)\ V1t))\ (ap\ (ap\ (c_2Ecardinal_2E_2B_c \\
& \quad A_27b\ A_27a)\ V1t)\ V0s))))
\end{aligned}$$