

thm_2Ecardinal_2ECARD__LE__COUNTABLE (TMdxLsz6S6dpQ56QEQMqfJPXCYG8AgxQfL)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 5 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2$

Definition 8 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a}$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A-27a}).\lambda V1s2 \in (2^{A-27a}$

Definition 12 We define $c_2Ecardinal_2Ecardgeq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}$

Definition 13 We define $c_2Epred_set_2Ecountable$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).(ap (c_2Ebool_2E_3F$

Definition 14 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Definition 15 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2$

Definition 16 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Assume the following.

$$True \tag{2}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (\\ & p V0t)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27b}).((p (ap (ap (c_2Ecardinal_2Ecardgeq \\ & A_27a A_27b) V0s) V1t)) \Leftrightarrow (p (ap (ap (c_2Ecardinal_2Ecardleq A_27b \\ & A_27a) V1t) V0s)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in (2^{A_27a}).((p (ap \\ & (c_2Epred_set_2Ecountable A_27a) V0t)) \Leftrightarrow (p (ap (ap (c_2Ecardinal_2Ecardgeq \\ & ty_2Enum_2Enum A_27a) (c_2Epred_set_2EUNIV ty_2Enum_2Enum) \\ & V0t)))))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\ & nonempty A_27c \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27b}). \\ & (\forall V2u \in (2^{A_27c}).(((p (ap (ap (c_2Ecardinal_2Ecardleq \\ & A_27a A_27b) V0s) V1t)) \wedge (p (ap (ap (c_2Ecardinal_2Ecardleq A_27b \\ & A_27c) V1t) V2u))) \Rightarrow (p (ap (ap (c_2Ecardinal_2Ecardleq A_27a A_27c) \\ & V0s) V2u)))))) \end{aligned} \tag{9}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (10)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (11)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (12)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (13)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (14)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (15)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (16)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (17)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (18)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (19)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (20)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (21)$$

Theorem 1

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). (\forall V1t \in \\ & (2^{A_{27a}}). ((p (ap (c_2Epred_set_2Ecountable A_{27a}) V1t)) \wedge \\ & (p (ap (ap (c_2Ecardinal_2Ecardleq A_{27a} A_{27a}) V0s) V1t))) \Rightarrow (p \\ & (ap (c_2Epred_set_2Ecountable A_{27a}) V0s)))) \end{aligned}$$