

thm_2Ecardinal_2ECARD__LE__INJ
(TMRrPkt375iAdto6w6rT9ga46wmvjuyrj39)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (c_2Enum_2ESUC_REP m))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 14 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A-27a}). (ap\ V1f\ V0x))$

Definition 15 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ ($

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (5)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \quad (6)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b}}) \quad (7)$$

Definition 17 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A-27a}). \lambda V1s \in$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Definition 18 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 19 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 20 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A-27a}). (ap\ (c_2$

Let $c_2Epred_set_2ECARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Epred_set_2ECARD\ A_27a \in (ty_2Enum_2Enum^{(2^{A-27a})}) \quad (9)$$

Definition 21 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). (ap\ (c_2Ebool_2E_21\ 2)$

Definition 22 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V0n)) (ap c_2Enum_2ESUC V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V0n) V1m)))))) \quad (10)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V0n)) c_2Enum_2E0)))) \quad (11)$$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.(((\forall V2x \in A_27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A_27a.((p (ap V0P V3x)) \wedge (p V1Q))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).(((\forall V2x \in A_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V1P V3x))) \vee (p V0Q)))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}. ((\forall V2x \in A_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x)))))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}. ((\forall V2x \in A_27a. ((p\ V0P) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \Rightarrow (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x)))))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). (\forall V3x \in A_27a. ((ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b^{A_27a})\ V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V0b)\ (ap\ V1f\ V3x))\ (ap\ V2g\ V3x)))))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f\ V2x))\ (ap\ V0f\ V3y)))))))) \quad (35)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& V5y_27)))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\
& 2^{A_27a}). (((p\ V0P) \Rightarrow (\forall V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in \\
& A_27a. ((p\ V0P) \Rightarrow (p\ (ap\ V1Q\ V3x))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0r \in 2. (\forall V1p \in 2. (\forall V2q \in 2. (((p\ V1p) \wedge \\
& (p\ V2q) \Rightarrow (p\ V0r)) \Leftrightarrow ((p\ V1p) \Rightarrow ((p\ V2q) \Rightarrow (p\ V0r))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg(p\ (ap\ (ap \\
& (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (p\ (ap\ (\\
& ap\ (c_2Epred_set_2ESUBSET\ A_27a)\ A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a)) \\
& V0s)))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\
& ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V0y)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\
& A_27a\ A_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\
& (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a \\ & \quad A_27b)\ V0f)\ (c_2Epred_set_2EEMPTY\ A_27a)) = (c_2Epred_set_2EEMPTY \\ & \quad A_27b))) \end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1x \in A_27a.(\forall V2s \in (\\ & \quad 2^{A_27a}).((ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V0f)\ (ap \\ & \quad (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1x)\ V2s)) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & \quad A_27b)\ (ap\ V0f\ V1x))\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a\ A_27b) \\ & \quad V0f)\ V2s)))))) \end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(2^{A_27a})}).((\\ & \quad (p\ (ap\ V0P\ (c_2Epred_set_2EEMPTY\ A_27a))) \wedge (\forall V1s \in (2^{A_27a}). \\ & \quad ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s))) \Rightarrow \\ & \quad (\forall V2e \in A_27a.((\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2e)\ V1s))) \Rightarrow \\ & \quad (p\ (ap\ V0P\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V2e)\ V1s)))))) \Rightarrow \\ & \quad (\forall V3s \in (2^{A_27a}).((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ \\ & \quad V3s)) \Rightarrow (p\ (ap\ V0P\ V3s)))))) \end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((ap\ (c_2Epred_set_2ECARD\ A_27a) \\ & \quad (c_2Epred_set_2EEMPTY\ A_27a)) = c_2Enum_2E0) \end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).((p\ (ap \\ & \quad (c_2Epred_set_2EFINITE\ A_27a)\ V0s)) \Rightarrow (\forall V1x \in A_27a.((\\ & \quad ap\ (c_2Epred_set_2ECARD\ A_27a)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & \quad A_27a)\ V1x)\ V0s)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Enum_2Enum) \\ & \quad (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s))\ (ap\ (c_2Epred_set_2ECARD \\ & \quad A_27a)\ V0s))\ (ap\ c_2Enum_2ESUC\ (ap\ (c_2Epred_set_2ECARD\ A_27a) \\ & \quad V0s)))))) \end{aligned} \tag{48}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{49}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{50}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q))) \wedge ((\neg(p V1q)) \vee (\neg(p V2r))) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(\forall V3s \in 2.(((p V0p) \Leftrightarrow (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p)))))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (63)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (64)$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\ & \forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27b}}).(((p (ap (c_{.2}Epred_set_{.2}EFINITE \\ & A_{.27a}) V0s)) \wedge ((p (ap (c_{.2}Epred_set_{.2}EFINITE A_{.27b}) V1t)) \wedge (p \\ & (ap (ap c_{.2}Earithmic_{.2}E_{.3}C_{.3}D (ap (c_{.2}Epred_set_{.2}ECARD A_{.27a}) \\ & V0s)) (ap (c_{.2}Epred_set_{.2}ECARD A_{.27b}) V1t)))))) \Rightarrow (\exists V2f \in \\ & (A_{.27b}^{A_{.27a}}).((p (ap (ap (c_{.2}Epred_set_{.2}ESUBSET A_{.27b}) (ap (\\ & ap (c_{.2}Epred_set_{.2}EIMAGE A_{.27a} A_{.27b}) V2f) V0s)) V1t)) \wedge (\forall V3x \in \\ & A_{.27a}.(\forall V4y \in A_{.27a}.(((p (ap (ap (c_{.2}Ebool_{.2}EIN A_{.27a}) V3x) \\ & V0s)) \wedge ((p (ap (ap (c_{.2}Ebool_{.2}EIN A_{.27a}) V4y) V0s)) \wedge ((ap V2f V3x) = \\ & (ap V2f V4y)))))) \Rightarrow (V3x = V4y))))))))) \end{aligned}$$