

# thm\_2Ecardinal\_2ECARD\_\_MUL\_\_FINITE (TM- SEKGLwEYA5qf37Ho5CJ65rN5BpKCQ2RoQ)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

**Definition 7** We define `c_2Ebool_2EIN` to be  $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

**Definition 8** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let `c_2Epair_2EABS\_prod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c\_2Epair\_2EABS\_prod A_27a A_27b \in ((ty\_2Epair\_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

**Definition 10** We define `c_2Epair_2E_2C` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS\_prod$

Let `c_2Epred\_set_2EGSPEC` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty\_2Epair\_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

**Definition 11** We define  $c\_2\text{Epred\_set\_2EINSERT}$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2Ebool\_2EF) (c\_2Ebool\_2EF) s)$

**Definition 12** We define  $c\_2\text{Epred\_set\_2EEMPTY}$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 13** We define  $c\_2\text{Epred\_set\_2EFINITE}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E21) (c\_2Ebool\_2EF) s)$

Let  $c\_2\text{Epair\_2ESND} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2\text{Epair\_2ESND}\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2\text{Epair\_2Eprod}\ A\_27a\ A\_27b)} \quad (4)$$

Let  $c\_2\text{Epair\_2EFST} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2\text{Epair\_2EFST}\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2\text{Epair\_2Eprod}\ A\_27a\ A\_27b)} \quad (5)$$

**Definition 14** We define  $c\_2\text{Epair\_2EUNCURRY}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})$

**Definition 15** We define  $c\_2\text{Epred\_set\_2ECROSS}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{A\_27a}).\lambda V1Q \in (2^{A\_27b})$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (10)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg (p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg ( \\ & p\ V0t)))))) \end{aligned} \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (12)$$

Assume the following.

$$2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow 2. (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow ( \\ & \forall V0s \in (2^{A_{.27a}}). (\forall V1t \in (2^{A_{.27b}}). (((p (ap (c_{.2}Epred\_set_{.2}EFINITE \\ & A_{.27a}) V0s)) \wedge (p (ap (c_{.2}Epred\_set_{.2}EFINITE A_{.27b}) V1t))) \Rightarrow (p \\ & (ap (c_{.2}Epred\_set_{.2}EFINITE (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b})) \\ & (ap (c_{.2}Epred\_set_{.2}EGSPEC (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b}) (ty_{.2}Epair_{.2}Eprod \\ & A_{.27a} A_{.27b})) (ap (c_{.2}Epair_{.2}EUNCURRY A_{.27a} A_{.27b} (ty_{.2}Epair_{.2}Eprod \\ & (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b}) 2)) (\lambda V2x \in A_{.27a}. (\lambda V3y \in \\ & A_{.27b}. (ap (ap (c_{.2}Epair_{.2}E_{.2}C (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b}) \\ & 2) (ap (ap (c_{.2}Epair_{.2}E_{.2}C A_{.27a} A_{.27b}) V2x) V3y)) (ap (ap c_{.2}Ebool_{.2}E_{.2}F_{.5}C \\ & (ap (ap (c_{.2}Ebool_{.2}EIN A_{.27a}) V2x) V0s)) (ap (ap (c_{.2}Ebool_{.2}EIN \\ & A_{.27b}) V3y) V1t)))))))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow ( \\ & \forall V0s \in (2^{A_{.27a}}). (\forall V1t \in (2^{A_{.27b}}). ((ap (ap (c_{.2}Epred\_set_{.2}ECROSS \\ & A_{.27a} A_{.27b}) V0s) V1t) = (ap (c_{.2}Epred\_set_{.2}EGSPEC (ty_{.2}Epair_{.2}Eprod \\ & A_{.27a} A_{.27b}) (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b})) (ap (c_{.2}Epair_{.2}EUNCURRY \\ & A_{.27a} A_{.27b} (ty_{.2}Epair_{.2}Eprod (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b}) \\ & 2)) (\lambda V2x \in A_{.27a}. (\lambda V3y \in A_{.27b}. (ap (ap (c_{.2}Epair_{.2}E_{.2}C \\ & (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b}) 2) (ap (ap (c_{.2}Epair_{.2}E_{.2}C A_{.27a} \\ & A_{.27b}) V2x) V3y)) (ap (ap c_{.2}Ebool_{.2}E_{.2}F_{.5}C (ap (ap (c_{.2}Ebool_{.2}EIN \\ & A_{.27a}) V2x) V0s)) (ap (ap (c_{.2}Ebool_{.2}EIN A_{.27b}) V3y) V1t)))))))))) \end{aligned} \quad (15)$$

### Theorem 1

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow ( \\ & \forall V0s \in (2^{A_{.27a}}). (\forall V1t \in (2^{A_{.27b}}). (((p (ap (c_{.2}Epred\_set_{.2}EFINITE \\ & A_{.27a}) V0s)) \wedge (p (ap (c_{.2}Epred\_set_{.2}EFINITE A_{.27b}) V1t))) \Rightarrow (p \\ & (ap (c_{.2}Epred\_set_{.2}EFINITE (ty_{.2}Epair_{.2}Eprod A_{.27a} A_{.27b})) \\ & (ap (ap (c_{.2}Epred\_set_{.2}ECROSS A_{.27a} A_{.27b}) V0s) V1t)))))) \end{aligned}$$