

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b}})^{A_27a}) \end{aligned} \quad (4)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (5)$$

Definition 11 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 14 We define $c_2Ecardinal_2E_2B_c$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27b}).(ap\ (c_2E$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (6)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (7)$$

Definition 15 We define $c_2Epred_set_2ECROSS$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1Q \in (2^{A_27b}).(ap\ (c_2E$

Definition 16 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ P)$

Definition 18 We define $c_2Epred_set_2ESURJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Definition 19 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Definition 20 We define $c_2Epred_set_2EBIJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Definition 21 We define $c_2Ecardinal_2Ecardeq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27b}).(ap\ (c_2E$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p \ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow \forall A.27c. \\ & nonempty \ A.27c \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in (2^{A.27b}). \\ & (\forall V2u \in (2^{A.27c}).(((p \ (ap \ (ap \ (c.2Ecardinal.2Ecardeq \ A.27a \\ & A.27b) \ V0s) \ V1t)) \wedge (p \ (ap \ (ap \ (c.2Ecardinal.2Ecardeq \ A.27b \ A.27c) \\ & V1t) \ V2u)))) \Rightarrow (p \ (ap \ (ap \ (c.2Ecardinal.2Ecardeq \ A.27a \ A.27c) \ V0s) \\ & V2u)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow \forall A.27c. \\ & nonempty \ A.27c \Rightarrow \forall A.27d.nonempty \ A.27d \Rightarrow (\forall V0s \in (2^{A.27a}). \\ & (\forall V1s.27 \in (2^{A.27b}).(\forall V2t \in (2^{A.27c}).(\forall V3t.27 \in \\ & (2^{A.27d}).(((p \ (ap \ (ap \ (c.2Ecardinal.2Ecardeq \ A.27a \ A.27b) \ V0s) \\ & V1s.27)) \wedge (p \ (ap \ (ap \ (c.2Ecardinal.2Ecardeq \ A.27c \ A.27d) \ V2t) \ V3t.27)))) \Rightarrow \\ & (p \ (ap \ (ap \ (c.2Ecardinal.2Ecardeq \ (ty.2Esum.2Esum \ A.27a \ A.27c) \\ & (ty.2Esum.2Esum \ A.27b \ A.27d)) \ (ap \ (ap \ (c.2Ecardinal.2E.2B._c \\ & A.27a \ A.27c) \ V0s) \ V2t)) \ (ap \ (ap \ (c.2Ecardinal.2E.2B._c \ A.27b \ A.27d) \\ & V1s.27) \ V3t.27)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27b}).(p\ (ap\ (ap\ (c_2Ecardinal_2Ecardeq \\
& (ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Epair_2Eprod\ A_27b\ A_27a))\ (15) \\
& (ap\ (ap\ (c_2Epred_set_2ECROSS\ A_27a\ A_27b)\ V0s)\ V1t))\ (ap\ (ap\ (\\
& c_2Epred_set_2ECROSS\ A_27b\ A_27a)\ V1t)\ V0s))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27b}). \\
& (\forall V2u \in (2^{A_27c}).(p\ (ap\ (ap\ (c_2Ecardinal_2Ecardeq\ (ty_2Epair_2Eprod \\
& A_27a\ (ty_2Esum_2Esum\ A_27b\ A_27c))\ (ty_2Esum_2Esum\ (ty_2Epair_2Eprod \\
& A_27a\ A_27b)\ (ty_2Epair_2Eprod\ A_27a\ A_27c))\ (ap\ (ap\ (c_2Epred_set_2ECROSS \\
& A_27a\ (ty_2Esum_2Esum\ A_27b\ A_27c))\ V0s)\ (ap\ (ap\ (c_2Ecardinal_2E_2B_c \\
& A_27b\ A_27c)\ V1t)\ V2u)))\ (ap\ (ap\ (c_2Ecardinal_2E_2B_c\ (ty_2Epair_2Eprod \\
& A_27a\ A_27b)\ (ty_2Epair_2Eprod\ A_27a\ A_27c))\ (ap\ (ap\ (c_2Epred_set_2ECROSS \\
& A_27a\ A_27b)\ V0s)\ V1t))\ (ap\ (ap\ (c_2Epred_set_2ECROSS\ A_27a\ A_27c) \\
& V0s)\ V2u))))))
\end{aligned} \tag{16}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{17}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{20}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{26}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{27}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{28}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\
& nonempty A_27c \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in (2^{A_27b}). \\
& (\forall V2u \in (2^{A_27c}). (p (ap (ap (c_2Ecardinal_2Ecardeq (ty_2Epair_2Eprod \\
& (ty_2Esum_2Esum A_27a A_27b) A_27c) (ty_2Esum_2Esum (ty_2Epair_2Eprod \\
& A_27a A_27c) (ty_2Epair_2Eprod A_27b A_27c))) (ap (ap (c_2Epred_set_2ECROSS \\
& (ty_2Esum_2Esum A_27a A_27b) A_27c) (ap (ap (c_2Ecardinal_2E_2B_c \\
& A_27a A_27b) V0s) V1t) V2u)) (ap (ap (c_2Ecardinal_2E_2B_c (ty_2Epair_2Eprod \\
& A_27a A_27c) (ty_2Epair_2Eprod A_27b A_27c)) (ap (ap (c_2Epred_set_2ECROSS \\
& A_27a A_27c) V0s) V2u)) (ap (ap (c_2Epred_set_2ECROSS A_27b A_27c) \\
& V1t) V2u))))))
\end{aligned}$$